

Amel Lamri

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1044285/publications.pdf>

Version: 2024-02-01

17
papers

819
citations

687363

13
h-index

888059

17
g-index

25
all docs

25
docs citations

25
times ranked

1751
citing authors

#	ARTICLE	IF	CITATIONS
1	Identification of genetic effects underlying type 2 diabetes in South Asian and European populations. <i>Communications Biology</i> , 2022, 5, 329.	4.4	21
2	Multi-ancestry genetic study of type 2 diabetes highlights the power of diverse populations for discovery and translation. <i>Nature Genetics</i> , 2022, 54, 560-572.	21.4	250
3	Metabolite profiles and the risk of metabolic syndrome in early childhood: a case-control study. <i>BMC Medicine</i> , 2021, 19, 292.	5.5	9
4	Implications of OPRM1 and CYP2B6 variants on treatment outcomes in methadone-maintained patients in Ontario: Exploring sex differences. <i>PLoS ONE</i> , 2021, 16, e0261201.	2.5	4
5	Maternal Diet and the Serum Metabolome in Pregnancy: Robust Dietary Biomarkers Generalizable to a Multiethnic Birth Cohort. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa144.	0.3	24
6	Fine-tuning of Genome-Wide Polygenic Risk Scores and Prediction of Gestational Diabetes in South Asian Women. <i>Scientific Reports</i> , 2020, 10, 8941.	3.3	25
7	The Extending Spectrum of NPC1-Related Human Disorders: From Niemann-Pick C1 Disease to Obesity. <i>Endocrine Reviews</i> , 2018, 39, 192-220.	20.1	32
8	Empirical evaluation of the Q-Genie tool: a protocol for assessment of effectiveness. <i>BMJ Open</i> , 2016, 6, e010403.	1.9	29
9	Interaction between GPR120 p.R270H loss-of-function variant and dietary fat intake on incident type 2 diabetes risk in the D.E.S.I.R. study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016, 26, 931-936.	2.6	9
10	Contribution of the low-frequency, loss-of-function p.R270H mutation in <i>FFAR4</i> (<i>GPR120</i>) to increased fasting plasma glucose levels. <i>Journal of Medical Genetics</i> , 2015, 52, 595-598.	3.2	29
11	ABCG8 polymorphisms and renal disease in type 2 diabetic patients. <i>Metabolism: Clinical and Experimental</i> , 2015, 64, 713-719.	3.4	11
12	Allelic variations of the vitamin D receptor (VDR) gene are associated with increased risk of coronary artery disease in type 2 diabetics: The DIABHYCAR prospective study. <i>Diabetes and Metabolism</i> , 2013, 39, 263-270.	2.9	40
13	The lactase persistence genotype is associated with body mass index and dairy consumption in the D.E.S.I.R. study. <i>Metabolism: Clinical and Experimental</i> , 2013, 62, 1323-1329.	3.4	33
14	Dietary fat intake and polymorphisms at the PPARC locus modulate BMI and type 2 diabetes risk in the D.E.S.I.R. prospective study. <i>International Journal of Obesity</i> , 2012, 36, 218-224.	3.4	51
15	Dairy Products and the Metabolic Syndrome in a Prospective Study, DESIR. <i>Journal of the American College of Nutrition</i> , 2011, 30, 454S-463S.	1.8	45
16	Dairy Consumption and the Incidence of Hyperglycemia and the Metabolic Syndrome. <i>Diabetes Care</i> , 2011, 34, 813-817.	8.6	136
17	Methylation tolerance due to an O6-methylguanine DNA methyltransferase (MGMT) field defect in the colonic mucosa: an initiating step in the development of mismatch repair-deficient colorectal cancers. <i>Cut</i> , 2010, 59, 1516-1526.	12.1	51