

Philip Burgess

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1045222/publications.pdf>

Version: 2024-02-01

152
papers

8,890
citations

50276

46
h-index

45317

90
g-index

153
all docs

153
docs citations

153
times ranked

7558
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical efficacy of a Decision Support Tool (Link-me) to guide intensity of mental health care in primary practice: a pragmatic stratified randomised controlled trial. <i>Lancet Psychiatry</i> , 2021, 8, 202-214.	7.4	22
2	Potentially preventable hospitalisations for physical health conditions in community mental health service users: a population-wide linkage study. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e22.	3.9	8
3	Implementing child and youth mental health services: early lessons from the Australian Primary Health Network Lead Site Project. <i>International Journal of Mental Health Systems</i> , 2021, 15, 16.	2.7	5
4	The interrater reliability of a routine outcome measure for infants and pre-schoolers aged under 48 months: Health of the Nation Outcome Scales for Infants. <i>BJPsych Open</i> , 2021, 7, e85.	0.7	1
5	Health of the Nation Outcome Scales for Infants field trial: concurrent validity. <i>BJPsych Open</i> , 2021, 7, e129.	0.7	2
6	Perceived need and barriers to adolescent mental health care: agreement between adolescents and their parents. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e60.	3.9	21
7	Barriers to mental health care for Australian children and adolescents in 1998 and 2013-2014. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 1007-1019.	2.3	10
8	Benchmarking Australian mental health court liaison services - results from the first national study. <i>Journal of Forensic Psychiatry and Psychology</i> , 2019, 30, 729-743.	1.0	1
9	Link-me: Protocol for a randomised controlled trial of a systematic approach to stepped mental health care in primary care. <i>Contemporary Clinical Trials</i> , 2019, 78, 63-75.	1.8	4
10	Disordered eating among Australian adolescents: Prevalence, functioning, and help received. <i>International Journal of Eating Disorders</i> , 2019, 52, 246-254.	4.0	42
11	Cohort profile: Mental Health Living Longer: a population-wide data linkage to understand and reduce premature mortality in mental health service users in New South Wales, Australia. <i>BMJ Open</i> , 2019, 9, e033588.	1.9	9
12	Community treatment orders increase community care and delay readmission while in force: Results from a large population-based study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019, 53, 228-235.	2.3	17
13	Measurement properties of the Health of the Nation Outcome Scales (HoNOS) family of measures: protocol for a systematic review. <i>BMJ Open</i> , 2018, 8, e021177.	1.9	7
14	The development and validation of the Brief Experience of Caregiving Inventory (BECI). <i>Comprehensive Psychiatry</i> , 2018, 86, 54-59.	3.1	6
15	A systematic review of clinician-rated instruments to assess adults' levels of functioning in specialised public sector mental health services. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 338-354.	2.3	22
16	Mental Health and Criminal Charges: Variation in Diversion Pathways in Australia. <i>Psychiatry, Psychology and Law</i> , 2017, 24, 888-898.	1.2	11
17	Key performance indicators for Australian mental health court liaison services. <i>Australasian Psychiatry</i> , 2017, 25, 609-613.	0.7	3
18	Achievements of the Australian Access to Allied Psychological Services (ATAPS) program: summarising (almost) a decade of key evaluation data. <i>International Journal of Mental Health Systems</i> , 2016, 10, 61.	2.7	11

#	ARTICLE	IF	CITATIONS
19	A Critical Review of Mental Health Court Liaison Services in Australia: A first national survey. <i>Psychiatry, Psychology and Law</i> , 2016, 23, 908-921.	1.2	15
20	Frequency and quality of mental health treatment for affective and anxiety disorders among Australian adults. <i>Medical Journal of Australia</i> , 2015, 202, 185-189.	1.7	75
21	Stimulant use disorders in people with psychosis: A meta-analysis of rate and factors affecting variation. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 106-117.	2.3	50
22	Routine outcome measurement in Australia. <i>International Review of Psychiatry</i> , 2015, 27, 264-275.	2.8	35
23	Stimulant and other substance use disorders in schizophrenia: Prevalence, correlates and impacts in a population sample. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014, 48, 1036-1047.	2.3	49
24	Patterns of service utilisation in psychosis: Findings of the 2010 Australian National Survey of Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014, 48, 341-351.	2.3	26
25	Understanding service demand for mental health among Australians aged 16 to 64 years according to their possible need for treatment. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014, 48, 838-851.	2.3	17
26	Comparing algorithms for deriving psychosis diagnoses from longitudinal administrative clinical records. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1729-1737.	3.1	11
27	Cannabis and stimulant disorders and readmission 2 years after first-episode psychosis. <i>British Journal of Psychiatry</i> , 2014, 204, 448-453.	2.8	26
28	Estimating treatment rates for mental disorders in Australia. <i>Australian Health Review</i> , 2014, 38, 80.	1.1	145
29	Evaluation of an Australian primary care telephone cognitive behavioural therapy pilot. <i>Australian Journal of Primary Health</i> , 2014, 20, 62.	0.9	8
30	Differences in associations between cannabis and stimulant disorders in first admission psychosis. <i>Schizophrenia Research</i> , 2013, 147, 216-222.	2.0	23
31	Suicide prevention: Evaluation of a pilot intervention in a primary care context. <i>Journal of Mental Health</i> , 2013, 22, 439-448.	1.9	8
32	Stimulant use disorders: Characteristics and comorbidity in an Australian population sample. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 1173-1181.	2.3	27
33	Achievements in mental health outcome measurement in Australia: Reflections on progress made by the Australian Mental Health Outcomes and Classification Network (AMHOCN). <i>International Journal of Mental Health Systems</i> , 2012, 6, 4.	2.7	31
34	Stimulant use and stimulant use disorders in Australia: findings from the National Survey of Mental Health and Wellbeing. <i>Medical Journal of Australia</i> , 2011, 195, 607-609.	1.7	19
35	The changing profile of mental disorders among Disability Support Pension recipients. <i>Medical Journal of Australia</i> , 2011, 195, 53-54.	1.7	3
36	Policy initiative to improve access to psychological services for people with affective and anxiety disorders: population-level analysis. <i>British Journal of Psychiatry</i> , 2011, 198, 99-108.	2.8	32

#	ARTICLE	IF	CITATIONS
37	Psychologists' Experiences with the Better Access Initiative: A Pilot Study. <i>Australian Psychologist</i> , 2011, 46, 153-162.	1.6	5
38	Assessing the Value of Existing Recovery Measures for Routine Use in Australian mental Health Services. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 267-280.	2.3	125
39	Correlates of Antidepressant and Anxiolytic, Hypnotic or Sedative Medication Use in an Australian Community Sample. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 249-260.	2.3	19
40	Examining Welfare Receipt and Mental Disorders After a Decade of Reform and Prosperity: Analysis of the 2007 National Survey of Mental Health and Wellbeing. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 54-62.	2.3	16
41	Kessler Psychological Distress Scale: Normative Data from the 2007 Australian National Survey of Mental Health and Wellbeing. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 308-316.	2.3	279
42	Clinical Improvement after Treatment Provided Through the Better Outcomes in Mental Health Care (BOiMHC) Programme: Do Some Patients Show Greater Improvement Than Others?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 289-298.	2.3	19
43	Amphetamine Availability and Admissions for Psychosis in New South Wales, 2001-2009. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 317-324.	2.3	16
44	Adherence to antidepressant therapy for major depressive patients in a psychiatric hospital in Thailand. <i>BMC Psychiatry</i> , 2010, 10, 64.	2.6	21
45	Use of selective serotonin reuptake inhibitors and suicidal ideation: findings from the 2007 National Survey of Mental Health and Wellbeing. <i>Medical Journal of Australia</i> , 2010, 192, 53-53.	1.7	6
46	Who Cares? A Profile of People who Care for Relatives with a Mental Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 929-937.	2.3	47
47	Affective and anxiety disorders: prevalence, treatment and antidepressant medication use. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 513-9.	2.3	62
48	The complementarity of two major Australian primary mental health care initiatives. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 997-1004.	2.3	24
49	Changes in Media Reporting of Suicide in Australia Between 2000/01 and 2006/07. <i>Crisis</i> , 2009, 30, 25-33.	1.2	99
50	Australian primary mental health care: improving access and outcomes. <i>Australian Journal of Primary Health</i> , 2009, 15, 244.	0.9	5
51	Preventing Psychiatric Hospitalization and Involuntary Outpatient Commitment. <i>Social Work in Health Care</i> , 2009, 48, 232-242.	1.6	8
52	What Does "Clinical Significance" Mean in the Context of the Health of the Nation Outcome Scales?. <i>Australasian Psychiatry</i> , 2009, 17, 141-148.	0.7	41
53	Perceived Need for Mental Health Care: Findings from the 2007 Australian Survey of Mental Health and Wellbeing. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009, 43, 624-634.	2.3	61
54	Service Use for Mental Health Problems: Findings from the 2007 National Survey of Mental Health and Wellbeing. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009, 43, 615-623.	2.3	283

#	ARTICLE	IF	CITATIONS
55	Modelling Candidate Effectiveness Indicators for Mental Health Services. Australian and New Zealand Journal of Psychiatry, 2009, 43, 531-538.	2.3	33
56	Suicidal Thoughts and Behaviours Among Australian Adults: Findings from the 2007 National Survey of Mental Health and Wellbeing. Australian and New Zealand Journal of Psychiatry, 2009, 43, 635-643.	2.3	138
57	Impact of a specialized early psychosis treatment programme on suicide. Retrospective cohort study. Microbial Biotechnology, 2008, 2, 11-21.	1.7	46
58	Use of Community Treatment Orders to Prevent Psychiatric Hospitalization. Australian and New Zealand Journal of Psychiatry, 2008, 42, 732-739.	2.3	25
59	Threats to kill: a follow-up study. Psychological Medicine, 2008, 38, 599-605.	4.5	52
60	Meeting demand for psychological services for people with depression and anxiety: recent developments in primary mental health care. Medical Journal of Australia, 2008, 188, S107-9.	1.7	17
61	Better Outcomes in Mental Health Care: Impact of Different Models of Psychological Service Provision on Patient Outcomes. Australian and New Zealand Journal of Psychiatry, 2007, 41, 142-149.	2.3	25
62	The Newsworthiness of Suicide. Suicide and Life-Threatening Behavior, 2007, 37, 278-283.	1.9	57
63	Improving access to and outcomes from mental health care in rural Australia. Australian Journal of Rural Health, 2007, 15, 304-312.	1.5	35
64	Building evaluation capacity: Definitional and practical implications from an Australian case study. Evaluation and Program Planning, 2007, 30, 231-236.	1.6	50
65	Impact of Severity of Substance Use Disorder on Symptomatic and Functional Outcome in Young Individuals With First-Episode Psychosis. Journal of Clinical Psychiatry, 2007, 68, 767-774.	2.2	54
66	Extended Outpatient Civil Commitment and Treatment Utilization. Social Work in Health Care, 2006, 43, 37-51.	1.6	8
67	Course of substance misuse and daily tobacco use in first-episode psychosis. Schizophrenia Research, 2006, 81, 145-150.	2.0	74
68	Australia's National Suicide Prevention Strategy: the next chapter. Australian Health Review, 2006, 30, 271.	1.1	12
69	Media Guidelines on the Reporting of Suicide. Crisis, 2006, 27, 82-87.	1.2	167
70	A review of 156 local projects funded under Australia's National Suicide Prevention Strategy: Overview and lessons learned. Australian E-Journal for the Advancement of Mental Health, 2006, 5, 247-261.	0.2	13
71	Substance misuse in first-episode psychosis: 15-month prospective follow-up study. British Journal of Psychiatry, 2006, 189, 229-234.	2.8	132
72	Increased health care utilization and increased antiretroviral use in HIV-infected individuals with mental health disorders. HIV Medicine, 2006, 7, 205-212.	2.2	25

#	ARTICLE	IF	CITATIONS
73	Impact of Australia's Better Outcomes in Mental Health Care program on psychologists. Australian Psychologist, 2006, 41, 152-159.	1.6	20
74	Do community treatment orders for mental illness reduce readmission to hospital?. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 574-579.	3.1	53
75	The utility of extended outpatient civil commitment. International Journal of Law and Psychiatry, 2006, 29, 525-534.	0.9	28
76	The relationship between media reporting of suicide and actual suicide in Australia. Social Science and Medicine, 2006, 62, 2874-2886.	3.8	143
77	Do adults in contact with Australia's public sector mental health services get better?. Australia and New Zealand Health Policy, 2006, 3, 9.	2.2	32
78	Models of psychological service provision under Australia's Better Outcomes in Mental Health Care program. Australian Health Review, 2006, 30, 277.	1.1	16
79	Conditional Hospital Release: Interpreting the Message. Psychiatric Services, 2006, 57, 1810-1811.	2.0	4
80	Patterns and predictors of substance use disorders and daily tobacco use in first-episode psychosis*. Australian and New Zealand Journal of Psychiatry, 2005, 39, 892-898.	2.3	6
81	Psychopathology following trauma: The role of subjective experience. Journal of Affective Disorders, 2005, 86, 175-182.	4.1	118
82	Portrayal of depression and other mental illnesses in Australian nonfiction media. Journal of Community Psychology, 2005, 33, 283-297.	1.8	19
83	Routine measurement of outcomes in Australia's public sector mental health services. Australia and New Zealand Health Policy, 2005, 2, 8.	2.2	53
84	Remunerating private psychiatrists for participating in case conferences. Australia and New Zealand Health Policy, 2005, 2, 33.	2.2	6
85	A review of the psychometric properties of the Health of the Nation Outcome Scales (HoNOS) family of measures. Health and Quality of Life Outcomes, 2005, 3, 76.	2.4	228
86	Lessons from the National Mental Health Integration Program. Australian Health Review, 2005, 29, 189.	1.1	10
87	Public and private psychiatry: can they work together and is it worth the effort?. Australian and New Zealand Journal of Psychiatry, 2005, 39, 67-73.	2.3	7
88	Impact of child sexual abuse on mental health. British Journal of Psychiatry, 2004, 184, 416-421.	2.8	422
89	Do Nations' Mental Health Policies, Programs and Legislation Influence their Suicide Rates? An Ecological Study of 100 Countries. Australian and New Zealand Journal of Psychiatry, 2004, 38, 933-939.	2.3	37
90	Adult mental health needs and expenditure in Australia. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 427-34.	3.1	5

#	ARTICLE	IF	CITATIONS
91	Personality disorders in the community: Results from the Australian National Survey of Mental Health and Well-Being Part III. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 765-776.	3.1	68
92	Criminal Offending in Schizophrenia Over a 25-Year Period Marked by Deinstitutionalization and Increasing Prevalence of Comorbid Substance Use Disorders. <i>American Journal of Psychiatry</i> , 2004, 161, 716-727.	7.2	474
93	Improving collaboration between private psychiatrists, the public mental health sector and general practitioners: evaluation of the Partnership Project. <i>Australian and New Zealand Journal of Psychiatry</i> , 2004, 38, 125-134.	2.3	2
94	The portrayal of mental health and illness in Australian non-fiction media. <i>Australian and New Zealand Journal of Psychiatry</i> , 2004, 38, 541-546.	2.3	7
95	Do nations' mental health policies, programs and legislation influence their suicide rates? An ecological study of 100 countries. <i>Australian and New Zealand Journal of Psychiatry</i> , 2004, 38, 933-939.	2.3	6
96	Improving access to evidencebased mental health care: general practitioners and allied health professionals collaborate. <i>Primary Care and Community Psychiatry</i> , 2004, 9, 125-130.	0.4	9
97	Epidemiological Analysis of Electroconvulsive Therapy in Victoria, Australia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2003, 37, 307-311.	2.3	35
98	Choking deaths: the role of antipsychotic medication. <i>British Journal of Psychiatry</i> , 2003, 183, 446-450.	2.8	49
99	Media reporting of specific mental illnesses in the context of crime: implications for mental health literacy. <i>Medical Journal of Australia</i> , 2003, 179, 638-638.	1.7	3
100	Does Community Care Decrease Length of Stay and Risk of Rehospitalization in New Patients With Schizophrenia Disorders? A Comparative Case Register Study in Groningen, the Netherlands; Victoria, Australia; and South Verona, Italy. <i>Schizophrenia Bulletin</i> , 2002, 28, 273-281.	4.3	51
101	Perceived need for mental health care: influences of diagnosis, demography and disability. <i>Psychological Medicine</i> , 2002, 32, 299-309.	4.5	78
102	Personality disorders in the community: results from the Australian National Survey of Mental Health and Wellbeing. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002, 37, 251-260.	3.1	57
103	Psychiatry and the Need for Mental Health Care in Australia: Findings from the National Survey of Mental Health and Wellbeing. <i>Australian and New Zealand Journal of Psychiatry</i> , 2002, 36, 210-216.	2.3	31
104	Suicide Among Psychiatric Patients: A Case-Control Study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2002, 36, 86-91.	2.3	23
105	Reporting of Suicide in the Australian Media. <i>Australian and New Zealand Journal of Psychiatry</i> , 2002, 36, 190-197.	2.3	61
106	Distributing Mental Health Care Resources: Strategic Implications from The National Survey of Mental Health and Wellbeing. <i>Australian and New Zealand Journal of Psychiatry</i> , 2002, 36, 217-223.	2.3	13
107	Suicidal ideation and suicide attempts as predictors of mental health service use. <i>Medical Journal of Australia</i> , 2001, 175, 542-545.	1.7	37
108	Post-traumatic stress disorder: findings from the Australian National Survey of Mental Health and Well-being. <i>Psychological Medicine</i> , 2001, 31, 1237-1247.	4.5	577

#	ARTICLE	IF	CITATIONS
109	Self-Reported Needs for Care Among Persons Who Have Suicidal Ideation or Who Have Attempted Suicide. <i>Psychiatric Services</i> , 2001, 52, 381-383.	2.0	26
110	Australian general practice and the meeting of needs for mental health care. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001, 36, 595-603.	3.1	37
111	Access to Australian Mental Health Care by People from Non-English-Speaking Backgrounds. <i>Australian and New Zealand Journal of Psychiatry</i> , 2001, 35, 174-182.	2.3	22
112	Evaluating Complex, Collaborative Programmes: The Partnership Project as a Case Study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2001, 35, 639-646.	2.3	14
113	Lessons From a Comprehensive Clinical Audit of Users of Psychiatric Services Who Committed Suicide. <i>Psychiatric Services</i> , 2000, 51, 1555-1560.	2.0	97
114	Perceived need for mental health care, findings from the Australian National Survey of Mental Health and Well-being. <i>Psychological Medicine</i> , 2000, 30, 645-656.	4.5	81
115	Assessing perceived need for mental health care in a community survey: development of the Perceived Need for Care Questionnaire (PNCQ). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2000, 35, 427-435.	3.1	126
116	Personality disorders in the community: a report from the Australian National Survey of Mental Health and Wellbeing. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2000, 35, 531-538.	3.1	145
117	Community care and schizophrenia. <i>Lancet, The</i> , 2000, 355, 1827.	13.7	2
118	Community care and criminal offending in schizophrenia. <i>Lancet, The</i> , 2000, 355, 614-617.	13.7	205
119	Suicidal Ideation and Suicide Attempts Among Australian Adults. <i>Crisis</i> , 2000, 21, 16-25.	1.2	148
120	Perceived need for mental health care, findings from the Australian survey of mental health and well-being. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, A45-A45.	2.3	0
121	Suicide attempts by psychiatric patients in acute inpatient, long-stay inpatient and community care. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1999, 34, 634-644.	3.1	9
122	Continuity of care and readmission in two service systems: a comparative Victorian and Groningen caseâ€register study. <i>Acta Psychiatrica Scandinavica</i> , 1999, 100, 212-219.	4.5	59
123	The currency of case management: benefits and costs. <i>Current Opinion in Psychiatry</i> , 1999, 12, 195-199.	6.3	11
124	Serious criminal offending and mental disorder. <i>British Journal of Psychiatry</i> , 1998, 172, 477-484.	2.8	390
125	Sudden death in psychiatric patients. <i>British Journal of Psychiatry</i> , 1998, 172, 331-336.	2.8	202
126	Suicide and recency of health care contacts. <i>British Journal of Psychiatry</i> , 1998, 173, 462-474.	2.8	220

#	ARTICLE	IF	CITATIONS
127	Caring for relatives with serious mental illness: the development of the Experience of Caregiving Inventory. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1996, 31, 137-148.	3.1	372
128	Psychiatric and substance abuse disorder diagnoses as predictors of length of hospital stay. <i>Australian Health Review</i> , 1996, 19, 20.	1.1	3
129	Half Full or Half Empty? The Implications of Some Recent Research on the Application Casemix to Psychiatry. <i>Australasian Psychiatry</i> , 1995, 3, 250-251.	0.7	1
130	Measurement of the severity of amphetamine dependence. <i>Addiction</i> , 1993, 88, 1335-1340.	3.3	23
131	The health and wellbeing of informal caregivers: a review and study program. <i>Australian Journal of Public Health</i> , 1993, 17, 261-266.	0.2	12
132	Long-term Course of Hospitalization for Schizophrenia: Part II. Change With Passage of Time. <i>Schizophrenia Bulletin</i> , 1992, 18, 229-241.	4.3	82
133	Long-term Course of Hospitalization for Schizophrenia: Part I. Risk for Rehospitalization. <i>Schizophrenia Bulletin</i> , 1992, 18, 217-228.	4.3	173
134	Reaction to trauma: A cognitive processing model.. <i>Journal of Abnormal Psychology</i> , 1992, 101, 452-459.	1.9	359
135	Social indicators and the prediction of psychiatric inpatient service utilisation. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1992, 27, 83-94.	3.1	37
136	A community based mental health response to a multiple shooting. <i>Australian Psychologist</i> , 1991, 26, 99-102.	1.6	6
137	The implementation of community-based crisis services for people with acute psychiatric illness. <i>Australian Journal of Public Health</i> , 1991, 15, 122-129.	0.2	10
138	Psychometric properties of the Manchester Scale. <i>Acta Psychiatrica Scandinavica</i> , 1990, 81, 108-113.	4.5	16
139	Assessment of articulated thoughts in social anxiety: Modification of the ATSS procedure. <i>British Journal of Clinical Psychology</i> , 1990, 29, 91-98.	3.5	11
140	Cognitive processing in post-trauma reactions: some preliminary findings. <i>Psychological Medicine</i> , 1990, 20, 597-604.	4.5	76
141	An evaluation of the psychoactive substance dependence syndrome in its application to opiate users. <i>Addiction</i> , 1990, 85, 621-627.	3.3	11
142	Methadone: old problems for new programmes. <i>Drug and Alcohol Review</i> , 1990, 9, 61-66.	2.1	10
143	Depression, negative and positive symptoms, and the DST in schizophrenia. <i>Schizophrenia Research</i> , 1990, 3, 321-327.	2.0	6
144	Toward Resolution of Conceptual Issues in the Assessment of Belief Systems in Rational-Emotive Therapy. <i>Journal of Cognitive Psychotherapy</i> , 1990, 4, 171-184.	0.4	33

#	ARTICLE	IF	CITATIONS
145	Which Employment Interview Skills Best Predict the Employability of Schizophrenic Patients?. Psychological Reports, 1989, 64, 683-694.	1.7	18
146	Severity of Opiate Dependence in an Australian Sample: further validation of the SODQ. Addiction, 1989, 84, 1451-1459.	3.3	13
147	Is social skills performance a correlate of schizophrenia subtypes?. Schizophrenia Research, 1989, 2, 301-309.	2.0	23
148	Negative symptoms and social skills performance in schizophrenia. Schizophrenia Research, 1989, 2, 457-463.	2.0	27
149	Are Employment-Interview Skills a Correlate of Subtypes of Schizophrenia?. Psychological Reports, 1989, 65, 951-960.	1.7	11
150	Persistent Psychotic Symptoms at Discharge in Patients with Schizophrenia. Australian and New Zealand Journal of Psychiatry, 1988, 22, 166-172.	2.3	9
151	Face validity vs. item subtlety in the MMPI D scale. Journal of Clinical Psychology, 1984, 40, 499-504.	1.9	13
152	A factorial analysis of BDI scores. Journal of Clinical Psychology, 1984, 40, 992-996.	1.9	35