

# Barry J Goldstein

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10462537/publications.pdf>

Version: 2024-02-01

75  
papers

13,246  
citations

50276

46  
h-index

85541

71  
g-index

151  
all docs

151  
docs citations

151  
times ranked

14377  
citing authors

#	ARTICLE	IF	CITATIONS
1	A randomized clinical trial evaluating the safety and efficacy of sitagliptin added to the combination of sulfonylurea and metformin in patients with type 2 diabetes mellitus and inadequate glycemic control. <i>Journal of Diabetes</i> , 2016, 8, 701-711.	1.8	23
2	Treatment-Induced Changes in Plasma Adiponectin Do Not Reduce Urinary Albumin Excretion in the Diabetes Prevention Program Cohort. <i>PLoS ONE</i> , 2015, 10, e0136853.	2.5	1
3	Safety of Sitagliptin in Elderly Patients with Type 2 Diabetes: A Pooled Analysis of 25 Clinical Studies. <i>Drugs and Aging</i> , 2014, 31, 203-214.	2.7	33
4	Safety and Tolerability of Sitagliptin in Type 2 Diabetes: Pooled Analysis of 25 Clinical Studies. <i>Diabetes Therapy</i> , 2013, 4, 119-145.	2.5	109
5	Cardiovascular safety of sitagliptin in patients with type 2 diabetes mellitus: a pooled analysis. <i>Cardiovascular Diabetology</i> , 2013, 12, 3.	6.8	84
6	Assessment of AACE/ACE Recommendations for Initial Dual Antihyperglycemic Therapy Using the Fixed-Dose Combination of Sitagliptin and Metformin Versus Metformin. <i>Endocrine Practice</i> , 2013, 19, 751-757.	2.1	7
7	Efficacy and safety of sitagliptin added to ongoing metformin and rosiglitazone combination therapy in a randomized placebo-controlled 54-week trial in patients with type 2 diabetes. <i>Diabetes</i> , 2013, 5, 68-79.		
8	The addition of sitagliptin to ongoing metformin therapy significantly improves glycemic control in Chinese patients with type 2 diabetes*. <i>Journal of Diabetes</i> , 2012, 4, 227-237.	1.8	56
9	Safety and tolerability of sitagliptin in clinical studies: a pooled analysis of data from 10,246 patients with type 2 diabetes. <i>BMC Endocrine Disorders</i> , 2010, 10, 7.	2.2	234
10	AMP-Activated Protein Kinase Deficiency Enhances Myocardial Ischemia/Reperfusion Injury but Has Minimal Effect on the Antioxidant/Antinflammatory Protection of Adiponectin. <i>Circulation</i> , 2009, 119, 835-844.	1.6	128
11	Efficacy and safety of initial combination therapy with sitagliptin and metformin in patients with type 2 diabetes: a 54-week study. <i>Current Medical Research and Opinion</i> , 2009, 25, 569-583.	1.9	122
12	Protective vascular and myocardial effects of adiponectin. <i>Nature Clinical Practice Cardiovascular Medicine</i> , 2009, 6, 27-35.	3.3	240
13	Inflammatory Signaling: Another Drug Target to Improve Glycemic Control in Type 2 Diabetes. <i>Clinical and Translational Science</i> , 2008, 1, 43-44.	3.1	0
14	Rottlerin activates AMPK possibly through LKB1 in vascular cells and tissues. <i>Biochemical and Biophysical Research Communications</i> , 2008, 376, 434-438.	2.1	7
15	Type 2 diabetes: pathogenesis and treatment. <i>Lancet</i> , 2008, 371, 2153-2156.	13.7	103
16	Adiponectin Protects Against Angiotensin II or Tumor Necrosis Factor $\alpha$ -Induced Endothelial Cell Monolayer Hyperpermeability. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008, 28, 899-905.	2.4	58
17	Adiponectin inhibits vascular endothelial growth factor-induced migration of human coronary artery endothelial cells. <i>Cardiovascular Research</i> , 2008, 78, 376-384.	3.8	86
18	Adiponectin regulates albuminuria and podocyte function in mice. <i>Journal of Clinical Investigation</i> , 2008, 118, 1645-56.	8.2	493

#	ARTICLE	IF	CITATIONS
19	Adiponectin Cardioprotection After Myocardial Ischemia/Reperfusion Involves the Reduction of Oxidative/Nitrative Stress. <i>Circulation</i> , 2007, 115, 1408-1416.	1.6	411
20	Clinical Translation of a Diabetes Outcome Progression Trial—ADOPT Appropriate Combination Oral Therapies in Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 1226-1228.	3.6	17
21	Adiponectin improves endothelial function in hyperlipidemic rats by reducing oxidative/nitrative stress and differential regulation of eNOS/iNOS activity. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007, 293, E1703-E1708.	3.5	153
22	Important Role of Nox4 Type NADPH Oxidase in Angiogenic Responses in Human Microvascular Endothelial Cells In Vitro. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007, 27, 2319-2324.	2.4	164
23	Effect of Initial Combination Therapy With Sitagliptin, a Dipeptidyl Peptidase-4 Inhibitor, and Metformin on Glycemic Control in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2007, 30, 1979-1987.	8.6	453
24	Comment on: Hattori et al. (2007) Globular Adiponectin Activates Nuclear Factor- $\kappa$ B and Activating Protein-1 and Enhances Angiotensin II-Induced Proliferation in Cardiac Fibroblasts: <i>Diabetes</i> 56:804-808. <i>Diabetes</i> , 2007, 56, e7-e8.	0.6	3
25	Adiponectin suppresses $\text{I}\kappa\text{B}$ kinase activation induced by tumor necrosis factor- $\alpha$ or high glucose in endothelial cells: role of cAMP and AMP kinase signaling. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007, 293, E1836-E1844.	3.5	70
26	Dual PPAR $\alpha/\delta$ Agonists: Promises and Pitfalls in Type 2 Diabetes. <i>American Journal of Therapeutics</i> , 2007, 14, 49-62.	0.9	28
27	Pathogenesis of Type 2 Diabetes. <i>Endocrine Research</i> , 2007, 32, 19-37.	1.2	53
28	Adipokines and vascular disease in diabetes. <i>Current Diabetes Reports</i> , 2007, 7, 25-33.	4.2	49
29	Adiponectin deficiency increases leukocyte-endothelium interactions via upregulation of endothelial cell adhesion molecules in vivo. <i>Journal of Clinical Investigation</i> , 2007, 117, 1718-1726.	8.2	228
30	Reductions in biomarkers of cardiovascular risk in type 2 diabetes with rosiglitazone added to metformin compared with dose escalation of metformin: an EMPIRE trial sub-study. <i>Current Medical Research and Opinion</i> , 2006, 22, 1715-1723.	1.9	18
31	TLR4-NOX4-AP-1 signaling mediates lipopolysaccharide-induced CXCR6 expression in human aortic smooth muscle cells. <i>Biochemical and Biophysical Research Communications</i> , 2006, 347, 1113-1120.	2.1	48
32	AMPK and cell proliferation — AMPK as a therapeutic target for atherosclerosis and cancer. <i>Journal of Physiology</i> , 2006, 574, 63-71.	2.9	457
33	Effect of tesaglitazar, a dual PPAR $\alpha/\delta$ agonist, on glucose and lipid abnormalities in patients with type 2 diabetes: a 12-week dose-ranging trial. <i>Current Medical Research and Opinion</i> , 2006, 22, 2575-2590.	1.9	70
34	Adiponectin Suppression of High-Glucose-Induced Reactive Oxygen Species in Vascular Endothelial Cells: Evidence for Involvement of a cAMP Signaling Pathway. <i>Diabetes</i> , 2006, 55, 1840-1846.	0.6	236
35	Reactive oxygen species production via NADPH oxidase mediates TGF- $\beta$ -induced cytoskeletal alterations in endothelial cells. <i>American Journal of Physiology - Renal Physiology</i> , 2005, 289, F816-F825.	2.7	153
36	Intensive insulin therapy regimens: is there a difference in patient satisfaction?. <i>Nature Clinical Practice Endocrinology and Metabolism</i> , 2005, 1, 80-81.	2.8	0

#	ARTICLE	IF	CITATIONS
37	Type 2 diabetes: principles of pathogenesis and therapy. <i>Lancet, The</i> , 2005, 365, 1333-1346.	13.7	1,976
38	Role of Insulin-Induced Reactive Oxygen Species in the Insulin Signaling Pathway. <i>Antioxidants and Redox Signaling</i> , 2005, 7, 1021-1031.	5.4	209
39	Redox Paradox. <i>Diabetes</i> , 2005, 54, 311-321.	0.6	303
40	Hyperglycemia Potentiates H <sub>2</sub> O <sub>2</sub> Production in Adipocytes and Enhances Insulin Signal Transduction: Potential Role for Oxidative Inhibition of Thiol-Sensitive Protein-Tyrosine Phosphatases. <i>Antioxidants and Redox Signaling</i> , 2005, 7, 526-537.	5.4	40
41	The NAD(P)H Oxidase Homolog Nox4 Modulates Insulin-Stimulated Generation of H <sub>2</sub> O <sub>2</sub> and Plays an Integral Role in Insulin Signal Transduction. <i>Molecular and Cellular Biology</i> , 2004, 24, 1844-1854.	2.3	471
42	Integration of multiple downstream signals determines the net effect of insulin on MAP kinase vs. PI 3-kinase activation: potential role of insulin-stimulated H <sub>2</sub> O <sub>2</sub> . <i>Cellular Signalling</i> , 2004, 16, 323-331.	3.6	36
43	Adiponectin: A Novel Adipokine Linking Adipocytes and Vascular Function. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 2563-2568.	3.6	584
44	Adiponectin suppresses proliferation and superoxide generation and enhances eNOS activity in endothelial cells treated with oxidized LDL. <i>Biochemical and Biophysical Research Communications</i> , 2004, 315, 264-271.	2.1	288
45	Protein-tyrosine phosphatase activity in human adipocytes is strongly correlated with insulin-stimulated glucose uptake and is a target of insulin-induced oxidative inhibition. <i>Metabolism: Clinical and Experimental</i> , 2003, 52, 705-712.	3.4	26
46	Multicenter, randomized, double-masked, parallel-group assessment of simultaneous glipizide/metformin as second-line pharmacologic treatment for patients with type 2 diabetes mellitus that is inadequately controlled by a sulfonylurea. <i>Clinical Therapeutics</i> , 2003, 25, 890-903.	2.5	52
47	Are the metabolic effects of rosiglitazone influenced by baseline glycaemic control?. <i>Current Medical Research and Opinion</i> , 2003, 19, 192-199.	1.9	10
48	Involvement of AMP-Activated Protein Kinase in Glucose Uptake Stimulated by the Globular Domain of Adiponectin in Primary Rat Adipocytes. <i>Diabetes</i> , 2003, 52, 1355-1363.	0.6	416
49	Insulin resistance: from benign to type 2 diabetes mellitus. <i>Reviews in Cardiovascular Medicine</i> , 2003, 4 Suppl 6, S3-10.	1.4	14
50	Protein-Tyrosine Phosphatases: Emerging Targets for Therapeutic Intervention in Type 2 Diabetes and Related States of Insulin Resistance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 2474-2480.	3.6	71
51	Insulin resistance as the core defect in type 2 diabetes mellitus. <i>American Journal of Cardiology</i> , 2002, 90, 3-10.	1.6	304
52	Differentiating members of the thiazolidinedione class: a focus on efficacy. <i>Diabetes/Metabolism Research and Reviews</i> , 2002, 18, S16-S22.	4.0	33
53	Enhancement of post-receptor insulin signaling by trivalent chromium in hepatoma cells is associated with differential inhibition of specific protein-tyrosine phosphatases. <i>Journal of Trace Elements in Experimental Medicine</i> , 2001, 14, 393-404.	0.8	28
54	Hydrogen Peroxide Generated during Cellular Insulin Stimulation Is Integral to Activation of the Distal Insulin Signaling Cascade in 3T3-L1 Adipocytes. <i>Journal of Biological Chemistry</i> , 2001, 276, 48662-48669.	3.4	262

#	ARTICLE	IF	CITATIONS
55	Insulin-stimulated Hydrogen Peroxide Reversibly Inhibits Protein-tyrosine Phosphatase 1B in Vivo and Enhances the Early Insulin Action Cascade. <i>Journal of Biological Chemistry</i> , 2001, 276, 21938-21942.	3.4	444
56	Use of an anaerobic environment to preserve the endogenous activity of protein-tyrosine phosphatases isolated from intact cells. <i>FASEB Journal</i> , 2001, 15, 1637-1639.	0.5	20
57	Depot-Specific Variation in Protein-Tyrosine Phosphatase Activities in Human Omental and Subcutaneous Adipose Tissue: A Potential Contribution to Differential Insulin Sensitivity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 5973-5980.	3.6	21
58	Tyrosine Dephosphorylation and Deactivation of Insulin Receptor Substrate-1 by Protein-tyrosine Phosphatase 1B. <i>Journal of Biological Chemistry</i> , 2000, 275, 4283-4289.	3.4	357
59	Increased activity and expression of MAP kinase in HCC model rats induced by 3-methyl-4-dimethylamino-azobenzene. <i>Journal of Hepatology</i> , 1999, 31, 725-733.	3.7	19
60	Regulation of the insulin signalling pathway by cellular protein-tyrosine phosphatases. <i>Molecular and Cellular Biochemistry</i> , 1998, 182, 91-99.	3.1	159
61	Regulation of Insulin Action by Protein Tyrosine Phosphatases. <i>Vitamins and Hormones</i> , 1998, 54, 67-96.	1.7	31
62	Functional Association between the Insulin Receptor and the Transmembrane Protein-tyrosine Phosphatase LAR in Intact Cells. <i>Journal of Biological Chemistry</i> , 1997, 272, 448-457.	3.4	91
63	Effect of tumor necrosis factor- $\alpha$ on the phosphorylation of tyrosine kinase receptors is associated with dynamic alterations in specific protein-tyrosine phosphatases. <i>Journal of Cellular Biochemistry</i> , 1997, 64, 117-127.	2.6	42
64	Cell density-dependent changes in the insulin action pathway: Evidence for involvement of protein-tyrosine phosphatases. , 1996, 61, 31-38.		6
65	The Transmembrane Protein-tyrosine Phosphatase LAR Modulates Signaling by Multiple Receptor Tyrosine Kinases. <i>Journal of Biological Chemistry</i> , 1996, 271, 748-754.	3.4	113
66	Insulin Receptor Signaling Is Augmented by Antisense Inhibition of the Protein Tyrosine Phosphatase LAR. <i>Journal of Biological Chemistry</i> , 1995, 270, 2435-2438.	3.4	143
67	Osmotic Loading of Neutralizing Antibodies Demonstrates a Role for Protein-tyrosine Phosphatase 1B in Negative Regulation of the Insulin Action Pathway. <i>Journal of Biological Chemistry</i> , 1995, 270, 20503-20508.	3.4	211
68	Increased abundance of specific skeletal muscle protein-tyrosine phosphatases in a genetic model of insulin-resistant obesity and diabetes mellitus. <i>Metabolism: Clinical and Experimental</i> , 1995, 44, 1175-1184.	3.4	116
69	Modulation of expression of insulin and IGF-I receptor by Epstein-Barr virus and its gene products LMP and EBNA-2 in lymphocyte cell lines. <i>Journal of Cellular Physiology</i> , 1993, 154, 486-495.	4.1	15
70	The Insulin Receptor and Its Substrate: Molecular Determinants of Early Events in Insulin Action. , 1993, 48, 291-339.		86
71	Approaches to the molecular cloning of protein-tyrosine phosphatases in insulin-sensitive tissues. <i>Molecular and Cellular Biochemistry</i> , 1992, 109, 107-13.	3.1	10
72	Protein-Tyrosine phosphatases and the regulation of insulin action. <i>Journal of Cellular Biochemistry</i> , 1992, 48, 33-42.	2.6	92

#	ARTICLE	IF	CITATIONS
73	Structure of the insulin receptor substrate IRS-1 defines a unique signal transduction protein. Nature, 1991, 352, 73-77.	27.8	1,516
74	Insulin Receptor Messenger Ribonucleic Acid Sequence Alterations Detected by Ribonuclease Cleavage in Patients with Syndromes of Insulin Resistance*. Journal of Clinical Endocrinology and Metabolism, 1989, 69, 15-24.	3.6	16
75	Variation in Insulin Receptor Messenger Ribonucleic Acid Expression in Human and Rodent Tissues. Molecular Endocrinology, 1987, 1, 759-766.	3.7	55