

Mark W Robinson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1048596/publications.pdf>

Version: 2024-02-01

78
papers

3,843
citations

101543

36
h-index

128289

60
g-index

80
all docs

80
docs citations

80
times ranked

2881
citing authors

#	ARTICLE	IF	CITATIONS
1	Developmental Regulation and Functional Prediction of microRNAs in an Expanded <i>Fasciola hepatica</i> miRNome. <i>Frontiers in Cellular and Infection Microbiology</i> , 2022, 12, 811123.	3.9	9
2	Synthetic peptides derived from the <i>Schistosoma mansoni</i> secretory protein Sm16 induce contrasting responses in hepatic stellate cells. <i>Experimental Parasitology</i> , 2022, 236-237, 108255.	1.2	1
3	<i>Fasciola hepatica</i> Gastrodermal Cells Selectively Release Extracellular Vesicles via a Novel Atypical Secretory Mechanism. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5525.	4.1	9
4	Foodborne trematodes: old foes, new kids on the block and research perspectives for control and understanding host-parasite interactions. <i>Parasitology</i> , 2022, 149, 1257-1261.	1.5	4
5	Transcriptome and Secretome Analysis of Intra-Mammalian Life-Stages of <i>Calicophoron daubneyi</i> Reveals Adaptation to a Unique Host Environment. <i>Molecular and Cellular Proteomics</i> , 2021, 20, 100055.	3.8	4
6	Complementary transcriptomic and proteomic analyses reveal the cellular and molecular processes that drive growth and development of <i>Fasciola hepatica</i> in the host liver. <i>BMC Genomics</i> , 2021, 22, 46.	2.8	28
7	Trematode Proteomics: Recent Advances and Future Directions. <i>Pathogens</i> , 2021, 10, 348.	2.8	14
8	The parasite-derived peptide FhHDM-1 activates the PI3K/Akt pathway to prevent cytokine-induced apoptosis of β -cells. <i>Journal of Molecular Medicine</i> , 2021, 99, 1605-1621.	3.9	7
9	RNA sequencing of LX-2 cells treated with TGF- β 1 identifies genes associated with hepatic stellate cell activation. <i>Molecular Biology Reports</i> , 2021, 48, 7677-7688.	2.3	4
10	Proteomics of Host-Helminth Interactions. <i>Pathogens</i> , 2021, 10, 1317.	2.8	3
11	Role of <i>Fasciola hepatica</i> Small RNAs in the Interaction With the Mammalian Host. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 812141.	3.9	6
12	A comparative proteomics analysis of the egg secretions of three major schistosome species. <i>Molecular and Biochemical Parasitology</i> , 2020, 240, 111322.	1.1	21
13	The protein and microRNA cargo of extracellular vesicles from parasitic helminths – current status and research priorities. <i>International Journal for Parasitology</i> , 2020, 50, 635-645.	3.1	73
14	<i>Calicophoron daubneyi</i> – The Path Toward Understanding Its Pathogenicity and Host Interactions. <i>Frontiers in Veterinary Science</i> , 2020, 7, 606.	2.2	11
15	<i>Fasciola hepatica</i> Extracellular Vesicles isolated from excretory-secretory products using a gravity flow method modulate dendritic cell phenotype and activity. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0008626.	3.0	38
16	The cellular and molecular origins of extracellular vesicles released by the helminth pathogen, <i>Fasciola hepatica</i> . <i>International Journal for Parasitology</i> , 2020, 50, 671-683.	3.1	17
17	Helminth genome analysis reveals conservation of extracellular vesicle biogenesis pathways but divergence of RNA loading machinery between phyla. <i>International Journal for Parasitology</i> , 2020, 50, 655-661.	3.1	12
18	Isolation of Secreted and Tegumental Surface Proteins from <i>Fasciola hepatica</i> . <i>Methods in Molecular Biology</i> , 2020, 2137, 27-36.	0.9	0

#	ARTICLE	IF	CITATIONS
19	Surface molecules of extracellular vesicles secreted by the helminth pathogen <i>Fasciola hepatica</i> direct their internalisation by host cells. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007087.	3.0	88
20	The cathepsin-like cysteine peptidases of trematodes of the genus <i>Fasciola</i> . <i>Advances in Parasitology</i> , 2019, 104, 113-164.	3.2	46
21	The effect of dietary fatty acid supplementation on gut microbiome development in weaning piglets. <i>Access Microbiology</i> , 2019, 1, .	0.5	0
22	Schistosome-Induced Fibrotic Disease: The Role of Hepatic Stellate Cells. <i>Trends in Parasitology</i> , 2018, 34, 524-540.	3.3	93
23	Infection by the Helminth Parasite <i>Fasciola hepatica</i> Requires Rapid Regulation of Metabolic, Virulence, and Invasive Factors to Adjust to Its Mammalian Host. <i>Molecular and Cellular Proteomics</i> , 2018, 17, 792-809.	3.8	76
24	Response to Morley: The Influence of Climate on Survival of Paramphistome Metacercariae. <i>Trends in Parasitology</i> , 2018, 34, 98-99.	3.3	0
25	Optimized conditions for the <i>in vitro</i> excystment of <i>Calicophoron daubneyi</i> metacercariae. <i>Parasitology</i> , 2018, 145, 1015-1019.	1.5	4
26	Paramphistomosis of Ruminants: An Emerging Parasitic Disease in Europe. <i>Trends in Parasitology</i> , 2017, 33, 836-844.	3.3	76
27	The immune modulatory peptide FhHDM α 1 secreted by the helminth <i>Fasciola hepatica</i> prevents NLRP3 inflammasome activation by inhibiting endolysosomal acidification in macrophages. <i>FASEB Journal</i> , 2017, 31, 85-95.	0.5	54
28	Extracellular vesicle-mediated communication in host-parasite interactions: insight from <i>Fasciola hepatica</i> . <i>Annals of Translational Medicine</i> , 2017, 5, S8-S8.	1.7	4
29	Extracellular Vesicle Biogenesis in Helminths: More than One Route to the Surface?. <i>Trends in Parasitology</i> , 2016, 32, 921-929.	3.3	40
30	Unexpected Activity of a Novel Kunitz-type Inhibitor. <i>Journal of Biological Chemistry</i> , 2016, 291, 19220-19234.	3.4	29
31	A parasite-derived 68-mer peptide ameliorates autoimmune disease in murine models of Type 1 diabetes and multiple sclerosis. <i>Scientific Reports</i> , 2016, 6, 37789.	3.3	34
32	The Extracellular Vesicles of the Helminth Pathogen, <i>Fasciola hepatica</i> : Biogenesis Pathways and Cargo Molecules Involved in Parasite Pathogenesis*. <i>Molecular and Cellular Proteomics</i> , 2015, 14, 3258-3273.	3.8	194
33	Secreted Proteins from the Helminth <i>Fasciola hepatica</i> Inhibit the Initiation of Autoreactive T Cell Responses and Prevent Diabetes in the NOD Mouse. <i>PLoS ONE</i> , 2014, 9, e86289.	2.5	59
34	Trematode Cysteine Endopeptidases. , 2013, , 1941-1949.		2
35	<i>Fasciola hepatica</i> : The therapeutic potential of a worm secretome. <i>International Journal for Parasitology</i> , 2013, 43, 283-291.	3.1	43
36	Immunomodulatory molecules of <i>Fasciola hepatica</i> : Candidates for both vaccine and immunotherapeutic development. <i>Veterinary Parasitology</i> , 2013, 195, 272-285.	1.8	162

#	ARTICLE	IF	CITATIONS
37	MHJ_0125 is an M42 glutamyl aminopeptidase that moonlights as a multifunctional adhesin on the surface of <i>Mycoplasma hyopneumoniae</i> . <i>Open Biology</i> , 2013, 3, 130017.	3.6	58
38	Cathelicidin-like Helminth Defence Molecules (HDMs): Absence of Cytotoxic, Anti-microbial and Anti-Protozoan Activities Imply a Specific Adaptation to Immune Modulation. <i>PLoS Neglected Tropical Diseases</i> , 2013, 7, e2307.	3.0	34
39	Helminth defence molecules—immunomodulators designed by parasites!. <i>Frontiers in Microbiology</i> , 2013, 4, 296.	3.5	25
40	Cathepsin W. , 2013, , 1834-1838.		6
41	Defense peptides secreted by helminth pathogens: antimicrobial and/or immunomodulator molecules?. <i>Frontiers in Immunology</i> , 2012, 3, 269.	4.8	23
42	Antimicrobial peptides: utility players in innate immunity. <i>Frontiers in Immunology</i> , 2012, 3, 325.	4.8	3
43	<i>Fasciola hepatica</i> virulence-associated cysteine peptidases: a systems biology perspective. <i>Microbes and Infection</i> , 2012, 14, 301-310.	1.9	46
44	A helminth cathelicidin-like protein suppresses antigen processing and presentation in macrophages via inhibition of lysosomal vATPase. <i>FASEB Journal</i> , 2012, 26, 4614-4627.	0.5	71
45	A Family of Helminth Molecules that Modulate Innate Cell Responses via Molecular Mimicry of Host Antimicrobial Peptides. <i>PLoS Pathogens</i> , 2011, 7, e1002042.	4.7	115
46	RNA interference targeting cathepsin B of the carcinogenic liver fluke, <i>Opisthorchis viverrini</i> . <i>Parasitology International</i> , 2011, 60, 283-288.	1.3	32
47	The Phylogeny, Structure and Function of Trematode Cysteine Proteases, with Particular Emphasis on the <i>Fasciola hepatica</i> Cathepsin L Family. <i>Advances in Experimental Medicine and Biology</i> , 2011, 712, 116-135.	1.6	32
48	How Pathogen-Derived Cysteine Proteases Modulate Host Immune Responses. <i>Advances in Experimental Medicine and Biology</i> , 2011, 712, 192-207.	1.6	26
49	Collagenolytic Activities of the Major Secreted Cathepsin L Peptidases Involved in the Virulence of the Helminth Pathogen, <i>Fasciola hepatica</i> . <i>PLoS Neglected Tropical Diseases</i> , 2011, 5, e1012.	3.0	66
50	The Plasmodium falciparum Malaria M1 Alanyl Aminopeptidase (PfA-M1): Insights of Catalytic Mechanism and Function from MD Simulations. <i>PLoS ONE</i> , 2011, 6, e28589.	2.5	24
51	Worm secretory molecules are causing alarm. <i>Trends in Parasitology</i> , 2010, 26, 371-372.	3.3	25
52	Peroxiredoxin: a central player in immune modulation. <i>Parasite Immunology</i> , 2010, 32, 305-313.	1.5	102
53	Secreted cysteine proteases of the carcinogenic liver fluke, <i>Opisthorchis viverrini</i> : regulation of cathepsin F activation by autocatalysis and trans-processing by cathepsin B. <i>Cellular Microbiology</i> , 2010, 12, 781-795.	2.1	37
54	Aminopeptidases of Malaria Parasites: New Targets for Chemotherapy. <i>Infectious Disorders - Drug Targets</i> , 2010, 10, 217-225.	0.8	25

#	ARTICLE	IF	CITATIONS
55	Helminth Cysteine Proteases Inhibit TRIF-dependent Activation of Macrophages via Degradation of TLR3. <i>Journal of Biological Chemistry</i> , 2010, 285, 3383-3392.	3.4	123
56	Cathepsin F Cysteine Protease of the Human Liver Fluke, <i>Opisthorchis viverrini</i> . <i>PLoS Neglected Tropical Diseases</i> , 2009, 3, e398.	3.0	59
57	The enigmatic asparaginyl endopeptidase of helminth parasites. <i>Trends in Parasitology</i> , 2009, 25, 59-61.	3.3	37
58	Cloning and analysis of a <i>Trichinella pseudospiralis</i> muscle larva secreted serine protease gene. <i>Veterinary Parasitology</i> , 2009, 159, 268-271.	1.8	15
59	Micro-environmental conditions modulate protein secretion and infectivity of the <i>Trichinella spiralis</i> L1 larva. <i>Veterinary Parasitology</i> , 2009, 159, 236-239.	1.8	6
60	An Integrated Transcriptomics and Proteomics Analysis of the Secretome of the Helminth Pathogen <i>Fasciola hepatica</i> . <i>Molecular and Cellular Proteomics</i> , 2009, 8, 1891-1907.	3.8	244
61	Zoonotic helminth infections with particular emphasis on fasciolosis and other trematodiasis. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2009, 364, 2763-2776.	4.0	134
62	The M17 Leucine Aminopeptidase of the Malaria Parasite <i>Plasmodium falciparum</i> : Importance of Active Site Metal Ions in the Binding of Substrates and Inhibitors. <i>Biochemistry</i> , 2009, 48, 5435-5439.	2.5	47
63	The Importance of pH in Regulating the Function of the <i>Fasciola hepatica</i> Cathepsin L1 Cysteine Protease. <i>PLoS Neglected Tropical Diseases</i> , 2009, 3, e369.	3.0	69
64	Helminth pathogen cathepsin proteases: it's a family affair. <i>Trends in Biochemical Sciences</i> , 2008, 33, 601-608.	7.5	122
65	<i>Fasciola hepatica</i> expresses multiple α - and β -tubulin isotypes. <i>Molecular and Biochemical Parasitology</i> , 2008, 159, 73-78.	1.1	48
66	Proteomics and Phylogenetic Analysis of the Cathepsin L Protease Family of the Helminth Pathogen <i>Fasciola hepatica</i> . <i>Molecular and Cellular Proteomics</i> , 2008, 7, 1111-1123.	3.8	118
67	Structural and Functional Relationships in the Virulence-associated Cathepsin L Proteases of the Parasitic Liver Fluke, <i>Fasciola hepatica</i> . <i>Journal of Biological Chemistry</i> , 2008, 283, 9896-9908.	3.4	90
68	Comparative analysis of the excretory-secretory proteome of the muscle larva of <i>Trichinella pseudospiralis</i> and <i>Trichinella spiralis</i> . <i>International Journal for Parasitology</i> , 2007, 37, 139-148.	3.1	74
69	Understanding triclabendazole resistance. <i>Experimental and Molecular Pathology</i> , 2007, 82, 104-109.	2.1	195
70	Secretion and processing of a novel multi-domain cystatin-like protein by intracellular stages of <i>Trichinella spiralis</i> . <i>Molecular and Biochemical Parasitology</i> , 2007, 151, 9-17.	1.1	32
71	Profiling excretory/secretory proteins of <i>Trichinella spiralis</i> muscle larvae by two-dimensional gel electrophoresis and mass spectrometry. <i>Veterinary Parasitology</i> , 2005, 132, 37-41.	1.8	25
72	Proteomic analysis of the excretory-secretory proteins of the <i>Trichinella spiralis</i> L1 larva, a nematode parasite of skeletal muscle. <i>Proteomics</i> , 2005, 5, 4525-4532.	2.2	90

#	ARTICLE	IF	CITATIONS
73	The comparative metabolism of triclabendazole sulphoxide by triclabendazole-susceptible and triclabendazole-resistant <i>Fasciola hepatica</i> . <i>Parasitology Research</i> , 2004, 92, 205-210.	1.6	94
74	A possible model of benzimidazole binding to β -tubulin disclosed by invoking an inter-domain movement. <i>Journal of Molecular Graphics and Modelling</i> , 2004, 23, 275-284.	2.4	106
75	The occurrence and significance of triploidy in the liver fluke, <i>Fasciola hepatica</i> . <i>Parasitology</i> , 2004, 128, 69-72.	1.5	54
76	The effect of the microtubule inhibitor tubulozole-C on the tegument of triclabendazole-susceptible and triclabendazole-resistant <i>Fasciola hepatica</i> . <i>Parasitology Research</i> , 2003, 91, 117-129.	1.6	18
77	Benzimidazole binding to <i>Haemonchus contortus</i> tubulin: a question of structure. <i>Trends in Parasitology</i> , 2002, 18, 153-154.	3.3	10
78	Development of the vitellaria of the liver fluke, <i>Fasciola hepatica</i> in the rat host. <i>Parasitology</i> , 2001, 123, 509-518.	1.5	16