

# Necdet Karlı̇±

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10487933/publications.pdf>

Version: 2024-02-01

20  
papers

620  
citations

687363

13  
h-index

752698

20  
g-index

21  
all docs

21  
docs citations

21  
times ranked

894  
citing authors

#	ARTICLE	IF	CITATIONS
1	Insight into pain syndromes in acute phase of mild-to-moderate COVID-19: Frequency, clinical characteristics, and associated factors. <i>European Journal of Pain</i> , 2022, 26, 492-504.	2.8	28
2	Neuropathic Pain Frequency in Neurology Outpatients: A Multicenter Study. <i>Noropsikiyatri Arsivi</i> , 2021, 58, 257-260.	0.3	1
3	The persistence versus interchangeability of migraine and tension-type headaches in a 5-year population-based validated survey. <i>Cephalalgia</i> , 2020, 40, 39-48.	3.9	6
4	Reply: "Spinal nerve pathology in Guillain-Barré syndrome associated with COVID-19 infection". <i>Muscle and Nerve</i> , 2020, 62, E75-E76.	2.2	1
5	Guillain-Barré Syndrome in a Patient With Minimal Symptoms of COVID-19 Infection. <i>Muscle and Nerve</i> , 2020, 62, E54-E57.	2.2	44
6	Sex Differences of Migraine: Results of a Nationwide Home-based Study in Turkey. <i>Noropsikiyatri Arsivi</i> , 2018, 57, 126-130.	0.3	7
7	Characterization of Migraineurs Having Allodynia. <i>Clinical Journal of Pain</i> , 2016, 32, 631-635.	1.9	32
8	Association of MDR1, CYP2D6, and CYP2C19 gene polymorphisms with prophylactic migraine treatment response. <i>Journal of the Neurological Sciences</i> , 2016, 366, 149-154.	0.6	7
9	Migraine incidence in 5 years: a population-based prospective longitudinal study in Turkey. <i>Journal of Headache and Pain</i> , 2015, 16, 103.	6.0	29
10	Population-based study of vestibular symptoms in migraineurs. <i>Acta Oto-Laryngologica</i> , 2015, 135, 435-439.	0.9	22
11	Migrende Yaşam Kalitesinin Değerlendirilmesi. <i>Noropsikiyatri Arsivi</i> , 2013, 50, 60-64.	0.7	11
12	Intraperitoneal administration of CDP-choline or a combination of cytidine plus choline improves nerve regeneration and functional recovery in a rat model of sciatic nerve injury. <i>Neurological Research</i> , 2012, 34, 238-245.	1.3	26
13	Impact of sex hormonal changes on tension-type headache and migraine: a cross-sectional population-based survey in 2,600 women. <i>Journal of Headache and Pain</i> , 2012, 13, 557-565.	6.0	65
14	One-year prevalence and the impact of migraine and tension-type headache in Turkey: a nationwide home-based study in adults. <i>Journal of Headache and Pain</i> , 2012, 13, 147-157.	6.0	135
15	Course of adolescent headache: 4-year annual face-to-face follow-up study. <i>Journal of Headache and Pain</i> , 2010, 11, 327-334.	6.0	13
16	Citicoline improves functional recovery, promotes nerve regeneration, and reduces postoperative scarring after peripheral nerve surgery in rats. <i>World Neurosurgery</i> , 2007, 68, 615-622.	1.3	46
17	The Burden of Headache in Neurology Outpatient Clinics in Turkey. <i>Pain Practice</i> , 2007, 7, 313-323.	1.9	24
18	The validation of ID migraine screener in neurology outpatient clinics in Turkey. <i>Journal of Headache and Pain</i> , 2007, 8, 217-223.	6.0	24

#	ARTICLE	IF	CITATIONS
19	Headache Prevalence in Adolescents Aged 12 to 17: A Student-Based Epidemiological Study in Bursa. Headache, 2006, 46, 649-655.	3.9	59
20	Clinical Characteristics of Tension-Type Headache and Migraine in Adolescents: A Student-Based Study. Headache, 2006, 46, 399-412.	3.9	40