

# Paul Harrison

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10488949/publications.pdf>

Version: 2024-02-01

6  
papers

1,087  
citations

1478505

6  
h-index

1872680

6  
g-index

6  
all docs

6  
docs citations

6  
times ranked

1491  
citing authors

#	ARTICLE	IF	CITATIONS
1	Perturbation of the two-component signal transduction system, BprRS, results in attenuated virulence and motility defects in <i>Burkholderia pseudomallei</i> . <i>BMC Genomics</i> , 2016, 17, 331.	2.8	19
2	The RNA-Binding Chaperone Hfq Is an Important Global Regulator of Gene Expression in <i>Pasteurella multocida</i> and Plays a Crucial Role in Production of a Number of Virulence Factors, Including Hyaluronic Acid Capsule. <i>Infection and Immunity</i> , 2016, 84, 1361-1370.	2.2	40
3	The transcriptomic response of <i>Acinetobacter baumannii</i> to colistin and doripenem alone and in combination in an <i>in vitro</i> pharmacokinetics/pharmacodynamics model. <i>Journal of Antimicrobial Chemotherapy</i> , 2015, 70, 1303-1313.	3.0	85
4	Colistin-Resistant, Lipopolysaccharide-Deficient <i>Acinetobacter baumannii</i> Responds to Lipopolysaccharide Loss through Increased Expression of Genes Involved in the Synthesis and Transport of Lipoproteins, Phospholipids, and Poly- $\beta$ -1,6-N-Acetylglucosamine. <i>Antimicrobial Agents and Chemotherapy</i> , 2012, 56, 59-69.	3.2	173
5	Fis Is Essential for Capsule Production in <i>Pasteurella multocida</i> and Regulates Expression of Other Important Virulence Factors. <i>PLoS Pathogens</i> , 2010, 6, e1000750.	4.7	71
6	Colistin Resistance in <i>Acinetobacter baumannii</i> Is Mediated by Complete Loss of Lipopolysaccharide Production. <i>Antimicrobial Agents and Chemotherapy</i> , 2010, 54, 4971-4977.	3.2	699