

# Servet Akar

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10495360/publications.pdf>

Version: 2024-02-01

75  
papers

2,744  
citations

236925

25  
h-index

206112

48  
g-index

75  
all docs

75  
docs citations

75  
times ranked

3077  
citing authors

#	ARTICLE	IF	CITATIONS
1	Response to: â€˜Bowman's capsule rupture on renal biopsy improves the outcome prediction of ANCA-associated glomerulonephritis classificationsâ€™ by L'Imperio et al. Annals of the Rheumatic Diseases, 2022, 81, e96-e96.	0.9	0
2	Subclinical alterations in retinal layers and microvascular structures with OCTA in ANCA-associated vasculitides. Ocular Immunology and Inflammation, 2022, , 1-6.	1.8	0
3	Tuberculin skin test before biologic and targeted therapies: does the same rule apply for all?. Rheumatology International, 2022, 42, 1797-1806.	3.0	0
4	Does Nasal Secretion Decrease in Sjögren Syndrome and Does This Affect Nasal Function?. Laryngoscope, 2021, 131, 370-373.	2.0	6
5	Cervical proprioception accuracy is impaired in patients with axial spondyloarthritis. Musculoskeletal Science and Practice, 2021, 51, 102304.	1.3	3
6	Identification of susceptibility loci for Takayasu arteritis through a large multi-ancestral genome-wide association study. American Journal of Human Genetics, 2021, 108, 84-99.	6.2	26
7	In the era of disease-modifying antirheumatic drugs, how close are we to treating rheumatoid arthritis without the use of glucocorticoids?. Rheumatology International, 2021, 41, 1915-1924.	3.0	1
8	GO-BEYOND: a real-world study of persistence of golimumab in patients with axial spondyloarthritis and rheumatoid arthritis in Turkey. Immunotherapy, 2021, 13, 841-850.	2.0	6
9	Uveitis-related Factors in Patients With Spondyloarthritis: Treasure Real-Life Results. American Journal of Ophthalmology, 2021, 228, 58-64.	3.3	10
10	Preferences of inflammatory arthritis patients for biological disease-modifying antirheumatic drugs in the first 100 days of the COVID-19 pandemic. Turkish Journal of Medical Sciences, 2021, 51, 1615-1623.	0.9	6
11	Disease characteristics of psoriatic arthritis patients may differ according to age at psoriasis onset: cross-sectional data from the Psoriatic Arthritis-International Database. Clinical and Experimental Rheumatology, 2021, 39, 532-536.	0.8	0
12	Disease characteristics of psoriatic arthritis patients may differ according to age at psoriasis onset: cross-sectional data from the Psoriatic Arthritis-International Database. Clinical and Experimental Rheumatology, 2021, 39, 532-536.	0.8	8
13	Prevalence of Spondyloarthritis Among Patients Who Underwent Lumbar Disc Herniation Surgery. Archives of Rheumatology, 2020, 35, 189-195.	0.9	1
14	Splenic infarction is not rare in granulomatosis with polyangiitis. Clinical Rheumatology, 2020, 39, 1929-1934.	2.2	5
15	Histopathological subgrouping versus renal risk score for the prediction of end-stage renal disease in ANCA-associated vasculitis. Annals of the Rheumatic Diseases, 2020, 79, 675-676.	0.9	17
16	Retinal and choroidal vascular structures are affected in axial spondyloarthritis: an optical coherence tomography study. International Ophthalmology, 2020, 40, 1977-1986.	1.4	2
17	Evaluation of subclinical myocardial dysfunction using speckle tracking echocardiography in patients with radiographic and non-radiographic axial spondyloarthritis. European Journal of Rheumatology, 2020, 7, 9-15.	0.6	5
18	The distribution of MEFV mutations in Turkish FMF patients: multicenter study representing results of Anatolia. Turkish Journal of Medical Sciences, 2019, 49, 472-477.	0.9	23

#	ARTICLE	IF	CITATIONS
19	Genome-wide association study in Turkish and Iranian populations identify rare familial Mediterranean fever gene (MEFV) polymorphisms associated with ankylosing spondylitis. <i>PLoS Genetics</i> , 2019, 15, e1008038.	3.5	41
20	Evaluation of serum fibroblast growth factor-23 in patients with axial spondyloarthritis and its association with sclerostin, inflammation, and spinal damage. <i>Rheumatology International</i> , 2019, 39, 835-840.	3.0	3
21	Exon 2: Is it the good police in familial mediterranean fever?. <i>European Journal of Rheumatology</i> , 2019, 6, 33-36.	0.6	10
22	The role of smoking in the development and progression of structural damage in axial SpA patients: A systematic review and meta-analysis. <i>European Journal of Rheumatology</i> , 2019, 6, 184-192.	0.6	5
23	Cytomegalovirus Disease in a Patient With Granulomatosis With Polyangiitis Who Also Has Splenic Necrosis. <i>Archives of Rheumatology</i> , 2019, 34, 447-450.	0.9	3
24	Prevalence of inflammatory back pain among health professionals in Cyprus. <i>Gazzetta Medica Italiana Archivio Per Le Scienze Mediche</i> , 2019, 178, .	0.1	0
25	What are the main barriers to achieve minimal disease activity in psoriatic arthritis in real life?. <i>Clinical and Experimental Rheumatology</i> , 2019, 37, 808-812.	0.8	3
26	Comparison of early versus late onset familial Mediterranean fever. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 880-884.	1.9	25
27	Nationwide Experience With Off-Label Use of Interleukin-1 Targeting Treatment in Familial Mediterranean Fever Patients. <i>Arthritis Care and Research</i> , 2018, 70, 1090-1094.	3.4	48
28	Evaluation of periostin and factors associated with new bone formation in ankylosing spondylitis: Periostin may be associated with the Wnt pathway. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 502-509.	1.9	14
29	Methodology of a new inflammatory arthritis registry: TReasure. <i>Turkish Journal of Medical Sciences</i> , 2018, 48, 856-861.	0.9	7
30	Clinical Factors Associated with the Diagnosis of Granulomatosis with Polyangiitis. <i>Otolaryngology - Head and Neck Surgery</i> , 2017, 156, 484-488.	1.9	5
31	Telephone interview strategy can be used for screening inflammatory back pain in the community. <i>International Journal of Rheumatic Diseases</i> , 2017, 20, 33-38.	1.9	1
32	Limited reliability of radiographic assessment of spinal progression in ankylosing spondylitis. <i>Rheumatology</i> , 2017, 56, 2162-2169.	1.9	9
33	Oxidative stress and related factors in patients with ankylosing spondylitis. <i>European Journal of Rheumatology</i> , 2016, 3, 20-24.	0.6	27
34	Comment on: different disease subtypes with distinct clinical expression in familial Mediterranean fever: results of a cluster analysis: reply. <i>Rheumatology</i> , 2016, 55, 1147.2-1148.	1.9	0
35	Performance characteristics of the simplified version of ankylosing spondylitis disease activity score (SASDAS). <i>Clinical Rheumatology</i> , 2016, 35, 1753-1758.	2.2	11
36	Different disease subtypes with distinct clinical expression in familial Mediterranean fever: results of a cluster analysis. <i>Rheumatology</i> , 2016, 55, 343-346.	1.9	8

#	ARTICLE	IF	CITATIONS
37	Identification of Susceptibility Loci in <i>IL6</i> , <i>RPS9</i> / <i>LILRB3</i> , and an Intergenic Locus on Chromosome 21q22 in Takayasu Arteritis in a Genome-Wide Association Study. <i>Arthritis and Rheumatology</i> , 2015, 67, 1361-1368.	5.6	79
38	Assessment of Patients with Takayasu Arteritis in Routine Practice with Indian Takayasu Clinical Activity Score. <i>Journal of Rheumatology</i> , 2015, 42, 1443-1447.	2.0	19
39	Prevalence of Inflammatory Back Pain and Axial Spondyloarthritis Among University Employees in Izmir, Turkey. <i>Journal of Rheumatology</i> , 2015, 42, 1647-1651.	2.0	7
40	Efficacy of Interleukin-1 Targeting Treatments in Patients with Familial Mediterranean Fever. <i>Inflammation</i> , 2015, 38, 27-31.	3.8	62
41	Performance of different criteria sets for inflammatory back pain in patients with axial spondyloarthritis with and without radiographic sacroiliitis. <i>Clinical Rheumatology</i> , 2014, 33, 1475-1479.	2.2	22
42	Amyloidosis and its related factors in Turkish patients with familial Mediterranean fever: a multicentre study. <i>Rheumatology</i> , 2014, 53, 741-745.	1.9	96
43	Endothelial function in patients with familial Mediterranean fever-related amyloidosis and association with cardiovascular events. <i>Rheumatology</i> , 2014, 53, 2002-2008.	1.9	21
44	Fetuin-A is related to syndesmophytes in patients with ankylosing spondylitis: a case control study. <i>Clinics</i> , 2014, 69, 688-693.	1.5	21
45	High prevalence of spondyloarthritis and ankylosing spondylitis among familial Mediterranean fever patients and their first-degree relatives: further evidence for the connection. <i>Arthritis Research and Therapy</i> , 2013, 15, R21.	3.5	63
46	Baseline sacroiliac joint magnetic resonance imaging abnormalities and male sex predict the development of radiographic sacroiliitis. <i>Clinical Rheumatology</i> , 2013, 32, 1511-1517.	2.2	4
47	High frequency of inflammatory back pain and other features of spondyloarthritis in patients with rheumatoid arthritis. <i>Rheumatology International</i> , 2013, 33, 1289-1293.	3.0	11
48	Identification of Multiple Genetic Susceptibility Loci in Takayasu Arteritis. <i>American Journal of Human Genetics</i> , 2013, 93, 298-305.	6.2	143
49	Impaired quality of life, disability and mental health in Takayasu's arteritis. <i>Rheumatology</i> , 2013, 52, 1898-1904.	1.9	53
50	Performance of response scales of activity and functional measures of ankylosing spondylitis: numerical rating scale versus visual analog scale. <i>Rheumatology International</i> , 2013, 33, 2617-2623.	3.0	24
51	Initial Diagnosis of Lumbar Disc Herniation Is Associated with a Delay in Diagnosis of Ankylosing Spondylitis. <i>Journal of Rheumatology</i> , 2012, 39, 1996-1999.	2.0	35
52	Familial Mediterranean Fever. <i>Medicine (United States)</i> , 2012, 91, 131-136.	1.0	568
53	Biomarkers and cytokines of bone turnover: extensive evaluation in a cohort of patients with ankylosing spondylitis. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 191.	1.9	77
54	Down-regulation of adiponectin in patients with familial Mediterranean fever during attack-free period. <i>Rheumatology International</i> , 2012, 32, 2819-2822.	3.0	4

#	ARTICLE	IF	CITATIONS
55	Takayasu's arteritis is associated with HLA-B*52, but not with HLA-B*51, in Turkey. <i>Arthritis Research and Therapy</i> , 2012, 14, R27.	3.5	60
56	The effect of non-steroidal anti-inflammatory drugs on the endothelial function of patients with osteoarthritis in short term. <i>International Journal of Rheumatic Diseases</i> , 2012, 15, 207-211.	1.9	3
57	Increased prevalence of M694V in patients with ankylosing spondylitis: Additional evidence for a link with familial mediterranean fever. <i>Arthritis and Rheumatism</i> , 2010, 62, 3059-3063.	6.7	43
58	Assessment of disease activity and progression in Takayasu's arteritis with Disease Extent Index-Takayasu. <i>Rheumatology</i> , 2010, 49, 1889-1893.	1.9	97
59	Clinical history for inflammatory back pain in ankylosing spondylitis: the sensitivity, specificity and consistency of clinical features. <i>Rheumatology International</i> , 2009, 29, 349-351.	3.0	5
60	Prevalence of spondyloarthritis in Turkish patients with inflammatory bowel disease. <i>Rheumatology International</i> , 2009, 29, 955-957.	3.0	27
61	M694V mutation may have a role in susceptibility to ankylosing spondylitis. <i>Rheumatology International</i> , 2009, 29, 1259-1260.	3.0	6
62	Comparison of group-based exercise versus home-based exercise in patients with ankylosing spondylitis: effects on Bath Ankylosing Spondylitis Indices, quality of life and depression. <i>Clinical Rheumatology</i> , 2008, 27, 695-700.	2.2	71
63	Quality of life in patients with Takayasu's arteritis is impaired and comparable with rheumatoid arthritis and ankylosing spondylitis patients. <i>Clinical Rheumatology</i> , 2008, 27, 859-865.	2.2	36
64	Prevalence of ankylosing spondylitis and related spondyloarthritides in an urban area of Izmir, Turkey. <i>Journal of Rheumatology</i> , 2008, 35, 305-9.	2.0	62
65	Irritable Bowel Syndrome in Persons Who Acquired Trichinellosis. <i>American Journal of Gastroenterology</i> , 2007, 102, 1064-1069.	0.4	50
66	Ventricular Diastolic Functions of Ankylosing Spondylitis Patients by Using Conventional Pulsed-Wave Doppler, Myocardial Performance Index, and Tissue Doppler Imaging. <i>Echocardiography</i> , 2007, 25, 070619173248003-???	0.9	24
67	Standardization is essential for a more rigorous comparison of rates: comment on the reply by Gilgil, Kacar, and Tuncer. <i>Clinical Rheumatology</i> , 2007, 26, 136-136.	2.2	0
68	Body composition, insulin, and leptin levels in patients with ankylosing spondylitis. <i>Clinical Rheumatology</i> , 2007, 26, 1427-1432.	2.2	65
69	Early ultrasonographic markers of atherosclerosis in patients with familial Mediterranean fever. <i>Clinical Rheumatology</i> , 2007, 26, 1467-1473.	2.2	58
70	Epidemiology of Rheumatoid Arthritis in Turkey. <i>Clinical Rheumatology</i> , 2006, 25, 560-561.	2.2	9
71	Acute Trichinellosis in Children Compared With Adults. <i>Pediatric Infectious Disease Journal</i> , 2005, 24, 897-900.	2.0	25
72	A Turkish version of the Bath Ankylosing Spondylitis Disease Activity Index: reliability and validity. <i>Rheumatology International</i> , 2005, 25, 280-284.	3.0	195

#	ARTICLE	IF	CITATIONS
73	The Turkish versions of the Bath Ankylosing Spondylitis and Dougados Functional Indices: reliability and validity. <i>Rheumatology International</i> , 2005, 25, 612-618.	3.0	73
74	The significance of paired MEFV mutations in individuals without symptoms of familial Mediterranean fever. <i>European Journal of Human Genetics</i> , 2002, 10, 786-789.	2.8	27
75	Acute phase response and evolution of familial Mediterranean fever. <i>Lancet</i> , The, 1999, 353, 1415.	13.7	160