Minjeong Park

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10503853/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Minimal clinically important differences in the Edmonton Symptom Assessment Scale in cancer patients: A prospective, multicenter study. Cancer, 2015, 121, 3027-3035.	4.1	183
2	Minimal Clinically Important Difference in the Physical, Emotional, and Total Symptom Distress Scores of the Edmonton Symptom Assessment System. Journal of Pain and Symptom Management, 2016, 51, 262-269.	1.2	115
3	Attitudes and Beliefs Toward Supportive and Palliative Care Referral Among Hematologic and Solid Tumor Oncology Specialists. Oncologist, 2015, 20, 1326-1332.	3.7	98
4	Clinician prediction of survival versus the Palliative Prognostic Score: Which approach is more accurate?. European Journal of Cancer, 2016, 64, 89-95.	2.8	57
5	Personalized symptom goals and response in patients with advanced cancer. Cancer, 2016, 122, 1774-1781.	4.1	57
6	Dexamethasone for Dyspnea in Cancer Patients: A Pilot Double-Blind, Randomized, Controlled Trial. Journal of Pain and Symptom Management, 2016, 52, 8-16.e1.	1.2	53
7	Outcomes of a Specialized Interdisciplinary Approach for Patients with Cancer with Aberrant Opioid-Related Behavior. Oncologist, 2018, 23, 263-270.	3.7	51
8	Impact of Oncologists' Attitudes Toward End-of-Life Care on Patients' Access to Palliative Care. Oncologist, 2016, 21, 1149-1155.	3.7	48
9	Association Between Tobacco Use, Symptom Expression, and Alcohol and Illicit Drug Use in Advanced Cancer Patients. Journal of Pain and Symptom Management, 2016, 51, 762-768.	1.2	46
10	A Comparison of the Accuracy of Clinician Prediction of Survival Versus the Palliative Prognostic Index. Journal of Pain and Symptom Management, 2018, 55, 792-797.	1.2	40
11	Decisional control preferences among patients with advanced cancer: An international multicenter cross-sectional survey. Palliative Medicine, 2018, 32, 870-880.	3.1	40
12	Perception of Curability Among Advanced Cancer Patients: An International Collaborative Study. Oncologist, 2018, 23, 501-506.	3.7	39
13	Association Between Multi-frequency Phase Angle and Survival in Patients With Advanced Cancer. Journal of Pain and Symptom Management, 2017, 53, 571-577.	1.2	38
14	Impact of Prophylactic Fentanyl Pectin Nasal Spray on Exercise-Induced Episodic Dyspnea in Cancer Patients: AÂDouble-Blind, Randomized Controlled Trial. Journal of Pain and Symptom Management, 2016, 52, 459-468.e1.	1.2	33
15	Effect of Prophylactic Fentanyl Buccal Tablet on Episodic Exertional Dyspnea: A Pilot Double-Blind Randomized Controlled Trial. Journal of Pain and Symptom Management, 2017, 54, 798-805.	1.2	32
16	Examination of referral criteria for outpatient palliative care among patients with advanced cancer. Supportive Care in Cancer, 2020, 28, 295-301.	2.2	29
17	Predicting survival in patients with advanced cancer in the last weeks of life: How accurate are prognostic models compared to clinicians' estimates?. Palliative Medicine, 2020, 34, 126-133.	3.1	28
18	Meaning in life in patients with advanced cancer: a multinational study. Supportive Care in Cancer, 2020, 28, 3927-3934.	2.2	27

MINJEONG PARK

#	Article	IF	CITATIONS
19	Off-Label Medication Use in the Inpatient Palliative Care Unit. Journal of Pain and Symptom Management, 2017, 54, 46-54.	1.2	26
20	Phase Angle and the Diagnosis of Impending Death in Patients with Advanced Cancer: Preliminary Findings. Oncologist, 2019, 24, e365-e373.	3.7	26
21	Assessing the prognostic features of a pain classification system in advanced cancer patients. Supportive Care in Cancer, 2017, 25, 2863-2869.	2.2	16
22	Personalized Pain Goal as an Outcome Measure in Routine Cancer Pain Assessment. Journal of Pain and Symptom Management, 2018, 56, 80-87.	1.2	16
23	Patientâ€Reported Usefulness of Acute Cancer Rehabilitation. PM and R, 2017, 9, 1135-1143.	1.6	15
24	Pattern and Predictors of Outpatient Palliative Care Referral Among Thoracic Medical Oncologists. Oncologist, 2018, 23, 1230-1235.	3.7	14
25	Response to Oral Immediate-Release Opioids for Breakthrough Pain in Patients with Advanced Cancer with Adequately Controlled Background Pain. Oncologist, 2019, 24, 125-131.	3.7	13
26	Characteristics and Outcomes of Advanced Cancer Patients Who Received Palliative Care at a Public Hospital Compared with Those at a Comprehensive Cancer Center. Journal of Palliative Medicine, 2018, 21, 678-685.	1.1	8
27	Concurrent use of opioids with benzodiazepines or nonbenzodiazepine sedatives among patients with cancer referred to an outpatient palliative care clinic. Cancer, 2019, 125, 4525-4531.	4.1	8
28	Practices and perceptions regarding intravenous opioid infusion and cancer pain management. Cancer, 2019, 125, 3882-3889.	4.1	6
29	Frequency and Characteristics of First-Time Palliative Care Referrals During the Last Day of Life. Journal of Pain and Symptom Management, 2021, 61, 358-363.	1.2	5
30	Cancer Rehabilitation Providers and Oncology Patient Expectations for Functional Outcomes after Inpatient Rehabilitation. PM and R, 2021, 13, 729-736.	1.6	5
31	LGG-18. GANGLIOGLIOMAS IN CHILDREN - MD ANDERSON CANCER CENTER EXPERIENCE. Neuro-Oncology, 2018, 20, i108-i108.	1.2	0