

Nicolas Illy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/105047/publications.pdf>

Version: 2024-02-01

29
papers

772
citations

567281

15
h-index

501196

28
g-index

31
all docs

31
docs citations

31
times ranked

824
citing authors

#	ARTICLE	IF	CITATIONS
1	Episulfide Anionic Ring-Opening Polymerization Initiated by Alcohols and Primary Amines in the Presence of β^3 -Thiolactones. <i>Macromolecules</i> , 2022, 55, 5430-5440.	4.8	6
2	Bio-based poly(ester- <i>alt</i> -thioether)s synthesized by organo-catalyzed ring-opening copolymerizations of eugenol-based epoxides and <i>N</i> -acetyl homocysteine thiolactone. <i>Green Chemistry</i> , 2021, 23, 7743-7750.	9.0	17
3	Alternating copolymerization of bio-based <i>N</i> -acetylhomocysteine thiolactone and epoxides. <i>European Polymer Journal</i> , 2021, 153, 110490.	5.4	9
4	Polymerization of epoxide monomers promoted by <i>t</i> -BuP ₄ phosphazene base: a comparative study of kinetic behavior. <i>Polymer Chemistry</i> , 2020, 11, 3585-3592.	3.9	13
5	Functional Poly(ester- <i>alt</i> -sulfide)s Synthesized by Organo-Catalyzed Anionic Ring-Opening Alternating Copolymerization of Oxiranes and β^3 -Thiobutyrolactones. <i>Macromolecules</i> , 2020, 53, 5188-5198.	4.8	22
6	pH-Sensitive Poly(ethylene glycol)/Poly(ethoxyethyl glycidyl ether) Block Copolymers: Synthesis, Characterization, Encapsulation, and Delivery of a Hydrophobic Drug. <i>Macromolecular Chemistry and Physics</i> , 2019, 220, 1900210.	2.2	6
7	An alternative approach to create <i>N</i> -substituted cyclic dipeptides. <i>Polymer Chemistry</i> , 2019, 10, 776-785.	3.9	10
8	Modification of proline-based 2,5-diketopiperazines by anionic ring-opening polymerization. <i>Journal of Polymer Science Part A</i> , 2019, 57, 1008-1016.	2.3	8
9	Synthesis and Solid-State Properties of PolyC ₃ (Co)polymers Containing (CH ₂) ₂ -CH ₂ -C(COOR) ₂ Repeat Units with Densely Packed Fluorocarbon Lateral Chains. <i>Macromolecules</i> , 2019, 52, 9199-9207.	4.8	3
10	β -Cyclodextrin-Based Star Amphiphilic Copolymers: Synthesis, Characterization, and Evaluation as Artificial Channels. <i>Macromolecular Chemistry and Physics</i> , 2019, 220, 1800308.	2.2	4
11	Anionic ring-opening polymerization of <i>N</i> -glycidylphthalimide: Combination of phosphazene base and activated monomer mechanism. <i>Journal of Polymer Science Part A</i> , 2018, 56, 1091-1099.	2.3	11
12	Phosphazene/triisobutylaluminum-promoted anionic ring-opening polymerization of 1,2-epoxybutane initiated by secondary carbamates. <i>Polymer Chemistry</i> , 2017, 8, 4005-4013.	3.9	18
13	Preliminary investigations on a simple polyelectrolyte derived from (CH ₂ CH ₂ C(COOH) ₂) _n : Unexpected solubility-insolubility pattern controlled selectively by the nature of the alkali counterion. <i>Polymer</i> , 2017, 116, 515-522.	3.8	4
14	A Chitosan Derivative Containing Both Carboxylic Acid and Quaternary Ammonium Moieties for the Synthesis of Cyclic Carbonates. <i>ChemSusChem</i> , 2016, 9, 2167-2173.	6.8	27
15	Phosphorylation of bio-based compounds: the state of the art. <i>Polymer Chemistry</i> , 2015, 6, 6257-6291.	3.9	125
16	Phosphazene-Promoted Metal-Free Ring-Opening Polymerization of 1,2-Epoxybutane Initiated by Secondary Amides. <i>Macromolecules</i> , 2015, 48, 7755-7764.	4.8	34
17	Synthesis, characterization, and ion-complexing properties of polymers displaying densely packed arrays of crown-ethers as lateral substituents. <i>Journal of Polymer Science Part A</i> , 2014, 52, 2337-2345.	2.3	2
18	Synthesis of water-soluble allyl-functionalized oligochitosan and its modification by thiol-ene addition in water. <i>Journal of Polymer Science Part A</i> , 2014, 52, 39-48.	2.3	29

#	ARTICLE	IF	CITATIONS
19	The influence of formulation and processing parameters on the thermal properties of a chitosan-epoxy prepolymer system. <i>Polymer International</i> , 2014, 63, 420-426.	3.1	29
20	New prospects for the synthesis of N-alkyl phosphonate/phosphonic acid-bearing oligo-chitosan. <i>RSC Advances</i> , 2014, 4, 24042-24052.	3.6	27
21	Synthesis and anionic ring-opening polymerization of crown-ether-like macrocyclic dilactones: An alternative route to PEG-containing polyesters and related networks. <i>European Polymer Journal</i> , 2013, 49, 4087-4097.	5.4	11
22	A polymeric membrane permeabilizer displaying densely packed arrays of crown ether lateral substituents. <i>RSC Advances</i> , 2012, 2, 8606-8609.	3.6	4
23	Metal-Chelating Polymers by Anionic Ring-Opening Polymerization and Their Use in Quantitative Mass Cytometry. <i>Biomacromolecules</i> , 2012, 13, 2359-2369.	5.4	51
24	Thiol-ene "clickable" carbon-chain polymers based on diallyl cyclopropane-1,1-dicarboxylate. <i>Polymer</i> , 2012, 53, 903-912.	3.8	25
25	Activation in anionic polymerization: Why phosphazene bases are very exciting promoters. <i>Progress in Polymer Science</i> , 2011, 36, 1132-1151.	24.7	159
26	Unexpected Interactions of an Alternating Poly(ether-ester) with Artificial and Biological Bilipidic Membranes. <i>Macromolecular Symposia</i> , 2010, 287, 60-68.	0.7	4
27	Control of End Groups in Anionic Polymerizations Using Phosphazene Bases and Protic Precursors As Initiating System (XH-Bu ^t P ₄ Approach): Application to the Ring-Opening Polymerization of Cyclopropane-1,1-Dicarboxylates. <i>Macromolecules</i> , 2010, 43, 8782-8789.	4.8	34
28	Metal-Free Activation in the Anionic Ring-Opening Polymerization of Cyclopropane Derivatives. <i>Macromolecular Rapid Communications</i> , 2009, 30, 1731-1735.	3.9	31
29	Regioselectively Functionalized Cellulose Derivatives: A Mini Review. <i>Macromolecular Symposia</i> , 2006, 244, 59-73.	0.7	49