

Kan Gong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1050872/publications.pdf>

Version: 2024-02-01

86
papers

1,817
citations

279798

23
h-index

315739

38
g-index

97
all docs

97
docs citations

97
times ranked

2742
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Natural history of Von Hippel-Lindau disease-associated and sporadic clear cell renal cell carcinoma: a comparative study. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 2631-2641. | 2.5 | 5 |
| 2 | Belzutifan: a novel therapy for von Hippel-Lindau disease. <i>Nature Reviews Nephrology</i> , 2022, 18, 205-206. | 9.6 | 10 |
| 3 | Claudin-10 overexpression suppresses human clear cell renal cell carcinoma growth and metastasis by regulating ATP5O and causing mitochondrial dysfunction. <i>International Journal of Biological Sciences</i> , 2022, 18, 2329-2344. | 6.4 | 6 |
| 4 | Elevated tumor markers for monitoring tumor response to immunotherapy. <i>EClinicalMedicine</i> , 2022, 46, 101381. | 7.1 | 4 |
| 5 | Clinical characteristics and risk factors for survival in affected offspring of von Hippel-Lindau disease patients. <i>Journal of Medical Genetics</i> , 2022, 59, 951-956. | 3.2 | 5 |
| 6 | VHL Ser65 mutations enhance HIF2 α signaling and promote epithelial-mesenchymal transition of renal cancer cells. <i>Cell and Bioscience</i> , 2022, 12, 52. | 4.8 | 4 |
| 7 | CLDN10 associated with immune infiltration is a novel prognostic biomarker for clear cell renal cell carcinoma. <i>Epigenomics</i> , 2021, 13, 31-45. | 2.1 | 13 |
| 8 | Cell-cycle arrest and senescence in TP53-wild type renal carcinoma by enhancer RNA-P53-bound enhancer regions 2 (p53BER2) in a p53-dependent pathway. <i>Cell Death and Disease</i> , 2021, 12, 1. | 6.3 | 223 |
| 9 | Association between vasectomy and risk of prostate cancer: a meta-analysis. <i>Prostate Cancer and Prostatic Diseases</i> , 2021, 24, 962-975. | 3.9 | 4 |
| 10 | HER2-amplified metastatic lung adenocarcinoma responds to fourth-line pyrotinib therapy: A case report. <i>Molecular and Clinical Oncology</i> , 2021, 15, 213. | 1.0 | 1 |
| 11 | Serum carcinoembryonic antigen elevation in benign lung diseases. <i>Scientific Reports</i> , 2021, 11, 19044. | 3.3 | 15 |
| 12 | TBK1 Is a Synthetic Lethal Target in Cancer with VHL Loss. <i>Cancer Discovery</i> , 2020, 10, 460-475. | 9.4 | 63 |
| 13 | Intronic mutation of the VHL gene associated with central nervous system hemangioblastomas in two Chinese families with Von Hippel-Lindau disease: case report. <i>BMC Medical Genetics</i> , 2020, 21, 191. | 2.1 | 3 |
| 14 | Genome-wide Screening Identifies SFMBT1 as an Oncogenic Driver in Cancer with VHL Loss. <i>Molecular Cell</i> , 2020, 77, 1294-1306.e5. | 9.7 | 41 |
| 15 | The Genotype-Phenotype Association of Von Hippel Lindau Disease Based on Mutation Locations: A Retrospective Study of 577 Cases in a Chinese Population. <i>Frontiers in Genetics</i> , 2020, 11, 532588. | 2.3 | 6 |
| 16 | Biological and clinical impact of central nervous system hemangioblastomas in Chinese patients with von Hippel-Lindau disease: implications for treatment. <i>Hereditary Cancer in Clinical Practice</i> , 2020, 18, 21. | 1.5 | 1 |
| 17 | Stereotactic radiosurgery for central nervous system hemangioblastoma in von Hippel-Lindau disease: A systematic review and meta-analysis. <i>Clinical Neurology and Neurosurgery</i> , 2020, 195, 105912. | 1.4 | 6 |
| 18 | Overexpression of EGFR and TGF β in von Hippel-Lindau-Related Central Nervous System Hemangioblastomas. <i>Frontiers in Oncology</i> , 2020, 10, 703. | 2.8 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Novel genetic characterisation and phenotype correlation in von Hippel-Lindau (VHL) disease based on the Elongin C binding site: a large retrospective study. <i>Journal of Medical Genetics</i> , 2020, 57, 744-751. | 3.2 | 1 |
| 20 | Discovery and validation of the prognostic value of the lncRNAs encoding snoRNAs in patients with clear cell renal cell carcinoma. <i>Aging</i> , 2020, 12, 4424-4444. | 3.1 | 31 |
| 21 | The Efficacy and Safety of Tyrosine Kinase Inhibitors for Von Hippel-Lindau Disease: A Retrospective Study of 32 Patients. <i>Frontiers in Oncology</i> , 2019, 9, 1122. | 2.8 | 10 |
| 22 | Frequent Mutations of VHL Gene and the Clinical Phenotypes in the Largest Chinese Cohort With Von Hippel-Lindau Disease. <i>Frontiers in Genetics</i> , 2019, 10, 867. | 2.3 | 18 |
| 23 | Hemangioblastoma Instead of Renal Cell Carcinoma Plays a Major Role in the Unfavorable Overall Survival of Von Hippel-Lindau Disease Patients. <i>Frontiers in Oncology</i> , 2019, 9, 1037. | 2.8 | 10 |
| 24 | Intra-Familial Phenotypic Heterogeneity and Telomere Abnormality in von Hippel-Lindau Disease: Implications for Personalized Surveillance Plan and Pathogenesis of VHL-Associated Tumors. <i>Frontiers in Genetics</i> , 2019, 10, 358. | 2.3 | 4 |
| 25 | Osteopontin as a multifaceted driver of bone metastasis and drug resistance. <i>Pharmacological Research</i> , 2019, 144, 235-244. | 7.1 | 124 |
| 26 | Distinctive clinicopathological features of Von Hippel-Lindau-associated hereditary renal cell carcinoma: A single-institution study. <i>Oncology Letters</i> , 2019, 17, 4600-4606. | 1.8 | 3 |
| 27 | Natural history of renal tumours in von Hippel-Lindau disease: a large retrospective study of Chinese patients. <i>Journal of Medical Genetics</i> , 2019, 56, 380-387. | 3.2 | 8 |
| 28 | TRIB3 Promotes the Proliferation and Invasion of Renal Cell Carcinoma Cells via Activating MAPK Signaling Pathway. <i>International Journal of Biological Sciences</i> , 2019, 15, 587-597. | 6.4 | 49 |
| 29 | Differential Expression of PD-L1 Between Sporadic and VHL-Associated Hereditary Clear-Cell Renal Cell Carcinoma and Its Correlation With Clinicopathological Features. <i>Clinical Genitourinary Cancer</i> , 2019, 17, 97-104.e1. | 1.9 | 7 |
| 30 | Gene signatures and prognostic values of m6A regulators in clear cell renal cell carcinoma – a retrospective study using TCGA database. <i>Aging</i> , 2019, 11, 1633-1647. | 3.1 | 157 |
| 31 | The BPSC: A prospective study investigating the clinical effect of interventional therapy and the risk factors for bladder cancer and benign prostatic hyperplasia in Chinese population. <i>Journal of Evidence-Based Medicine</i> , 2018, 11, 64-67. | 2.4 | 14 |
| 32 | Risk factors for survival in patients with von Hippel-Lindau disease. <i>Journal of Medical Genetics</i> , 2018, 55, 322-328. | 3.2 | 26 |
| 33 | ⁶⁸ Ga-PSMA-617 PET/CT: a promising new technique for predicting risk stratification and metastatic risk of prostate cancer patients. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 1852-1861. | 6.4 | 54 |
| 34 | Genotype and phenotype correlation in von Hippel-Lindau disease based on alteration of the HIF-1 α binding site in VHL protein. <i>Genetics in Medicine</i> , 2018, 20, 1266-1273. | 2.4 | 37 |
| 35 | Renal Arterial Pseudoaneurysm and Renal Arteriovenous Fistula Following Partial Nephrectomy. <i>Urologia Internationalis</i> , 2018, 100, 368-374. | 1.3 | 11 |
| 36 | Vascular Endothelial Growth Inhibitor, a Cytokine of the Tumor Necrosis Factor Family, is Associated With Epithelial-Mesenchymal Transition in Renal Cell Carcinoma. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2018, 26, 727-733. | 1.2 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | VEG174 protein and its functional domain peptides exert antitumour effects on renal cell carcinoma. <i>International Journal of Oncology</i> , 2018, 54, 390-398. | 3.3 | 0 |
| 38 | Downregulation of CLDN7 due to promoter hypermethylation is associated with human clear cell renal cell carcinoma progression and poor prognosis. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 276. | 8.6 | 46 |
| 39 | Aristolochic acid containing herbs induce gender-related oncological differences in upper tract urothelial carcinoma patients. <i>Cancer Management and Research</i> , 2018, Volume 10, 6627-6639. | 1.9 | 18 |
| 40 | Concurrent renal cell carcinoma and urothelial carcinoma: long-term follow-up study of 27 cases. <i>World Journal of Surgical Oncology</i> , 2018, 16, 16. | 1.9 | 11 |
| 41 | Novel germline mutations in FLCN gene identified in two Chinese patients with Birtâ€“Hoggâ€“DubÃ© syndrome. <i>Chinese Journal of Cancer</i> , 2017, 36, 4. | 4.9 | 5 |
| 42 | MP60-05 ERYTHROPOIETIN RECEPTOR MAY BECOME A TARGET FOR RENAL CELL CARCINOMA. <i>Journal of Urology</i> , 2017, 197, . | 0.4 | 0 |
| 43 | PD04-07 HIGHER PD-L1 MRNA LEVEL IN CLEAR CELL RENAL CELL CARCINOMAS IS ASSOCIATED WITH A FAVORABLE OUTCOME. <i>Journal of Urology</i> , 2017, 197, . | 0.4 | 0 |
| 44 | Clinicopathologic Features and Prognosis of Sporadic Bilateral Renal Cell Carcinoma: A Series of 148 Cases. <i>Clinical Genitourinary Cancer</i> , 2017, 15, 618-624. | 1.9 | 14 |
| 45 | Cytoreductive nephrectomy with thrombectomy before targeted therapy improves survival for metastatic renal cell carcinoma with venous tumor thrombus: a single-center experience. <i>World Journal of Surgical Oncology</i> , 2017, 15, 4. | 1.9 | 6 |
| 46 | PD52-10 SHORTER TELOMERE LENGTH INCREASES AGE-RELATED TUMOR RISKS IN CHINESE VON HIPPLE-LINDAU DISEASE. <i>Journal of Urology</i> , 2017, 197, . | 0.4 | 0 |
| 47 | MP67-01 TELOMERE LENGTH AND GENETIC ANTICIPATION IN A LARGE COHORT OF CHINESE VON HIPPLE-LINDAU DISEASE. <i>Journal of Urology</i> , 2017, 197, . | 0.4 | 0 |
| 48 | MP67-19 THE NUCLEAR GRADE AND PROGNOSIS ARE UNRELATED TO THE TNM STAGE IN MULTIFOCAL CYSTIC RENAL CELL NEOPLASM OF LOW MALIGNANT POTENTIAL. <i>Journal of Urology</i> , 2017, 197, . | 0.4 | 0 |
| 49 | Shorter telomere length increases ageâ€“related tumor risks in von Hippelâ€“Lindau disease patients. <i>Cancer Medicine</i> , 2017, 6, 2131-2141. | 2.8 | 17 |
| 50 | Clinicopathologic characteristics, therapy and outcomes of patients with primary ureteral small cell carcinoma: a case series and systematic review of the literature. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 4105-4111. | 2.0 | 10 |
| 51 | Vascular endothelial growth inhibitor 174 and its functional domains inhibit epithelial-mesenchymal transition in renal cell carcinoma cells in vitro. <i>International Journal of Molecular Medicine</i> , 2017, 40, 569-575. | 4.0 | 1 |
| 52 | Higher programmed cell death 1 ligand 1 (PD-L1) mRNA level in clear cell renal cell carcinomas is associated with a favorable outcome due to the active immune responses in tumor tissues. <i>Oncotarget</i> , 2017, 8, 3355-3363. | 1.8 | 15 |
| 53 | Fluorescence<i>in situ</i> hybridization status of voided urine predicts invasive and high-grade upper tract urothelial carcinoma. <i>Oncotarget</i> , 2017, 8, 26106-26111. | 1.8 | 11 |
| 54 | Genotype-phenotype correlations in Chinese von Hippel-Lindau disease patients. <i>Oncotarget</i> , 2017, 8, 38456-38465. | 1.8 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Intra-tumour molecular heterogeneity of clear cell renal cell carcinoma reveals the diversity of the response to targeted therapies using patient-derived xenograft models. <i>Oncotarget</i> , 2017, 8, 49839-49850. | 1.8 | 24 |
| 56 | Identification of Novel Proteins Interacting with Vascular Endothelial Growth Inhibitor 174 in Renal Cell Carcinoma. <i>Anticancer Research</i> , 2017, 37, 4379-4388. | 1.1 | 4 |
| 57 | Peking University - Juntendo University Joint Symposium on Cancer Research and Treatment. <i>Juntendo Medical Journal</i> , 2017, 63, 326-330. | 0.1 | 0 |
| 58 | Protein of Vascular Endothelial Growth Inhibitor 174 Inhibits Epithelialâ€“Mesenchymal Transition in Renal Cell Carcinoma In Vivo. <i>Anticancer Research</i> , 2017, 37, 4269-4275. | 1.1 | 1 |
| 59 | Association between FBP1 and hypoxia-related gene expression in clear cell renal cell carcinoma. <i>Oncology Letters</i> , 2016, 11, 4095-4098. | 1.8 | 17 |
| 60 | Multilocular Cystic Renal Cell Neoplasm of Low Malignant Potential: A Series of 76 Cases. <i>Clinical Genitourinary Cancer</i> , 2016, 14, e553-e557. | 1.9 | 34 |
| 61 | Comparison between completely and traditionally retroperitoneoscopic nephroureterectomy for upper tract urothelial cancer. <i>World Journal of Surgical Oncology</i> , 2016, 14, 171. | 1.9 | 7 |
| 62 | The prognostic impact of squamous and glandular differentiation for upper tract urothelial carcinoma patients after radical nephroureterectomy. <i>World Journal of Urology</i> , 2016, 34, 871-877. | 2.2 | 33 |
| 63 | Nedaplatin- versus cisplatin-based chemotherapy in the survival time of patients with non-small cell lung cancer. <i>Molecular and Clinical Oncology</i> , 2015, 3, 543-549. | 1.0 | 6 |
| 64 | Prognostic and predictive value of epigenetic biomarkers and clinical factors in upper tract urothelial carcinoma. <i>Epigenomics</i> , 2015, 7, 733-744. | 2.1 | 25 |
| 65 | Incidence, characteristics, treatment strategies, and oncologic outcomes of synchronous bilateral upper tract urothelial carcinoma in the Chinese population. These authors contribute equally.. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 66.e1-66.e11. | 1.6 | 21 |
| 66 | Higher Prevalence of Novel Mutations in VHL Gene in Chinese Von Hippel-Lindau Disease Patients. <i>Urology</i> , 2014, 83, 675.e1-675.e6. | 1.0 | 9 |
| 67 | Telomere Shortening Is Associated with Genetic Anticipation in Chinese Von Hippelâ€“Lindau Disease Families. <i>Cancer Research</i> , 2014, 74, 3802-3809. | 0.9 | 32 |
| 68 | MiR-30d induces apoptosis and is regulated by the Akt/FOXO pathway in renal cell carcinoma. <i>Cellular Signalling</i> , 2013, 25, 1212-1221. | 3.6 | 59 |
| 69 | 739 CLINICAL CHARACTERISTICS OF VON HIPPEL-LINDAU DISEASE IN CHINESE PATIENTS. <i>Journal of Urology</i> , 2013, 189, . | 0.4 | 0 |
| 70 | Mosaicism in von Hippelâ€“Lindau disease with severe renal manifestations. <i>Clinical Genetics</i> , 2013, 84, 581-584. | 2.0 | 17 |
| 71 | Predictive factors for worse pathological outcomes of upper tract urothelial carcinoma: experience from a nationwide highâ€“volume centre in China. <i>BJU International</i> , 2013, 112, 917-924. | 2.5 | 63 |
| 72 | Suppression of renal cell carcinoma growth in vivo by forced expression of vascular endothelial growth inhibitor. <i>International Journal of Oncology</i> , 2013, 42, 1664-1673. | 3.3 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | CSTP1, a Novel Protein Phosphatase, Blocks Cell Cycle, Promotes Cell Apoptosis, and Suppresses Tumor Growth of Bladder Cancer by Directly Dephosphorylating Akt at Ser473 Site. PLoS ONE, 2013, 8, e65679. | 2.5 | 27 |
| 74 | Family history of von Hippel-Lindau disease was uncommon in Chinese patients: suggesting the higher frequency of de novo mutations in VHL gene in these patients. Journal of Human Genetics, 2012, 57, 238-243. | 2.3 | 53 |
| 75 | Cauda equina hemangioblastoma at L5 vertebral level related to von Hippel-Lindau disease. British Journal of Neurosurgery, 2012, 26, 576-577. | 0.8 | 5 |
| 76 | Prognostic Factors in Chinese Patients With Penile Invasive Squamous Cell Carcinoma. Journal of Andrology, 2012, 33, 1276-1281. | 2.0 | 4 |
| 77 | Growth pattern of renal cell carcinoma (RCC) in patients with delayed surgical intervention. Journal of Cancer Research and Clinical Oncology, 2012, 138, 269-274. | 2.5 | 37 |
| 78 | The Erythropoietin/Erythropoietin Receptor Signaling Pathway Promotes Growth and Invasion Abilities in Human Renal Carcinoma Cells. PLoS ONE, 2012, 7, e45122. | 2.5 | 24 |
| 79 | Comparison of laparoscopic and open cystectomy for bladder cancer: a single center of 110 cases report. Translational Andrology and Urology, 2012, 1, 4-8. | 1.4 | 13 |
| 80 | Extramammary Paget's disease of scrotum—report of 25 cases and literature review. Urologic Oncology: Seminars and Original Investigations, 2010, 28, 28-33. | 1.6 | 58 |
| 81 | The relationship of erythropoietin overexpression with von Hippel-Lindau tumour suppressor gene mutations between hypoxia-inducible factor-1 α and -2 α in sporadic clear cell renal carcinoma. International Journal of Molecular Medicine, 2010, 26, 907-12. | 4.0 | 13 |
| 82 | Multilocular cystic renal cell carcinoma: an experience of clinical management for 31 cases. Journal of Cancer Research and Clinical Oncology, 2008, 134, 433-437. | 2.5 | 34 |
| 83 | THE RELATIONSHIP OF EPO OVER-EXPRESSION TO VHL MUTATIONS AND HIF-1 α AND 2 α IN SCCRCC. Journal of Urology, 2008, 179, 91-91. | 0.4 | 0 |
| 84 | THE NATURAL HISTORY OF INCIDENTALLY DISCOVERED RENAL CELL CARCINOMAS (RCCS). Journal of Urology, 2008, 179, 332-333. | 0.4 | 1 |
| 85 | Coexpression of erythropoietin and erythropoietin receptor in sporadic clear cell renal cell carcinoma. Cancer Biology and Therapy, 2006, 5, 582-585. | 3.4 | 18 |
| 86 | Use of suppression subtractive hybridization strategy for cloning and identifying specifically expressed genes of renal cell carcinoma. Science Bulletin, 2001, 46, 226-229. | 1.7 | 2 |