
Harry V Vinters

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10513370/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Post-mortem Examination of the Nervous System: Fresh versus Fixed. Canadian Journal of Neurological Sciences, 2022, 49, 583-588. | 0.5 | 1 |
| 2 | Human Astrocytes Exhibit Tumor Microenvironment-, Age-, and Sex-Related Transcriptomic Signatures. Journal of Neuroscience, 2022, 42, 1587-1603. | 3.6 | 24 |
| 3 | Manifestations of Alzheimer's disease genetic risk in the blood are evident in a multiomic analysis in healthy adults aged 18 to 90. Scientific Reports, 2022, 12, 6117. | 3.3 | 12 |
| 4 | Single-cell RNA sequencing in silent corticotroph tumors confirms impaired POMC processing and provides new insights into their invasive behavior. European Journal of Endocrinology, 2022, 187, 49-64. | 3.7 | 10 |
| 5 | Neuropathologic Findings in Elderly HIV-Positive Individuals. Journal of Neuropathology and Experimental Neurology, 2022, 81, 565-576. | 1.7 | 1 |
| 6 | Isolated cortical tuber in an infant with genetically confirmed tuberous sclerosis complex 1 presenting with symptomatic West syndrome. Neuropathology, 2021, 41, 58-64. | 1.2 | 1 |
| 7 | Brain arteriolosclerosis. Acta Neuropathologica, 2021, 141, 1-24. | 7.7 | 85 |
| 8 | Cerebral Amyloid Angiopathy-related Inflammation Presenting With a Cystic Lesion in Young-onset Alzheimer Disease. Alzheimer Disease and Associated Disorders, 2021, 35, 265-268. | 1.3 | 5 |
| 9 | Clonally Focused Public and Private T Cells in Resected Brain Tissue From Surgeries to Treat Children With Intractable Seizures. Frontiers in Immunology, 2021, 12, 664344. | 4.8 | 3 |
| 10 | Charcot–Bouchard aneurysms revisited: clinicopathologic correlations. Modern Pathology, 2021, 34, 2109-2121. | 5.5 | 4 |
| 11 | Exosomal tau with seeding activity is released from Alzheimer's disease synapses, and seeding potential is associated with amyloid beta. Laboratory Investigation, 2021, 101, 1605-1617. | 3.7 | 31 |
| 12 | Neuropathologic Findings in Chronic Kidney Disease (CKD). Journal of Stroke and Cerebrovascular Diseases, 2021, 30, 105657. | 1.6 | 8 |
| 13 | Neuropathology of COVID-19 (neuro-COVID): clinicopathological update. Free Neuropathology, 2021, 2, | 3.0 | 62 |
| 14 | Pathological high frequency oscillations associate with increased GABA synaptic activity in pediatric epilepsy surgery patients. Neurobiology of Disease, 2020, 134, 104618. | 4.4 | 38 |
| 15 | Disease-related Huntingtin seeding activities in cerebrospinal fluids of Huntington's disease patients. Scientific Reports, 2020, 10, 20295. | 3.3 | 10 |
| 16 | Novel tonometer device distinguishes brain stiffness in epilepsy surgery. Scientific Reports, 2020, 10, 20978. | 3.3 | 4 |
| 17 | Expanding the Phenotype of Frontotemporal Lobar Degeneration With FUS-Positive Pathology (FTLD-FUS). Journal of Neuropathology and Experimental Neurology, 2020, 79, 809-812. | 1.7 | 5 |
| 18 | Crystal structure of a conformational antibody that binds tau oligomers and inhibits pathological seeding by extracts from donors with Alzheimer's disease. Journal of Biological Chemistry, 2020, 295, 10662-10676. | 3.4 | 21 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Fatal intracranial hemorrhage from brain AVM in a 7-week-old infant: case report and recent literature review. Child's Nervous System, 2020, 36, 1563-1568. | 1.1 | 1 |
| 20 | Paroxysmal Discharges in Tissue Slices From Pediatric Epilepsy Surgery Patients: Critical Role of GABAB Receptors in the Generation of Ictal Activity. Frontiers in Cellular Neuroscience, 2020, 14, 54. | 3.7 | 10 |
| 21 | Inhibition of synucleinopathic seeding by rationally designed inhibitors. ELife, 2020, 9, . | 6.0 | 54 |
| 22 | The 'ACCIDENTAL NEUROPATHOLOGIST'-PERSPECTIVES on 40 years in Neuropathology. Free Neuropathology, 2020, 1, . | 3.0 | 0 |
| 23 | Sustained delivery and molecular targeting of a therapeutic monoclonal antibody to metastases in the central nervous system of mice. Nature Biomedical Engineering, 2019, 3, 706-716. | 22.5 | 75 |
| 24 | Developmental origins of cortical hyperexcitability in Huntington's disease: Review and new observations. Journal of Neuroscience Research, 2019, 97, 1624-1635. | 2.9 | 14 |
| 25 | A Novel Model of Mixed Vascular Dementia Incorporating Hypertension in a Rat Model of Alzheimer's Disease. Frontiers in Physiology, 2019, 10, 1269. | 2.8 | 22 |
| 26 | Apolipoprotein E/Amyloid-β Complex Accumulates in Alzheimer Disease Cortical Synapses via Apolipoprotein E Receptors and Is Enhanced by APOE4. American Journal of Pathology, 2019, 189, 1621-1636. | 3.8 | 35 |
| 27 | Genetic meta-analysis of diagnosed Alzheimer's disease identifies new risk loci and implicates Aβ, tau, immunity and lipid processing. Nature Genetics, 2019, 51, 414-430. | 21.4 | 1,962 |
| 28 | Selective middle cerebral artery occlusion in the rabbit: Technique and characterization with pathologic findings and multimodal MRI. Journal of Neuroscience Methods, 2019, 313, 6-12. | 2.5 | 4 |
| 29 | Biobanking of Cerebrospinal Fluid. Methods in Molecular Biology, 2019, 1897, 107-114. | 0.9 | 2 |
| 30 | Enhanced Delivery of Rituximab Into Brain and Lymph Nodes Using Timed-Release Nanocapsules in Non-Human Primates. Frontiers in Immunology, 2019, 10, 3132. | 4.8 | 16 |
| 31 | Autopsy Biobanking: Biospecimen Procurement, Integrity, Storage, and Utilization. Methods in Molecular Biology, 2019, 1897, 77-87. | 0.9 | 5 |
| 32 | GPIHBP1 expression in gliomas promotes utilization of lipoprotein-derived nutrients. ELife, 2019, 8, . | 6.0 | 10 |
| 33 | Glial function (and dysfunction) in the normal & ischemic brain. Neuropharmacology, 2018, 134, 218-225. | 4.1 | 56 |
| 34 | Cellular antiseizure mechanisms of everolimus in pediatric tuberous sclerosis complex, cortical dysplasia, and non–mTORâ€mediated etiologies. Epilepsia Open, 2018, 3, 180-190. | 2.4 | 13 |
| 35 | The effects of cerebral amyloid angiopathy on integrity of the blood-brain barrier. Neurobiology of Aging, 2018, 70, 70-77. | 3.1 | 58 |
| 36 | Amyloid- β –related angiitis: a report of 2 cases with unusual presentations. Human Pathology, 2017, 64, 191-197. | 2.0 | 19 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Incidence, survival, pathology, and genetics of adult Latino Americans with glioblastoma. Journal of Neuro-Oncology, 2017, 132, 351-358. | 2.9 | 34 |
| 38 | Transethnic genomeâ€wide scan identifies novel Alzheimer's disease loci. Alzheimer's and Dementia, 2017, 13, 727-738. | 0.8 | 166 |
| 39 | 61â€yearâ€old man with chronic expansile sellar mass. Brain Pathology, 2017, 27, 397-398. | 4.1 | 0 |
| 40 | Associations between hippocampal morphometry and neuropathologic markers of Alzheimer's disease using 7 T MRI. NeuroImage: Clinical, 2017, 15, 56-61. | 2.7 | 37 |
| 41 | The blood labyrinthine barrier in the human normal and Meniere's disease macula utricle. Scientific Reports, 2017, 7, 253. | 3.3 | 58 |
| 42 | Atypical case of perimesencephalic subarachnoid hemorrhage. Neuropathology, 2017, 37, 272-274. | 1.2 | 3 |
| 43 | Cellular hormetic response to 27-hydroxycholesterol promotes neuroprotection through AICD induction of MAST4 abundance and kinase activity. Scientific Reports, 2017, 7, 13898. | 3.3 | 16 |
| 44 | Rare coding variants in PLCG2, ABI3, and TREM2 implicate microglial-mediated innate immunity in Alzheimer's disease. Nature Genetics, 2017, 49, 1373-1384. | 21.4 | 783 |
| 45 | Anomalous frequency-dependent ionic conductivity of lesion-laden human-brain tissue. Journal of Applied Physics, 2017, 122, 154701. | 2.5 | 2 |
| 46 | Polymer coating embolism from intravascular medical devices — a clinical literature review. Cardiovascular Pathology, 2017, 30, 45-54. | 1.6 | 60 |
| 47 | Early experience with formalin-fixed paraffin-embedded (FFPE) based commercial clinical genomic profiling of gliomas-robust and informative with caveats. Experimental and Molecular Pathology, 2017, 103, 87-93. | 2.1 | 7 |
| 48 | Multiple calcifying pseudoneoplasms of the neuraxis (MCAPNON): Distinct entity, CAPNON variant, or old neurocysticercosis?. Neuropathology, 2017, 37, 233-240. | 1.2 | 17 |
| 49 | Hemophagocytic lymphohistiocytosis associated with Epstein-Barr virus in the central nervous system. Human Pathology, 2017, 59, 108-112. | 2.0 | 8 |
| 50 | Effects of renal sympathetic denervation on the stellate ganglion and brain stem in dogs. Heart Rhythm, 2017, 14, 255-262. | 0.7 | 48 |
| 51 | Somatic Mutations Activating the mTOR Pathway in Dorsal Telencephalic Progenitors Cause a Continuum of Cortical Dysplasias. Cell Reports, 2017, 21, 3754-3766. | 6.4 | 247 |
| 52 | Molecular Disorganization of Axons Adjacent to Human Cortical Microinfarcts. Frontiers in Neurology, 2017, 8, 405. | 2.4 | 24 |
| 53 | Huntington's disease accelerates epigenetic aging of human brain and disrupts DNA methylation levels. Aging, 2016, 8, 1485-1512. | 3.1 | 192 |
| 54 | Evidence for Resident Memory T Cells in Rasmussen Encephalitis. Frontiers in Immunology, 2016, 7, 64. | 4.8 | 25 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Rasmussen encephalitis tissue transfer program. Epilepsia, 2016, 57, 1005-1007. | 5.1 | 3 |
| 56 | Nogo receptor blockade overcomes remyelination failure after white matter stroke and stimulates functional recovery in aged mice. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E8453-E8462. | 7.1 | 94 |
| 57 | Multisite assessment of NIAâ€AA guidelines for the neuropathologic evaluation of Alzheimer's disease. Alzheimer's and Dementia, 2016, 12, 164-169. | 0.8 | 82 |
| 58 | Assessment of the genetic variance of late-onset Alzheimer's disease. Neurobiology of Aging, 2016, 41, 200.e13-200.e20. | 3.1 | 174 |
| 59 | CADASIL, CARASIL, CARASAL. Neurology, 2016, 87, 1752-1753. | 1.1 | 15 |
| 60 | Aging-related tau astrogliopathy (ARTAG): harmonized evaluation strategy. Acta Neuropathologica, 2016, 131, 87-102. | 7.7 | 380 |
| 61 | Neuropathology of Autosomal Dominant Alzheimer Disease in the National Alzheimer Coordinating Center Database. Journal of Neuropathology and Experimental Neurology, 2016, 75, 284-290. | 1.7 | 71 |
| 62 | Methodology for computing white matter nerve fiber orientation in human histological slices. Journal of Neuroscience Methods, 2016, 261, 75-84. | 2.5 | 6 |
| 63 | Synaptic Amyloid-β Oligomers Precede p-Tau and Differentiate High Pathology Control Cases. American Journal of Pathology, 2016, 186, 185-198. | 3.8 | 94 |
| 64 | Differential effects of ischemic vascular disease and Alzheimer's disease on brain atrophy and cognition. Journal of Cerebral Blood Flow and Metabolism, 2016, 36, 204-215. | 4.3 | 19 |
| 65 | A novel Alzheimer disease locus located near the gene encoding tau protein. Molecular Psychiatry, 2016, 21, 108-117. | 7.9 | 260 |
| 66 | In Rasmussen Encephalitis, Hemichannels Associated with Microglial Activation are linked to Cortical Pyramidal Neuron Coupling: A Possible Mechanism for Cellular Hyperexcitability. CNS Neuroscience and Therapeutics, 2015, 21, 152-163. | 3.9 | 30 |
| 67 | Accelerated epigenetic aging in Down syndrome. Aging Cell, 2015, 14, 491-495. | 6.7 | 446 |
| 68 | Does Alzheimer Disease Pathologic Change Underlie Subjective Cognitive Complaints?. Alzheimer Disease and Associated Disorders, 2015, 29, 350-352. | 1.3 | 5 |
| 69 | Rarity of the Alzheimer Disease–Protective <i>APP</i> A673T Variant in the United States. JAMA Neurology, 2015, 72, 209. | 9.0 | 41 |
| 70 | Evidence for the involvement of gamma delta T cells in the immune response in Rasmussen encephalitis. Journal of Neuroinflammation, 2015, 12, 134. | 7.2 | 38 |
| 71 | Brain biopsy in neurologic decline of unknown etiology. Human Pathology, 2015, 46, 499-506. | 2.0 | 26 |
| 72 | <i>PARK10</i> is a major locus for sporadic neuropathologically confirmed Parkinson disease. Neurology, 2015, 84, 972-980. | 1.1 | 48 |

5

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Mammalian target of rapamycin pathway mutations cause hemimegalencephaly and focal cortical dysplasia. Annals of Neurology, 2015, 77, 720-725. | 5.3 | 235 |
| 74 | Molecular disorganization of axons adjacent to human lacunar infarcts. Brain, 2015, 138, 736-745. | 7.6 | 58 |
| 75 | Relationship between hippocampal atrophy and neuropathology markers: A 7T MRI validation study of the EADCâ€ADNI HarmonizedÂHippocampal Segmentation Protocol. Alzheimer's and Dementia, 2015, 11, 139-150. | 0.8 | 61 |
| 76 | Predicting amyloid status in corticobasal syndrome using modified clinical criteria, magnetic resonance imaging and fluorodeoxyglucose positron emission tomography. Alzheimer's Research and Therapy, 2015, 7, 8. | 6.2 | 32 |
| 77 | GDF10 is a signal for axonal sprouting and functional recovery after stroke. Nature Neuroscience, 2015, 18, 1737-1745. | 14.8 | 144 |
| 78 | Predictors of recurrence following resection of intracranial chordomas. Journal of Clinical Neuroscience, 2015, 22, 1792-1796. | 1.5 | 29 |
| 79 | Preâ€synaptic Câ€terminal truncated tau is released from cortical synapses in Alzheimer's disease. Journal of Neurochemistry, 2015, 133, 368-379. | 3.9 | 107 |
| 80 | Emerging Concepts in Alzheimer's Disease. Annual Review of Pathology: Mechanisms of Disease, 2015, 10, 291-319. | 22.4 | 211 |
| 81 | The cerebellum ages slowly according to the epigenetic clock. Aging, 2015, 7, 294-306. | 3.1 | 162 |
| 82 | Comorbidity in Dementia: Update of an Ongoing Autopsy Study. Journal of the American Geriatrics Society, 2014, 62, 1722-1728. | 2.6 | 60 |
| 83 | Hereditary and Sporadic Cerebral Microvascular Diseases. Brain Pathology, 2014, 24, 494-494. | 4.1 | 1 |
| 84 | Targeting ATM ameliorates mutant Huntingtin toxicity in cell and animal models of Huntington's disease. Science Translational Medicine, 2014, 6, 268ra178. | 12.4 | 103 |
| 85 | Practical utility of amyloid and FDG-PET in an academic dementia center. Neurology, 2014, 82, 230-238. | 1.1 | 74 |
| 86 | Effects of Multiple Genetic Loci on Age at Onset in Late-Onset Alzheimer Disease. JAMA Neurology, 2014, 71, 1394. | 9.0 | 166 |
| 87 | Clinical Predictors of Severe Cerebral Amyloid Angiopathy and Influence of <i>APOE </i> Genotype in Persons With Pathologically Verified Alzheimer Disease. JAMA Neurology, 2014, 71, 878. | 9.0 | 50 |
| 88 | Sympathetic nerve fibers in human cervical and thoracic vagus nerves. Heart Rhythm, 2014, 11, 1411-1417. | 0.7 | 99 |
| 89 | The procurement, storage, and quality assurance of frozen blood and tissue biospecimens in pathology, biorepository, and biobank settings. Clinical Biochemistry, 2014, 47, 258-266. | 1.9 | 198 |
| 90 | Pacemaker GABA synaptic activity may contribute to network synchronization in pediatric cortical dysplasia. Neurobiology of Disease, 2014, 62, 208-217. | 4.4 | 50 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Differential expression of interferon-γ and chemokine genes distinguishes Rasmussen encephalitis from cortical dysplasia and provides evidence for an early Th1 immune response. Journal of Neuroinflammation, 2013, 10, 56. | 7.2 | 37 |
| 92 | Surgical pathology of epilepsyâ€associated nonâ€neoplastic cerebral lesions: A brief introduction with special reference to hippocampal sclerosis and focal cortical dysplasia. Neuropathology, 2013, 33, 442-458. | 1.2 | 30 |
| 93 | Lenin's malady—reply. Human Pathology, 2013, 44, 2869-2870. | 2.0 | 0 |
| 94 | De-Repression of <i>PDGFRβ</i> Transcription Promotes Acquired Resistance to EGFR Tyrosine Kinase Inhibitors in Glioblastoma Patients. Cancer Discovery, 2013, 3, 534-547. | 9.4 | 126 |
| 95 | Levels of Soluble Apolipoprotein E/Amyloid-β (Aβ) Complex Are Reduced and Oligomeric Aβ Increased with APOE4 and Alzheimer Disease in a Transgenic Mouse Model and Human Samples*. Journal of Biological Chemistry, 2013, 288, 5914-5926. | 3.4 | 136 |
| 96 | Lyophilized brain tumor specimens can be used for histologic, nucleic acid, and protein analyses after 1 year of room temperature storage. Journal of Neuro-Oncology, 2013, 113, 365-373. | 2.9 | 23 |
| 97 | An Updated Definition of Stroke for the 21st Century. Stroke, 2013, 44, 2064-2089. | 2.0 | 2,371 |
| 98 | Amyloid-β Positron Emission Tomography Imaging Probes: A Critical Review. Journal of Alzheimer's Disease, 2013, 36, 613-631. | 2.6 | 71 |
| 99 | Characterization of Arterial Thrombus Composition by Magnetic Resonance Imaging in a Swine Stroke Model. Stroke, 2013, 44, 1463-1465. | 2.0 | 17 |
| 100 | Cerebral Atherosclerosis Is Associated With Cystic Infarcts and Microinfarcts but Not Alzheimer Pathologic Changes. Stroke, 2013, 44, 2835-2841. | 2.0 | 57 |
| 101 | A Shift in Microglial βâ€Amyloid Binding in <scp>A</scp> lzheimer's Disease Is Associated with Cerebral Amyloid Angiopathy. Brain Pathology, 2013, 23, 390-401. | 4.1 | 33 |
| 102 | Time to Pediatric Epilepsy Surgery Is Longer and Developmental Outcomes Lower for Government Compared With Private Insurance. Neurosurgery, 2013, 73, 152-157. | 1.1 | 23 |
| 103 | Postmortem 3-D Brain Hemisphere Cortical Tau and Amyloid-β Pathology Mapping and Quantification as a Validation Method of Neuropathology Imaging. Journal of Alzheimer's Disease, 2013, 36, 261-274. | 2.6 | 30 |
| 104 | Impairment of Mitochondria in Adult Mouse Brain Overexpressing Predominantly Full-Length, N-Terminally Acetylated Human α-Synuclein. PLoS ONE, 2013, 8, e63557. | 2.5 | 38 |
| 105 | Using imaging biomarkers in the histological validation of Alzheimer's disease. FASEB Journal, 2013, 27, 533.3. | 0.5 | 0 |
| 106 | Empirical development of a histological protocol for whole brain sectioning to characterize neuropathological patterns in human specimens. FASEB Journal, 2013, 27, 967.2. | 0.5 | 0 |
| 107 | Histological validation of Alzheimer's disease and cerebrovascular disease imaging biomarkers. FASEB Journal, 2013, 27, 533.14. | 0.5 | 0 |
| 108 | Pathologic Lesions in Neurodegenerative Diseases. Progress in Molecular Biology and Translational Science, 2012, 107, 1-40. | 1.7 | 22 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Pediatric Epilepsy Surgery. Neurosurgery, 2012, 71, 985-993. | 1.1 | 30 |
| 110 | Preservation of Neurons of the Nucleus Basalis in Subcortical Ischemic Vascular Disease. Archives of Neurology, 2012, 69, 879-86. | 4.5 | 16 |
| 111 | Cerebral β-amyloid deposition predicts HIV-associated neurocognitive disorders in APOE ε4 carriers. Aids, 2012, 26, 2327-2335. | 2.2 | 95 |
| 112 | Neuropathologic Studies of 'Epileptogenic' Tissue. Canadian Journal of Neurological Sciences, 2012, 39, S20-S24. | 0.5 | 2 |
| 113 | Good interobserver and intraobserver agreement in the evaluation of the new ILAE classification of focal cortical dysplasias. Epilepsia, 2012, 53, 1341-1348. | 5.1 | 63 |
| 114 | National Institute on Aging–Alzheimer's Association guidelines for the neuropathologic assessment of Alzheimer's disease. Alzheimer's and Dementia, 2012, 8, 1-13. | 0.8 | 1,968 |
| 115 | AD synapses contain abundant Aβ monomer and multiple soluble oligomers, including a 56-kDa assembly. Neurobiology of Aging, 2012, 33, 1545-1555. | 3.1 | 54 |
| 116 | Novel late-onset Alzheimer disease loci variants associate with brain gene expression. Neurology, 2012, 79, 221-228. | 1.1 | 144 |
| 117 | STAT3â€Mediated astrogliosis protects myelin development in neonatal brain injury. Annals of Neurology, 2012, 72, 750-765. | 5.3 | 81 |
| 118 | Extensive pâ€Tau Pathology and SDSâ€5table pâ€Tau Oligomers in Alzheimer's Cortical Synapses. Brain Pathology, 2012, 22, 826-833. | 4.1 | 55 |
| 119 | Antioxidant Sestrin-2 Redistribution to Neuronal Soma in Human Immunodeficiency Virus-Associated Neurocognitive Disorders. Journal of NeuroImmune Pharmacology, 2012, 7, 579-590. | 4.1 | 22 |
| 120 | Enhanced GABAergic network and receptor function in pediatric cortical dysplasia Type IIB compared with Tuberous Sclerosis Complex. Neurobiology of Disease, 2012, 45, 310-321. | 4.4 | 55 |
| 121 | Preferential accumulation of amyloid-beta in presynaptic glutamatergic terminals (VGluT1 and VGluT2) in Alzheimer's disease cortex. Neurobiology of Disease, 2012, 45, 381-387. | 4.4 | 72 |
| 122 | Isolation of synaptic terminals from Alzheimer's disease cortex. Cytometry Part A: the Journal of the International Society for Analytical Cytology, 2012, 81A, 248-254. | 1.5 | 31 |
| 123 | Apolipoprotein E level and cholesterol are associated with reduced synaptic amyloid beta in Alzheimer's disease and apoE TR mouse cortex. Acta Neuropathologica, 2012, 123, 39-52. | 7.7 | 48 |
| 124 | National Institute on Aging–Alzheimer's Association guidelines for the neuropathologic assessment of Alzheimer's disease: a practical approach. Acta Neuropathologica, 2012, 123, 1-11. | 7.7 | 2,002 |
| 125 | Pathologic Lesions in Alzheimer Disease and Other Neurodegenerative Diseases—Cellular and Molecular Components. , 2012, , 37-60. | | 1 |
| 126 | CT and MRI Early Vessel Signs Reflect Clot Composition in Acute Stroke. Stroke, 2011, 42, 1237-1243. | 2.0 | 431 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 127 | Inflammation Complicates an â€~Age-Related' Cerebral Microangiopathy. Canadian Journal of Neurological Sciences, 2011, 38, 543-544. | 0.5 | 2 |
| 128 | Effect of Cerebral Amyloid Angiopathy on Brain Iron, Copper, and Zinc in Alzheimer's Disease. Journal of Alzheimer's Disease, 2011, 24, 137-149. | 2.6 | 62 |
| 129 | Immunohistochemical expression of fibroblast growth factor-2 in developing human cerebrum and epilepsy-associated malformations of cortical development. Neuropathology, 2011, 31, 589-598. | 1.2 | 5 |
| 130 | The clinicopathologic spectrum of focal cortical dysplasias: A consensus classification proposed by an ad hoc Task Force of the ILAE Diagnostic Methods Commission1. Epilepsia, 2011, 52, 158-174. | 5.1 | 1,454 |
| 131 | Common variants at MS4A4/MS4A6E, CD2AP, CD33 and EPHA1 are associated with late-onset Alzheimer's disease. Nature Genetics, 2011, 43, 436-441. | 21.4 | 1,676 |
| 132 | High levels of synaptosomal Na+–Ca2+ exchangers (NCX1, NCX2, NCX3) co-localized with amyloid-beta in human cerebral cortex affected by Alzheimer's disease. Cell Calcium, 2011, 49, 208-216. | 2.4 | 37 |
| 133 | Regulable neural progenitor-specific <i>Tsc1</i> loss yields giant cells with organellar dysfunction in a model of tuberous sclerosis complex. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, E1070-9. | 7.1 | 155 |
| 134 | Oncogenic EGFR Signaling Activates an mTORC2–NF-κB Pathway That Promotes Chemotherapy Resistance. Cancer Discovery, 2011, 1, 524-538. | 9.4 | 275 |
| 135 | Microglia - insights into immune system structure, function, and reactivity in the central nervous system. Histology and Histopathology, 2011, 26, 519-30. | 0.7 | 33 |
| 136 | Aquaporin Expression in the Brains of Patients With or Without Cerebral Amyloid Angiopathy. Journal of Neuropathology and Experimental Neurology, 2010, 69, 1201-1209. | 1.7 | 100 |
| 137 | Correlation of hypointensities in susceptibility-weighted images to tissue histology in dementia patients with cerebral amyloid angiopathy: a postmortem MRI study. Acta Neuropathologica, 2010, 119, 291-302. | 7.7 | 246 |
| 138 | Astrocytes: biology and pathology. Acta Neuropathologica, 2010, 119, 7-35. | 7.7 | 3,978 |
| 139 | Synapse loss in dementias. Journal of Neuroscience Research, 2010, 88, 2083-2090. | 2.9 | 139 |
| 140 | Comparative study of cellular and synaptic abnormalities in brain tissue samples from pediatric tuberous sclerosis complex and cortical dysplasia type II. Epilepsia, 2010, 51, 160-165. | 5.1 | 45 |
| 141 | Interneurons, GABA currents, and subunit composition of the GABA _A receptor in type I and type II cortical dysplasia. Epilepsia, 2010, 51, 166-170. | 5.1 | 37 |
| 142 | Lowâ€grade focal cortical dysplasia is associated with prenatal and perinatal brain injury. Epilepsia, 2010, 51, 2440-2448. | 5.1 | 49 |
| 143 | Common variants at 7p21 are associated with frontotemporal lobar degeneration with TDP-43 inclusions. Nature Genetics, 2010, 42, 234-239. | 21.4 | 479 |
| 144 | Cerebral Microinfarcts Associated with Severe Cerebral βâ€Amyloid Angiopathy. Brain Pathology, 2010, 20, 459-467. | 4.1 | 137 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Analysis of TSC Cortical Tubers by Deep Sequencing of TSC1, TSC2 and KRAS Demonstrates that Small Secondâ€Hit Mutations in these Genes are Rare Events. Brain Pathology, 2010, 20, 1096-1105. | 4.1 | 105 |
| 146 | Amygdala astrocyte reduction in subjects with major depressive disorder but not bipolar disorder. Bipolar Disorders, 2010, 12, 541-549. | 1.9 | 136 |
| 147 | Neuroprotective Properties of Mildronate, a Small Molecule, in a Rat Model of Parkinson's Disease. International Journal of Molecular Sciences, 2010, 11, 4465-4487. | 4.1 | 20 |
| 148 | Autopsy Findings After Intracranial Thrombectomy for Acute Ischemic Stroke. Stroke, 2010, 41, 938-947. | 2.0 | 47 |
| 149 | High-definition characterization of cerebral β-amyloid angiopathy in Alzheimer's disease. Human Pathology, 2010, 41, 1601-1608. | 2.0 | 23 |
| 150 | Epileptogenesis and Cortical Dysplasias. , 2010, , 353-357. | | 2 |
| 151 | Histological validation of the diffusion tensor: feasibility in human brain tissue. FASEB Journal, 2010, 24, 642.2. | 0.5 | 1 |
| 152 | Malformations of cortical development and epilepsies: neuropathological findings with emphasis on focal cortical dysplasia. Epileptic Disorders, 2009, 11, 181-193. | 1.3 | 120 |
| 153 | EGFR Signaling Through an Akt-SREBP-1–Dependent, Rapamycin-Resistant Pathway Sensitizes Glioblastomas to Antilipogenic Therapy. Science Signaling, 2009, 2, ra82. | 3.6 | 282 |
| 154 | Neurosphere Formation Is an Independent Predictor of Clinical Outcome in Malignant Glioma. Stem Cells, 2009, 27, 980-987. | 3.2 | 207 |
| 155 | Assessment and surgical outcomes for mild type I and severe type II cortical dysplasia: A critical review and the UCLA experience. Epilepsia, 2009, 50, 1310-1335. | 5.1 | 345 |
| 156 | Cortical dysplasia with prominent Rosenthal fiber formation in a case of intractable pediatric epilepsy. Human Pathology, 2009, 40, 1200-1204. | 2.0 | 6 |
| 157 | Â-Amyloid Oligomers Induce Phosphorylation of Tau and Inactivation of Insulin Receptor Substrate via c-Jun N-Terminal Kinase Signaling: Suppression by Omega-3 Fatty Acids and Curcumin. Journal of Neuroscience, 2009, 29, 9078-9089. | 3.6 | 474 |
| 158 | Serial Susceptibility Weighted MRI Measures Brain Iron and Microbleeds in Dementia. Journal of Alzheimer's Disease, 2009, 17, 599-609. | 2.6 | 120 |
| 159 | Pyramidal cell responses to γâ€∎minobutyric acid differ in type I and type II cortical dysplasia. Journal of Neuroscience Research, 2008, 86, 3151-3162. | 2.9 | 24 |
| 160 | Neuropathological basis of magnetic resonance images in aging and dementia. Annals of Neurology, 2008, 63, 72-80. | 5.3 | 282 |
| 161 | Different features of histopathological subtypes of pediatric focal cortical dysplasia. Annals of Neurology, 2008, 63, 758-769. | 5.3 | 254 |
| 162 | Immunohistochemical expression of fibroblast growth factor (FGF)-2 in epilepsy-associated malformations of cortical development (MCDs). Neuropathology, 2008, 28, 372-381. | 1.2 | 8 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Co-Localization of Amyloid Beta and Tau Pathology in Alzheimer's Disease Synaptosomes. American Journal of Pathology, 2008, 172, 1683-1692. | 3.8 | 165 |
| 164 | The impact ofcerebral small vessel disease on cognitive impairment and rehabilitation. , 2008, , 360-375. | | 2 |
| 165 | Profiles of neuropsychological impairment in autopsy-defined Alzheimer's disease and cerebrovascular disease. Brain, 2007, 130, 731-739. | 7.6 | 242 |
| 166 | Early-Onset Alzheimer's Disease Is Associated With Greater Pathologic Burden. Journal of Geriatric Psychiatry and Neurology, 2007, 20, 29-33. | 2.3 | 108 |
| 167 | AN ARTERIOVENOUS MALFORMATION MODEL FOR STEREOTACTIC RADIOSURGERY RESEARCH. Neurosurgery, 2007, 61, 152-159. | 1.1 | 31 |
| 168 | Cytomegalic Interneurons. Journal of Neuropathology and Experimental Neurology, 2007, 66, 491-504. | 1.7 | 73 |
| 169 | Imaging cerebral microvascular amyloid. Annals of Neurology, 2007, 62, 209-212. | 5.3 | 12 |
| 170 | Systemic Distribution of West Nile Virus Infection: Postmortem Immunohistochemical Study of Six Cases. Brain Pathology, 2007, 17, 354-362. | 4.1 | 90 |
| 171 | A Hypothesis Regarding the Pathogenesis and Epileptogenesis of Pediatric Cortical Dysplasia and Hemimegalencephaly Based on MRI Cerebral Volumes and NeuN Cortical Cell Densities. Epilepsia, 2007, 48, 74-78. | 5.1 | 21 |
| 172 | Immature Neurons and GABA Networks May Contribute to Epileptogenesis in Pediatric Cortical Dysplasia. Epilepsia, 2007, 48, 79-85. | 5.1 | 88 |
| 173 | Vascular cognitive impairment. Nature Clinical Practice Neurology, 2006, 2, 538-547. | 2.5 | 127 |
| 174 | Epileptogenesis in pediatric cortical dysplasia: The dysmature cerebral developmental hypothesis. Epilepsy and Behavior, 2006, 9, 219-235. | 1.7 | 184 |
| 175 | Effects of Anoxia and Hypoxia on Amyloid Precursor Protein Processing in Cerebral Microvascular Smooth Muscle Cells. Journal of Neuropathology and Experimental Neurology, 2006, 65, 610-620. | 1.7 | 18 |
| 176 | FDGâ€₽ET/MRI Coregistration and Diffusionâ€Tensor Imaging Distinguish Epileptogenic Tubers and Cortex in Patients with Tuberous Sclerosis Complex: A Preliminary Report. Epilepsia, 2006, 47, 1543-1549. | 5.1 | 165 |
| 177 | Cognitive impact of subcortical vascular and Alzheimer's disease pathology. Annals of Neurology, 2006, 60, 677-687. | 5.3 | 236 |
| 178 | Contralateral hemimicrencephaly and clinical–pathological correlations in children with hemimegalencephaly. Brain, 2006, 129, 352-365. | 7.6 | 109 |
| 179 | National Institute of Neurological Disorders and Stroke–Canadian Stroke Network Vascular Cognitive Impairment Harmonization Standards. Stroke, 2006, 37, 2220-2241. | 2.0 | 1,445 |
| 180 | Neuropathology of Amnestic Mild Cognitive Impairment. Archives of Neurology, 2006, 63, 645. | 4.5 | 15 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 181 | PET of Brain Amyloid and Tau in Mild Cognitive Impairment. New England Journal of Medicine, 2006, 355, 2652-2663. | 27.0 | 651 |
| 182 | Brain deposition of beta-amyloid is a common pathologic feature in HIV positive patients. Aids, 2005, 19, 407-411. | 2.2 | 262 |
| 183 | Status Epilepticus and Frequent Seizures: Incidence and Clinical Characteristics in Pediatric Epilepsy Surgery Patients. Epilepsia, 2005, 46, 1950-1954. | 5.1 | 30 |
| 184 | Are Cytomegalic Neurons and Balloon Cells Generators of Epileptic Activity in Pediatric Cortical Dysplasia?. Epilepsia, 2005, 46, 82-88. | 5.1 | 89 |
| 185 | Correlates of hippocampal neuron number in Alzheimer's disease and ischemic vascular dementia. Annals of Neurology, 2005, 57, 896-903. | 5.3 | 222 |
| 186 | Cerebral hemispherectomy in pediatric patients with epilepsy: comparison of three techniques by pathological substrate in 115 patients. Journal of Neurosurgery: Pediatrics, 2004, 100, 125-141. | 1.3 | 153 |
| 187 | NMDA Receptor Alterations in Neurons from Pediatric Cortical Dysplasia Tissue. Cerebral Cortex, 2004, 14, 634-646. | 2.9 | 82 |
| 188 | Human Cortical Dysplasia and Epilepsy: An Ontogenetic Hypothesis Based on Volumetric MRI and NeuN Neuronal Density and Size Measurements. Cerebral Cortex, 2004, 15, 194-210. | 2.9 | 58 |
| 189 | Clinical and Neuropsychological Features in Autopsy-Defined Vascular Dementia. Clinical Neuropsychologist, 2004, 18, 63-74. | 2.3 | 30 |
| 190 | Five or More Acute Postoperative Seizures Predict Hospital Course and Long-term Seizure Control after Hemispherectomy. Epilepsia, 2004, 45, 527-533. | 5.1 | 24 |
| 191 | Pathologic issues and new methodologies in the evaluation of non-Alzheimer dementias. Clinical Neuroscience Research, 2004, 3, 413-426. | 0.8 | 3 |
| 192 | New JC virus infection patterns byin situpolymerase chain reaction in brains of acquired immunodeficiency syndrome patients with progressive multifocal leukoencephalopathy. Journal of NeuroVirology, 2004, 10, 1-11. | 2.1 | 17 |
| 193 | Lissencephaly with agenesis of corpus callosum and rudimentary dysplastic cerebellum: a subtype of lissencephaly with cerebellar hypoplasia. Acta Neuropathologica, 2004, 107, 69-81. | 7.7 | 34 |
| 194 | Insulin signaling pathways in cortical dysplasia and TSCâ€ŧubers: Tissue microarray analysis. Annals of Neurology, 2004, 56, 510-519. | 5.3 | 136 |
| 195 | Comorbidity in Dementia. Archives of Pathology and Laboratory Medicine, 2004, 128, 32-38. | 2.5 | 86 |
| 196 | Smooth muscle cells and the pathogenesis of cerebral microvascular disease ("angiomyopathiesâ€) . Experimental and Molecular Pathology, 2003, 74, 148-159. | 2.1 | 15 |
| 197 | Morphological and electrophysiological characterization of abnormal cell types in pediatric cortical dysplasia. Journal of Neuroscience Research, 2003, 72, 472-486. | 2.9 | 179 |
| 198 | Microtubule Reduction in Alzheimer's Disease and Aging Is Independent of Ï,, Filament Formation. American Journal of Pathology, 2003, 162, 1623-1627. | 3.8 | 294 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Mitochondria and vascular lesions as a central target for the development of Alzheimer's disease and Alzheimer disease-like pathology in transgenic mice. Neurological Research, 2003, 25, 665-674. | 1.3 | 93 |
| 200 | Amyloidosis of cerebral arteries. Advances in Neurology, 2003, 92, 105-12. | 0.8 | 18 |
| 201 | Enhanced Neuroprotective Effects of Basic Fibroblast Growth Factor in Regional Brain Ischemia after Conjugation to a Blood-Brain Barrier Delivery Vector. Journal of Pharmacology and Experimental Therapeutics, 2002, 301, 605-610. | 2.5 | 123 |
| 202 | Histopathology of brain tissue from patients with infantile spasms. International Review of Neurobiology, 2002, 49, 63-76. | 2.0 | 27 |
| 203 | Tissue Microarrays in the Study of Non-Neoplastic Disease of the Nervous System. Journal of Neuropathology and Experimental Neurology, 2002, 61, 653-662. | 1.7 | 25 |
| 204 | Pharmacokinetics and Brain Uptake of Biotinylated Basic Fibroblast Growth Factor Conjugated to a Blood-Brain Barrier Drug Delivery System. Journal of Drug Targeting, 2002, 10, 239-245. | 4.4 | 51 |
| 205 | Pathologic characteristics of the cortical dysplasias. Neurosurgery Clinics of North America, 2002, 13, 17-25. | 1.7 | 38 |
| 206 | Ezrin and moesin expression within the developing human cerebrum and tuberous sclerosis-associated cortical tubers. Acta Neuropathologica, 2002, 104, 188-196. | 7.7 | 38 |
| 207 | Hypoxia and reoxygenation of brain microvascular smooth muscle cells in vitro: cellular responses and expression of cerebral amyloid angiopathy-associated proteins. Apmis, 2002, 110, 423-434. | 2.0 | 20 |
| 208 | Atherosclerotic Lesions and Mitochondria DNA Deletions in Brain Microvessels as a Central Target for the Development of Human AD and ADâ€Like Pathology in Aged Transgenic Mice. Annals of the New York Academy of Sciences, 2002, 977, 45-64. | 3.8 | 88 |
| 209 | The Role of Oxidative Stress in the Pathophysiology of Cerebrovascular Lesions in Alzheimer's Disease. Brain Pathology, 2002, 12, 21-35. | 4.1 | 146 |
| 210 | Neurodevelopmental Disorders as a Cause of Seizures: Neuropathologic, Genetic, and Mechanistic Considerations. Brain Pathology, 2002, 12, 212-233. | 4.1 | 105 |
| 211 | Embolization of Arteriovenous Malformations with Onyx: Clinicopathological Experience in 23 Patients. Neurosurgery, 2001, 48, 984-997. | 1.1 | 273 |
| 212 | Hamartin and Tuberin Expression in Human Tissues. Modern Pathology, 2001, 14, 202-210. | 5.5 | 56 |
| 213 | Neuropathologic Substrates of Ischemic Vascular Dementia. Journal of Neuropathology and Experimental Neurology, 2001, 60, 658.2-659. | 1.7 | 1 |
| 214 | Hamartin expression and interaction with tuberin in tumor cell lines and primary cultures. Journal of Neuroscience Research, 2001, 63, 276-283. | 2.9 | 21 |
| 215 | Cerebral amyloid angiopathy: A microvascular link between parenchymal and vascular dementia?. Annals of Neurology, 2001, 49, 691-693. | 5.3 | 34 |
| 216 | Orbitofrontal and anterior cingulate cortex neurofibrillary tangle burden is associated with agitation in Alzheimer disease. Annals of Neurology, 2001, 49, 355-361. | 5.3 | 256 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 217 | Hamartin and Tuberin Interaction With the G2/M Cyclin-Dependent Kinase CDK1 and Its Regulatory Cyclins A and B. Journal of Neuropathology and Experimental Neurology, 2001, 60, 711-723. | 1.7 | 56 |
| 218 | Orbitofrontal and anterior cingulate cortex neurofibrillary tangle burden is associated with agitation in Alzheimer disease. Annals of Neurology, 2001, 49, 355-361. | 5.3 | 152 |
| 219 | Neuropathology and Molecular Pathogenesis of Primary Brain Tumors. , 2001, , 3-45. | | 2 |
| 220 | Mitochondrial Abnormalities in Alzheimer's Disease. Journal of Neuroscience, 2001, 21, 3017-3023. | 3.6 | 1,179 |
| 221 | Embolization of Arteriovenous Malformations with Onyx: Clinicopathological Experience in 23 Patients. Neurosurgery, 2001, 48, 984-997. | 1.1 | 114 |
| 222 | Toxicity of Dutch (E22Q) and Flemish (A21G) Mutant Amyloid \hat{I}^2 Proteins to Human Cerebral Microvessel and Aortic Smooth Muscle Cells. Stroke, 2000, 31, 534-538. | 2.0 | 66 |
| 223 | Neuropathologic Substrates of Ischemic Vascular Dementia. Journal of Neuropathology and Experimental Neurology, 2000, 59, 931-945. | 1.7 | 265 |
| 224 | The TSC1 tumour suppressor hamartin regulates cell adhesion through ERM proteins and the GTPase Rho. Nature Cell Biology, 2000, 2, 281-287. | 10.3 | 308 |
| 225 | Relationships between choline magnetic resonance spectroscopy, apparent diffusion coefficient and quantitative histopathology in human glioma. Journal of Neuro-Oncology, 2000, 50, 215-226. | 2.9 | 251 |
| 226 | Cerebral Microvascular and Macrovascular Disease in the Aging Brain; Similarities and Differences. , 2000, , 59-78. | | 3 |
| 227 | Neuropathologic Features and Grading of Alzheimer-Related and Sporadic CAA. , 2000, , 137-155. | | 16 |
| 228 | Surgical Pathologic Findings of Extratemporal-Based Intractable Epilepsy. Archives of Pathology and Laboratory Medicine, 2000, 124, 1111-1112. | 2.5 | 12 |
| 229 | Postoperative Seizure Control and Antiepileptic Drug Use in Pediatric Epilepsy Surgery Patients: The UCLA Experience, 1986–1997. Epilepsia, 1999, 40, 1740-1749. | 5.1 | 146 |
| 230 | Amyloid β precursor protein-mRNA is expressed throughout cerebral vessel walls. Brain Research, 1999, 828, 179-183. | 2.2 | 57 |
| 231 | Stereochemical specificity of Alzheimer's disease ?-peptide assembly. Biopolymers, 1999, 49, 505-514. | 2.4 | 47 |
| 232 | Deposition of Monomeric, Not Oligomeric, Aβ Mediates Growth of Alzheimer's Disease Amyloid Plaques in Human Brain Preparationsâ€. Biochemistry, 1999, 38, 10424-10431. | 2.5 | 130 |
| 233 | Progression of Clinical Deterioration and Pathological Changes in Patients With Alzheimer Disease Evaluated at Biopsy and Autopsy. Archives of Neurology, 1999, 56, 1254. | 4.5 | 40 |
| 234 | Cerebral Cortical Dysplasia: Giant Neurons Show Potential for Increased Excitation and Axonal Plasticity. Developmental Neuroscience, 1999, 21, 260-270. | 2.0 | 52 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 235 | Cortical Dysplasia, Genetic Abnormalities and Neurocutaneous Syndromes. Developmental Neuroscience, 1999, 21, 248-259. | 2.0 | 37 |
| 236 | Co‣ocalization of TSC1 and TSC2 Gene Products in Tubers of Patients with Tuberous Sclerosis. Brain Pathology, 1999, 9, 45-54. | 4.1 | 66 |
| 237 | Stereochemical specificity of Alzheimer's disease βâ€peptide assembly. Biopolymers, 1999, 49, 505-514. | 2.4 | 2 |
| 238 | Secondary microvascular degeneration in amyloid angiopathy of patients with hereditary cerebral hemorrhage with amyloidosis, Dutch type (HCHWA-D). Acta Neuropathologica, 1998, 95, 235-244. | 7.7 | 92 |
| 239 | Tuberous sclerosis-related gene expression in normal and dysplastic brain. Epilepsy Research, 1998, 32, 12-23. | 1.6 | 32 |
| 240 | Microvasculopathy Is Associated With the Number of Cerebrovascular Lesions in Hereditary Cerebral Hemorrhage With Amyloidosis, Dutch Type. Stroke, 1998, 29, 1588-1594. | 2.0 | 42 |
| 241 | Nonadhesive Liquid Embolic Agent for Cerebral Arteriovenous Malformations: Preliminary Histopathological Studies in Swine Rete Mirabile. Neurosurgery, 1998, 43, 1164-1172. | 1.1 | 218 |
| 242 | Cerebral amyloid angiopathy. , 1998, , 379-385. | | 5 |
| 243 | Neuronal Expression and Intracellular Localization of Presenilins in Normal and Alzheimer Disease Brains. Journal of Neuropathology and Experimental Neurology, 1997, 56, 1009-1017. | 1.7 | 31 |
| 244 | Bilateral neuropathologic changes in a child with hemimegalencephaly. Pediatric Neurology, 1997, 17, 344-349. | 2.1 | 68 |
| 245 | Giant cell arteritis in association with cerebral amyloid angiopathy: Immunohistochemical and molecular studies. Human Pathology, 1997, 28, 1237-1246. | 2.0 | 84 |
| 246 | Microvascular degeneration in hereditary cystatin C amyloid angiopathy of the brain. Apmis, 1997, 105, 41-47. | 2.0 | 37 |
| 247 | AÎ ² deposition inhibitor screen using synthetic amyloid. Nature Biotechnology, 1997, 15, 258-263. | 17.5 | 80 |
| 248 | High frequency of apolipoprotein E ϵ2 Allele in hemorrhage due to cerebral amyloid angiopathy. Annals of Neurology, 1997, 41, 716-721. | 5.3 | 300 |
| 249 | Tuberin loss from cerebral tissues. Annals of Neurology, 1997, 42, 270-271. | 5.3 | 3 |
| 250 | The TrkC receptor is transiently localized to Purkinje cell dendrites during outgrowth and maturation in the rat. Journal of Neuroscience Research, 1997, 50, 649-656. | 2.9 | 13 |
| 251 | Point Substitution in the Central Hydrophobic Cluster of a Human β-Amyloid Congener Disrupts Peptide Folding and Abolishes Plaque Competenceâ€. Biochemistry, 1996, 35, 13914-13921. | 2.5 | 188 |
| 252 | Childhood generalized and mesial temporal epilepsies demonstrate different amounts and patterns of hippocampal neuron loss and mossy fibre synaptic reorganization. Brain, 1996, 119, 965-987. | 7.6 | 108 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | Filament heterogeneity within the dystrophic neurites of senile plaques suggests blockage of fast axonal transport in Alzheimer's disease. Acta Neuropathologica, 1996, 91, 226-235. | 7.7 | 90 |
| 254 | Synaptogenesis in hemimegalencephaly: the numerical density of asymmetric and symmetric synapses in the cerebral cortex. Acta Neuropathologica, 1996, 92, 156-163. | 7.7 | 23 |
| 255 | Brain Parenchymal and Microvascular Amyloid in Alzheimer's Disease. Brain Pathology, 1996, 6, 179-195. | 4.1 | 166 |
| 256 | Localization of Tuberous Sclerosis 2 mRNA and its Protein Product Tuberin in Normal Human Brain and in Cerebral Lesions of Patients with Tuberous Sclerosis. Brain Pathology, 1996, 6, 367-375. | 4.1 | 57 |
| 257 | Hemispherectomy for intractable seizures in children: a report of 58 cases. Child's Nervous System, 1996, 12, 376-384. | 1.1 | 174 |
| 258 | Cerebral Cortical Dysplasia Associated with Pediatric Epilepsy. Review of Neuropathologic Features and Proposal for a Grading System. Journal of Neuropathology and Experimental Neurology, 1995, 54, 137-153. | 1.7 | 415 |
| 259 | Autopsy diagnoses of Alzheimer disease: Independent reviews and clinical implications. International Journal of Geriatric Psychiatry, 1995, 10, 505-510. | 2.7 | 4 |
| 260 | Plasma membrane fragility in dystrophic neurites in senile plaques of Alzheimer's disease: an index of oxidative stress. Acta Neuropathologica, 1995, 91, 1-5. | 7.7 | 54 |
| 261 | Blood-spinal cord barrier function and morphometry after single doses of X-rays in rat spinal cord. International Journal of Radiation Oncology Biology Physics, 1995, 32, 703-711. | 0.8 | 36 |
| 262 | Coccidioidomycosis of the Central Nervous System: Neuropathological and Vasculopathic Manifestations and Clinical Correlates. Clinical Infectious Diseases, 1995, 20, 400-405. | 5.8 | 82 |
| 263 | Chronic encephalitis associated with epilepsy: immunohistochemical and ultrastructural studies. Acta Neuropathologica, 1995, 89, 313-321. | 7.7 | 7 |
| 264 | Microvasculature in Brain Biopsy Specimens from Patients with Alzheimer's Disease: An Immunohistochemical and Ultrastructural Study. Ultrastructural Pathology, 1994, 18, 333-348. | 0.9 | 126 |
| 265 | Polyclonals to β-amyloid(1–42) identify most plaque and vascular deposits in Alzheimer cortex, but not striatum. Brain Research, 1994, 667, 138-142. | 2.2 | 77 |
| 266 | Monoclonal antibody to the C-terminus of \hat{l}^2 -amyloid. NeuroReport, 1994, 5, 2117-2120. | 1.2 | 45 |
| 267 | Pathologic findings in a patient with a vein of Galen aneurysm treated by staged endovascular embolization. Child's Nervous System, 1993, 9, 33-38. | 1.1 | 16 |
| 268 | Progressive multifocal leukoencephalopathy in AIDS: a clinicopathologic study and review of the literature. Journal of Neurology, 1993, 240, 391-406. | 3.6 | 119 |
| 269 | Herpesviruses in chronic encephalitis associated with intractable childhood epilepsy. Human Pathology, 1993, 24, 871-879. | 2.0 | 81 |
| 270 | Surgery for Intractable Infantile Spasms: Neuroimaging Perspectives. Epilepsia, 1993, 34, 764-771. | 5.1 | 275 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 271 | Neuropathologic Study of Resected Cerebral Tissue from Patients with Infantile Spasms. Epilepsia, 1993, 34, 772-779. | 5.1 | 53 |
| 272 | Alzheimer's Disease or Plaque Disease? Two Cases at the Frontier of a Definition. Topics in Geriatrics, 1992, 5, 200-209. | 0.8 | 5 |
| 273 | Temporal and Extended Temporal Resections for the Treatment of Intractable Seizures in Early Childhood. Pediatric Neurosurgery, 1992, 18, 169-178. | 0.7 | 79 |
| 274 | Cerebral amyloid angiopathy and alzheimer's disease: two entities or one?. Journal of the Neurological Sciences, 1992, 112, 1-3. | 0.6 | 54 |
| 275 | Chronic Lymphocytic Leukemia Presenting as a Pituitary Mass Lesion. Canadian Journal of Neurological Sciences, 1992, 19, 239-242. | 0.5 | 27 |
| 276 | Neuropathologic findings in surgically treated hemimegalencephaly: immunohistochemical, morphometric, and ultrastructural study. Acta Neuropathologica, 1992, 84, 250-260. | 7.7 | 105 |
| 277 | Morphological substrates of infantile spasms: studies based on surgically resected cerebral tissue. Child's Nervous System, 1992, 8, 8-17. | 1.1 | 113 |
| 278 | HIVâ€Associated Disease of the Nervous System: Review of Nomenclature and Proposal for Neuropathologyâ€Based Terminology. Brain Pathology, 1991, 1, 143-152. | 4.1 | 323 |
| 279 | Measurement of Amyloid Peptide Precursor of Alzheimer Disease in Human Blood by Double Antibody Immunoradiometric Assay. Alzheimer Disease and Associated Disorders, 1991, 5, 12-24. | 1.3 | 8 |
| 280 | High levels of unintegrated HIV-1 DNA in brain tissue of AIDS dementia patients. Nature, 1990, 343, 85-89. | 27.8 | 387 |
| 281 | Immunohistochemical study of cerebral amyloid angiopathy. III. Widespread alzheimer A4 peptide in cerebral microvessel walls colocalizes with gamma trace in patients with leukoencephalopathy. Annals of Neurology, 1990, 28, 34-42. | 5.3 | 78 |
| 282 | CYTOMEGALOVIRUS IN THE NERVOUS SYSTEM OF PATIENTS WITH THE ACQUIRED IMMUNE DEFICIENCY SYNDROME. Brain, 1989, 112, 245-268. | 7.6 | 170 |
| 283 | Lymphadenopathic Kaposi'S Sarcoma in a Pediatric PatienT with Acquired Immune Deficiency Syndrome. Pediatric Pathology, 1989, 9, 459-465. | 0.5 | 19 |
| 284 | Abnormalities of peripheral nerve in patients with human immunodeficiency virus infection. Annals of Neurology, 1988, 24, 713-717. | 5.3 | 72 |
| 285 | Immunohistochemical study of cerebral amyloid angiopathy: Use of an antiserum to a synthetic 28-amino-acid peptide fragment of the Alzheimer's disease amyloid precursor. Human Pathology, 1988, 19, 214-222. | 2.0 | 41 |
| 286 | Brain Amyloid and Alzheimer Disease. Annals of Internal Medicine, 1988, 109, 41. | 3.9 | 54 |
| 287 | The AIDS dementia complex. Annals of Neurology, 1987, 21, 612-612. | 5.3 | 8 |
| 288 | Amyloid Angiopathy of Alzheimer's Disease: Amino Acid Composition and Partial Sequence of a 4,200-Dalton Peptide Isolated from Cortical Microvessels. Journal of Neurochemistry, 1987, 49, 1394-1401. | 3.9 | 70 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 289 | The Blood-Brain Barrier in Alzheimer's Disease. Canadian Journal of Neurological Sciences, 1986, 13, 446-448. | 0.5 | 22 |
| 290 | Gerstmann-StrÃ ¤ ssler-Scheinker disease: Autopsy study of a familial case. Annals of Neurology, 1986, 20, 540-543. | 5.3 | 10 |
| 291 | Long-Term Pathological Follow-up of Cerebral Arteriovenous Malformations Treated by Embolization with Bucrylate. New England Journal of Medicine, 1986, 314, 477-483. | 27.0 | 113 |
| 292 | Glial Cells Influence Polarity of the Blood-Brain Barrier. Journal of Neuropathology and Experimental Neurology, 1984, 43, 219-224. | 1.7 | 152 |