

Raul Urrutia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10519331/publications.pdf>

Version: 2024-02-01

72
papers

4,953
citations

117625

34
h-index

114465

63
g-index

73
all docs

73
docs citations

73
times ranked

8922
citing authors

#	ARTICLE	IF	CITATIONS
1	Discovery, expression, cellular localization, and molecular properties of a novel, alternative spliced HP1 ^β isoform, lacking the chromoshadow domain. PLoS ONE, 2020, 15, e0217452.	2.5	4
2	Modeling post-translational modifications and cancer-associated mutations that impact the heterochromatin protein 1 ^α -importin ^β heterodimers. Proteins: Structure, Function and Bioinformatics, 2019, 87, 904-916.	2.6	5
3	Epigenetics and Its Applications to the Progression Model of Pancreatic Cancer. , 2018, , 177-208.		0
4	EGFR (ErbB) Signaling Pathways in Pancreatic Cancer Pathogenesis. , 2018, , 383-408.		1
5	Notch Signaling in Pancreatic Morphogenesis and Pancreatic Cancer Pathogenesis. , 2018, , 457-479.		0
6	Mechanisms Underlying the Regulation of HP1 ^β by the NGF-PKA Signaling Pathway. Scientific Reports, 2018, 8, 15077.	3.3	4
7	Notch Signaling in Pancreatic Morphogenesis and Pancreatic Cancer Pathogenesis. , 2017, , 1-23.		0
8	EGFR (ErbB) Signaling Pathways in Pancreatic Cancer Pathogenesis. , 2017, , 1-26.		1
9	Epigenetics and Its Applications to the Progression Model of Pancreatic Cancer. , 2017, , 1-32.		0
10	Evidence supporting a critical contribution of intrinsically disordered regions to the biochemical behavior of full-length human HP1 ^β . Journal of Molecular Modeling, 2016, 22, 12.	1.8	16
11	Phenotypic Characterization of Mice Carrying Homozygous Deletion of KLF11, a Gene in Which Mutations Cause Human Neonatal and MODY VII Diabetes. Endocrinology, 2015, 156, 3581-3595.	2.8	9
12	Evidence Revealing Deregulation of The KLF11-Mao A Pathway in Association with Chronic Stress and Depressive Disorders. Neuropsychopharmacology, 2015, 40, 1373-1382.	5.4	35
13	Membrane-to-Nucleus Signals and Epigenetic Mechanisms for Myofibroblastic Activation and Desmoplastic Stroma: Potential Therapeutic Targets for Liver Metastasis?. Molecular Cancer Research, 2015, 13, 604-612.	3.4	41
14	The Aurora A-HP1 ^β pathway regulates gene expression and mitosis in cells from the sperm lineage. BMC Developmental Biology, 2015, 15, 23.	2.1	6
15	The Triple-Code Model for Pancreatic Cancer. Surgical Clinics of North America, 2015, 95, 935-952.	1.5	20
16	Browning of human adipocytes requires KLF11 and reprogramming of PPAR ^β superenhancers. Genes and Development, 2015, 29, 7-22.	5.9	124
17	Diabetes-Causing Gene, Kruppel-Like Factor 11, Modulates the Antinociceptive Response of Chronic Ethanol Intake. Alcoholism: Clinical and Experimental Research, 2014, 38, 401-408.	2.4	4
18	Single and combinatorial chromatin coupling events underlies the function of transcript factor Kruppel-like factor 11 in the regulation of gene networks. BMC Molecular Biology, 2014, 15, 10.	3.0	6

#	ARTICLE	IF	CITATIONS
19	Functional impact of Aurora A-mediated phosphorylation of HP1 ^β at serine 83 during cell cycle progression. <i>Epigenetics and Chromatin</i> , 2013, 6, 21.	3.9	19
20	Novel role of VMP1 as modifier of the pancreatic tumor cell response to chemotherapeutic drugs. <i>Journal of Cellular Physiology</i> , 2013, 228, 1834-1843.	4.1	10
21	Epigenetics: A Promising Paradigm for Better Understanding and Managing Pain. <i>Journal of Pain</i> , 2013, 14, 549-557.	1.4	36
22	Insights into the epigenetic mechanisms controlling pancreatic carcinogenesis. <i>Cancer Letters</i> , 2013, 328, 212-221.	7.2	72
23	KLF11 mediates PPAR ^γ cerebrovascular protection in ischaemic stroke. <i>Brain</i> , 2013, 136, 1274-1287.	7.6	78
24	Kruppel-like Factor 11 Regulates the Expression of Metabolic Genes via an Evolutionarily Conserved Protein Interaction Domain Functionally Disrupted in Maturity Onset Diabetes of the Young. <i>Journal of Biological Chemistry</i> , 2013, 288, 17745-17758.	3.4	31
25	Critical Role of the HP1-Histone Methyltransferase Pathways in Cancer Epigenetics. <i>Medical Epigenetics</i> , 2013, 1, 100-105.	262.3	3
26	A Novel Role of the Sp/KLF Transcription Factor KLF11 in Arresting Progression of Endometriosis. <i>PLoS ONE</i> , 2013, 8, e60165.	2.5	34
27	Detailed Structural-Functional Analysis of the Kruppel-like Factor 16 (KLF16) Transcription Factor Reveals Novel Mechanisms for Silencing Sp/KLF Sites Involved in Metabolism and Endocrinology. <i>Journal of Biological Chemistry</i> , 2012, 287, 7010-7025.	3.4	37
28	Kruppel-Like Factor-11, a Transcription Factor Involved in Diabetes Mellitus, Suppresses Endothelial Cell Activation via the Nuclear Factor- κ B Signaling Pathway. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, 2981-2988.	2.4	35
29	Sequence-specific Recruitment of Heterochromatin Protein 1 via Interaction with Kruppel-like Factor 11, a Human Transcription Factor Involved in Tumor Suppression and Metabolic Diseases. <i>Journal of Biological Chemistry</i> , 2012, 287, 13026-13039.	3.4	47
30	Kruppel-like Factor 11 Differentially Couples to Histone Acetyltransferase and Histone Methyltransferase Chromatin Remodeling Pathways to Transcriptionally Regulate Dopamine D2 Receptor in Neuronal Cells. <i>Journal of Biological Chemistry</i> , 2012, 287, 12723-12735.	3.4	36
31	Homotypic cell cannibalism, a cell death process regulated by the nuclear protein 1, opposes to metastasis in pancreatic cancer. <i>EMBO Molecular Medicine</i> , 2012, 4, 964-979.	6.9	67
32	A functional family-wide screening of SP/KLF proteins identifies a subset of suppressors of KRAS-mediated cell growth. <i>Biochemical Journal</i> , 2011, 435, 529-537.	3.7	85
33	Polycomb and the Emerging Epigenetics of Pancreatic Cancer. <i>Journal of Gastrointestinal Cancer</i> , 2011, 42, 100-111.	1.3	17
34	Zymophagy, a Novel Selective Autophagy Pathway Mediated by VMP1-USP9x-p62, Prevents Pancreatic Cell Death*. <i>Journal of Biological Chemistry</i> , 2011, 286, 8308-8324.	3.4	174
35	Disruption of a Novel Kruppel-like Transcription Factor p300-regulated Pathway for Insulin Biosynthesis Revealed by Studies of the c.-331 INS Mutation Found in Neonatal Diabetes Mellitus. <i>Journal of Biological Chemistry</i> , 2011, 286, 28414-28424.	3.4	72
36	Distinct Role of Kruppel-like Factor 11 in the Regulation of Prostaglandin E2 Biosynthesis. <i>Journal of Biological Chemistry</i> , 2010, 285, 11433-11444.	3.4	37

#	ARTICLE	IF	CITATIONS
37	Conservation of the TGF β ² /Labial Homeobox Signaling Loop in Endoderm-Derived Cells between Drosophila and Mammals. <i>Pancreatology</i> , 2010, 10, 74-84.	1.1	4
38	Pancreatic Stellate Cell Models for Transcriptional Studies of Desmoplasia-Associated Genes. <i>Pancreatology</i> , 2010, 10, 505-516.	1.1	41
39	EGFR Signaling Pathways in Pancreatic Cancer Pathogenesis. , 2010, , 387-402.		0
40	Epigenetics and its Applications to a Revised Progression Model of Pancreatic Cancer. , 2010, , 143-169.		0
41	Notch Signaling in Pancreatic Morphogenesis and Pancreatic Cancer Pathogenesis. , 2010, , 441-455.		0
42	Silencing of the Transforming Growth Factor- β ² (TGF β ²) Receptor II by Kr β 1-like Factor 14 Underscores the Importance of a Negative Feedback Mechanism in TGF β ² Signaling. <i>Journal of Biological Chemistry</i> , 2009, 284, 6291-6300.	3.4	67
43	MODY7 Gene, KLF11, Is a Novel p300-dependent Regulator of Pdx-1 (MODY4) Transcription in Pancreatic Islet β Cells. <i>Journal of Biological Chemistry</i> , 2009, 284, 36482-36490.	3.4	94
44	Sin3: Master scaffold and transcriptional corepressor. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2009, 1789, 443-450.	1.9	205
45	The sunset of somatic genetics and the dawn of epigenetics: a new frontier in pancreatic cancer research. <i>Current Opinion in Gastroenterology</i> , 2008, 24, 597-602.	2.3	20
46	Basics of TGF- β and Pancreatic Cancer. <i>Pancreatology</i> , 2007, 7, 423-435.	1.1	141
47	The Heterochromatin Protein 1 family. <i>Genome Biology</i> , 2006, 7, 228.	9.6	222
48	Evidence for the existence of an HP1-mediated subcode within the histone code. <i>Nature Cell Biology</i> , 2006, 8, 407-415.	10.3	173
49	Key role of Kr β 1-like factor proteins in pancreatic cancer and other gastrointestinal neoplasias. <i>Current Opinion in Gastroenterology</i> , 2006, 22, 505-511.	2.3	13
50	A Novel Functional Interaction between the Sp1-like Protein KLF13 and SREBP-Sp1 Activation Complex Underlies Regulation of Low Density Lipoprotein Receptor Promoter Function. <i>Journal of Biological Chemistry</i> , 2006, 281, 3040-3047.	3.4	27
51	The family feud: turning off Sp1 by Sp1-like KLF proteins. <i>Biochemical Journal</i> , 2005, 392, 1-11.	3.7	188
52	Ectopic expression of VAV1 reveals an unexpected role in pancreatic cancer tumorigenesis. <i>Cancer Cell</i> , 2005, 7, 39-49.	16.8	202
53	Role of transcription factor KLF11 and its diabetes-associated gene variants in pancreatic beta cell function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 4807-4812.	7.1	231
54	KLF11-mediated Repression Antagonizes Sp1/Sterol-responsive Element-binding protein-induced Transcriptional Activation of Caveolin-1 in Response to Cholesterol Signaling. <i>Journal of Biological Chemistry</i> , 2005, 280, 1901-1910.	3.4	58

#	ARTICLE	IF	CITATIONS
55	KLF11 mediates a critical mechanism in TGF- β signaling that is inactivated by Erk-MAPK in pancreatic cancer cells. <i>Gastroenterology</i> , 2004, 127, 607-620.	1.3	77
56	Growth inhibitory signalling by TGF- β is blocked in Ras-transformed intestinal epithelial cells at a post-receptor locus. <i>Cellular Signalling</i> , 2003, 15, 699-708.	3.6	11
57	An mSin3A interaction domain links the transcriptional activity of KLF11 with its role in growth regulation. <i>EMBO Journal</i> , 2003, 22, 4748-4758.	7.8	95
58	Fundamentals of Transcription Factors and their Impact on Pancreatic Development and Cancer. <i>Pancreatology</i> , 2003, 3, 276-283.	1.1	6
59	Differential binding of Sin3 interacting repressor domains to the PAH2 domain of Sin3A. <i>FEBS Letters</i> , 2003, 548, 108-112.	2.8	19
60	Sp1- and Kr μ ppel-like transcription factors. <i>Genome Biology</i> , 2003, 4, 206.	9.6	820
61	Pancreatic cancer research: challenges, opportunities, and recent developments. <i>Current Opinion in Gastroenterology</i> , 2002, 18, 563-567.	2.3	6
62	Functional analysis of basic transcription element (BTE)-binding protein (BTEB) 3 and BTEB4, a novel Sp1-like protein, reveals a subfamily of transcriptional repressors for the BTE site of the cytochrome P4501A1 gene promoter. <i>Biochemical Journal</i> , 2002, 366, 873-882.	3.7	50
63	Signaling disrupts mSin3A binding to the Mad1-like Sin3-interacting domain of TIEG2, an Sp1-like repressor. <i>EMBO Journal</i> , 2002, 21, 2451-2460.	7.8	49
64	TGF- β -mediated signaling and transcriptional regulation in pancreatic development and cancer. <i>Current Opinion in Gastroenterology</i> , 2001, 17, 434-440.	2.3	13
65	The Sp1-like Protein BTEB3 Inhibits Transcription via the Basic Transcription Element Box by Interacting with mSin3A and HDAC-1 Co-repressors and Competing with Sp1. <i>Journal of Biological Chemistry</i> , 2001, 276, 36749-36756.	3.4	74
66	A Conserved α -Helical Motif Mediates the Interaction of Sp1-Like Transcriptional Repressors with the Corepressor mSin3A. <i>Molecular and Cellular Biology</i> , 2001, 21, 5041-5049.	2.3	173
67	Sequence-Specific Transcriptional Repression by KS1, a Multiple-Zinc-Finger μ ppel-Associated Box Protein. <i>Molecular and Cellular Biology</i> , 2001, 21, 928-939.	2.3	67
68	TIEG proteins join the Smads as TGF- β -regulated transcription factors that control pancreatic cell growth. <i>American Journal of Physiology - Renal Physiology</i> , 2000, 278, G513-G521.	3.4	74
69	Three Conserved Transcriptional Repressor Domains Are a Defining Feature of the TIEG Subfamily of Sp1-like Zinc Finger Proteins. <i>Journal of Biological Chemistry</i> , 1999, 274, 29500-29504.	3.4	111
70	Sp1 and Its Likes: Biochemical and Functional Predictions for a Growing Family of Zinc Finger Transcription Factors. <i>Annals of the New York Academy of Sciences</i> , 1999, 880, 94-102.	3.8	126
71	The transforming growth factor β -inducible transcription factor, TIEG1, mediates apoptosis through oxidative stress. <i>Hepatology</i> , 1999, 30, 1490-1497.	7.3	152
72	Molecular Cloning and Characterization of TIEG2 Reveals a New Subfamily of Transforming Growth Factor- β -inducible Sp1-like Zinc Finger-encoding Genes Involved in the Regulation of Cell Growth. <i>Journal of Biological Chemistry</i> , 1998, 273, 25929-25936.	3.4	178