

Jun Feng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10523980/publications.pdf>

Version: 2024-02-01

128
papers

3,068
citations

186265

28
h-index

197818

49
g-index

129
all docs

129
docs citations

129
times ranked

3004
citing authors

#	ARTICLE	IF	CITATIONS
1	Preload Induces Troponin I Degradation Independently of Myocardial Ischemia. <i>Circulation</i> , 2001, 103, 2035-2037.	1.6	242
2	The effects of therapeutic sulfide on myocardial apoptosis in response to ischemiaâ€“reperfusion injury. <i>European Journal of Cardio-thoracic Surgery</i> , 2008, 33, 906-913.	1.4	155
3	Hydrogen sulfide therapy attenuates the inflammatory response in a porcine model of myocardial ischemia/reperfusion injury. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2009, 138, 977-984.	0.8	135
4	Resveratrol Improves Myocardial Perfusion in a Swine Model of Hypercholesterolemia and Chronic Myocardial Ischemia. <i>Circulation</i> , 2010, 122, S142-9.	1.6	105
5	Effect of Hydrogen Sulfide in a Porcine Model of Myocardial Ischemia-Reperfusion: Comparison of Different Administration Regimens and Characterization of the Cellular Mechanisms of Protection. <i>Journal of Cardiovascular Pharmacology</i> , 2009, 54, 287-297.	1.9	101
6	Functional, Cellular, and Molecular Characterization of the Angiogenic Response to Chronic Myocardial Ischemia in Diabetes. <i>Circulation</i> , 2007, 116, I-31-I-37.	1.6	80
7	Effect of Hypercholesterolemia on Myocardial Necrosis and Apoptosis in the Setting of Ischemia-Reperfusion. <i>Circulation</i> , 2009, 120, S22-30.	1.6	79
8	Absence of Troponin I Degradation or Altered Sarcoplasmic Reticulum Uptake Protein Expression After Reversible Ischemia in Swine. <i>Circulation Research</i> , 1999, 85, 446-456.	4.5	73
9	Oxidative stress improves coronary endothelial function through activation of the pro-survival kinase AMPK. <i>Aging</i> , 2013, 5, 515-530.	3.1	73
10	Calcium-Activated Potassium Channels Contribute to Human Coronary Microvascular Dysfunction After Cardioplegic Arrest. <i>Circulation</i> , 2008, 118, S46-51.	1.6	70
11	Hypercholesterolemia Impairs the Myocardial Angiogenic Response in a Swine Model of Chronic Ischemia: Role of Endostatin and Oxidative Stress. <i>Annals of Thoracic Surgery</i> , 2006, 81, 634-641.	1.3	67
12	Endothelium-Dependent Coronary Vasodilatation Requires NADPH Oxidase-Derived Reactive Oxygen Species. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 1703-1710.	2.4	58
13	Mitochondrial redox plays a critical role in the paradoxical effects of NADPH oxidase-derived ROS on coronary endothelium. <i>Cardiovascular Research</i> , 2017, 113, 234-246.	3.8	50
14	Resveratrol modifies risk factors for coronary artery disease in swine with metabolic syndrome and myocardial ischemia. <i>European Journal of Pharmacology</i> , 2011, 664, 45-53.	3.5	47
15	Effect of hydrogen sulfide on myocardial protection in the setting of cardioplegia and cardiopulmonary bypass. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2010, 10, 506-512.	1.1	46
16	Inactivation of Endothelial Small/Intermediate Conductance of Calcium-Activated Potassium Channels Contributes to Coronary Arteriolar Dysfunction in Diabetic Patients. <i>Journal of the American Heart Association</i> , 2015, 4, e002062.	3.7	44
17	Inhibition of the cardiac angiogenic response to exogenous vascular endothelial growth factor. <i>Surgery</i> , 2004, 136, 407-415.	1.9	42
18	Effects of neuropeptide Y on collateral development in a swine model of chronic myocardial ischemia. <i>Journal of Molecular and Cellular Cardiology</i> , 2010, 49, 1022-1030.	1.9	41

#	ARTICLE	IF	CITATIONS
19	Changes in Microvascular Reactivity After Cardiopulmonary Bypass in Patients With Poorly Controlled Versus Controlled Diabetes. <i>Circulation</i> , 2012, 126, S73-80.	1.6	40
20	Reduction of myocardial reperfusion injury by aprotinin after regional ischemia and cardioplegic arrest. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2004, 128, 602-608.	0.8	39
21	Calcium-activated potassium channels contribute to human skeletal muscle microvascular endothelial dysfunction related to cardiopulmonary bypass. <i>Surgery</i> , 2008, 144, 239-244.	1.9	39
22	Overfed Ossabaw swine with early stage metabolic syndrome have normal coronary collateral development in response to chronic ischemia. <i>Basic Research in Cardiology</i> , 2012, 107, 243.	5.9	39
23	Indices of Apoptosis Activation After Blood Cardioplegia and Cardiopulmonary Bypass. <i>Circulation</i> , 2006, 114, I-257-I-263.	1.6	38
24	High-Dose Atorvastatin Improves Hypercholesterolemic Coronary Endothelial Dysfunction Without Improving the Angiogenic Response. <i>Circulation</i> , 2006, 114, I-402-I-408.	1.6	34
25	Phosphorylation and translocation of heat shock protein 27 and β -crystallin in human myocardium after cardioplegia and cardiopulmonary bypass. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2007, 134, 1461-1470.e3.	0.8	32
26	Effects of purified poloxamer 407 gel on vascular occlusion and the coronary endothelium. <i>European Journal of Cardio-thoracic Surgery</i> , 2006, 29, 736-741.	1.4	31
27	Safety and Efficacy of a Novel Gel for Vascular Occlusion in Off-Pump Surgery. <i>Annals of Thoracic Surgery</i> , 2005, 80, 2333-2337.	1.3	30
28	Endothelin-1-induced contractile responses of human coronary arterioles via endothelin-A receptors and PKC- δ signaling pathways. <i>Surgery</i> , 2010, 147, 798-804.	1.9	30
29	Protein kinase C alpha modulates microvascular reactivity in the human coronary and skeletal microcirculation. <i>Surgery</i> , 2007, 142, 243-252.	1.9	28
30	Atorvastatin increases oxidative stress and modulates angiogenesis in Ossabaw swine with the metabolic syndrome. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2012, 144, 1486-1493.	0.8	28
31	Bradykinin protects the rabbit heart after cardioplegic ischemia via NO-dependent pathways. <i>Annals of Thoracic Surgery</i> , 2000, 70, 2119-2124.	1.3	26
32	Normalization of coronary microvascular reactivity and improvement in myocardial perfusion by surgical vascular endothelial growth factor therapy combined with oral supplementation of l-arginine in a porcine model of endothelial dysfunction. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2005, 129, 1414-1420.	0.8	26
33	Insulin treatment enhances the myocardial angiogenic response in diabetes. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2007, 134, 1453-1460.	0.8	26
34	Aprotinin Preserves Cellular Junctions and Reduces Myocardial Edema After Regional Ischemia and Cardioplegic Arrest. <i>Circulation</i> , 2005, 112, I196-201.	1.6	26
35	Is hyperglycemia bad for the heart during acute ischemia?. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2010, 140, 1345-1352.	0.8	25
36	Calpain inhibition decreases myocardial apoptosis in a swine model of chronic myocardial ischemia. <i>Surgery</i> , 2015, 158, 445-452.	1.9	25

#	ARTICLE	IF	CITATIONS
37	Molecular Indices of Apoptosis After Intermittent Blood and Crystalloid Cardioplegia. <i>Circulation</i> , 2005, 112, 1184-9.	1.6	25
38	Mechanisms and clinical implications of endothelium-dependent vasomotor dysfunction in coronary microvasculature. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2022, 322, H819-H841.	3.2	25
39	Effects of L-Arginine on Fibroblast Growth Factor 2-Induced Angiogenesis in a Model of Endothelial Dysfunction. <i>Circulation</i> , 2005, 112, 1202-7.	1.6	24
40	Atorvastatin Increases Myocardial Indices of Oxidative Stress in a Porcine Model of Hypercholesterolemia and Chronic Ischemia. <i>Journal of Cardiac Surgery</i> , 2008, 23, 312-320.	0.7	24
41	Thromboxane-Induced Contractile Response of Human Coronary Arterioles Is Diminished After Cardioplegic Arrest. <i>Annals of Thoracic Surgery</i> , 2011, 92, 829-836.	1.3	24
42	Comparison of vascular endothelial growth factor and fibroblast growth factor-2 in a swine model of endothelial dysfunction. <i>European Journal of Cardio-thoracic Surgery</i> , 2008, 33, 645-650.	1.4	23
43	Decreased coronary microvascular reactivity after cardioplegic arrest in patients with uncontrolled diabetes mellitus. <i>Surgery</i> , 2012, 152, 262-269.	1.9	23
44	High-dose atorvastatin is associated with impaired myocardial angiogenesis in response to vascular endothelial growth factor in hypercholesterolemic swine. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2006, 132, 1299-1306.	0.8	22
45	Effects of Cardiopulmonary Bypass on Endothelin-1-Induced Contraction and Signaling in Human Skeletal Muscle Microcirculation. <i>Circulation</i> , 2010, 122, S150-5.	1.6	22
46	Resveratrol Preserves Myocardial Function and Perfusion in Remote Nonischemic Myocardium in a Swine Model of Metabolic Syndrome. <i>Journal of the American College of Surgeons</i> , 2012, 215, 681-689.	0.5	22
47	Bradykinin Preconditioning Improves the Profile of Cell Survival Proteins and Limits Apoptosis After Cardioplegic Arrest. <i>Circulation</i> , 2005, 112, 1190-5.	1.6	22
48	Impaired Coronary Microvascular Dilation Correlates with Enhanced Vascular Smooth Muscle MLC Phosphorylation in Diabetes1. <i>Microcirculation</i> , 2009, 16, 193-206.	1.8	21
49	Decreased contractile response to endothelin-1 of peripheral microvasculature from diabetic patients. <i>Surgery</i> , 2011, 149, 247-252.	1.9	21
50	Calpain inhibition improves collateral-dependent perfusion in a hypercholesterolemic swine model of chronic myocardial ischemia. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2016, 151, 245-252.	0.8	21
51	Improved profile of bad phosphorylation and caspase 3 activation after blood versus crystalloid cardioplegia. <i>Annals of Thoracic Surgery</i> , 2004, 77, 1384-1389.	1.3	20
52	Rottlerin Increases Cardiac Contractile Performance and Coronary Perfusion Through BKCa++ Channel Activation After Cold Cardioplegic Arrest in Isolated Hearts. <i>Circulation</i> , 2011, 124, S55-S61.	1.6	20
53	Altered Apoptosis-Related Signaling After Cardioplegic Arrest in Patients With Uncontrolled Type 2 Diabetes Mellitus. <i>Circulation</i> , 2013, 128, S144-51.	1.6	20
54	Effects of L-arginine on the endogenous angiogenic response in a model of hypercholesterolemia. <i>Surgery</i> , 2005, 138, 291-298.	1.9	19

#	ARTICLE	IF	CITATIONS
55	Differential effects on the mesenteric microcirculatory response to vasopressin and phenylephrine after cardiopulmonary bypass. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2007, 133, 682-688.	0.8	19
56	Altered coronary microvascular serotonin receptor expression after coronary artery bypass grafting with cardiopulmonary bypass. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2010, 139, 1033-1040.	0.8	19
57	Cardioprotective effects of red wine and vodka in a model of endothelial dysfunction. <i>Journal of Surgical Research</i> , 2012, 178, 586-592.	1.6	19
58	Rapamycin Treatment of Healthy Pigs Subjected to Acute Myocardial Ischemia-Reperfusion Injury Attenuates Cardiac Functions and Increases Myocardial Necrosis. <i>Annals of Thoracic Surgery</i> , 2014, 97, 901-907.	1.3	19
59	Bradykinin pretreatment improves ischemia tolerance of the rabbit heart by tyrosine kinase mediated pathways. <i>Annals of Thoracic Surgery</i> , 1999, 68, 1567-1572.	1.3	18
60	Vascular bed-specific endothelium-dependent vasomotor relaxation in the hagfish, <i>Myxine glutinosa</i> . <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2007, 293, R894-R900.	1.8	18
61	Coronary microvascular dysfunction in the setting of chronic ischemia is independent of arginase activity. <i>Microvascular Research</i> , 2008, 75, 238-246.	2.5	17
62	Atorvastatin impairs the myocardial angiogenic response to chronic ischemia in normocholesterolemic swine. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2008, 135, 117-122.	0.8	15
63	Nonischemic myocardial acidosis adversely affects microvascular and myocardial function and triggers apoptosis during cardioplegia. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2008, 135, 139-146.	0.8	15
64	Effect of thrombin fragment (TP508) on myocardial ischemia-reperfusion injury in hypercholesterolemic pigs. <i>Journal of Applied Physiology</i> , 2009, 106, 1993-2001.	2.5	15
65	Diabetes Upregulation of Cyclooxygenase 2 Contributes to Altered Coronary Reactivity After Cardiac Surgery. <i>Annals of Thoracic Surgery</i> , 2017, 104, 568-576.	1.3	15
66	Decreased coronary arteriolar response to KCa channel opener after cardioplegic arrest in diabetic patients. <i>Molecular and Cellular Biochemistry</i> , 2018, 445, 187-194.	3.1	15
67	Enhanced coronary arteriolar contraction to vasopressin in patients with diabetes after cardiac surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2018, 156, 2098-2107.	0.8	15
68	Inhibition of mitochondrial reactive oxygen species improves coronary endothelial function after cardioplegic hypoxia/reoxygenation. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2022, 164, e207-e226.	0.8	15
69	Effects of tetramethylpyrazine on the release of PGI ₂ and TXA ₂ in the hypoxic isolated rat heart. <i>Molecular and Cellular Biochemistry</i> , 1997, 167, 153-158.	3.1	14
70	The Effects of Tetramethylpyrazine on the Incidence of Arrhythmias and the Release of PGI ₂ and TXA ₂ in the Ischemic Rat Heart. <i>Planta Medica</i> , 1999, 65, 268-270.	1.3	14
71	Bradykinin induces microvascular preconditioning through the opening of calcium-activated potassium channels. <i>Surgery</i> , 2006, 140, 192-197.	1.9	14
72	Microvascular dysfunction in patients with diabetes after cardioplegic arrest and cardiopulmonary bypass. <i>Current Opinion in Cardiology</i> , 2016, 31, 618-624.	1.8	14

#	ARTICLE	IF	CITATIONS
73	Thrombin Fragment (TP508) Decreases Myocardial Infarction and Apoptosis After Ischemia Reperfusion Injury. <i>Annals of Thoracic Surgery</i> , 2009, 87, 786-793.	1.3	13
74	Effect of Thrombin Fragment (TP508) on Myocardial Ischemia Reperfusion Injury in a Model of Type 1 Diabetes Mellitus. <i>Circulation</i> , 2010, 122, S162-9.	1.6	13
75	Effects of Selective Cyclooxygenase-2 and Nonselective Cyclooxygenase Inhibition on Myocardial Function and Perfusion. <i>Journal of Cardiovascular Pharmacology</i> , 2011, 57, 122-130.	1.9	13
76	Ethanol Promotes Arteriogenesis and Restores Perfusion to Chronically Ischemic Myocardium. <i>Circulation</i> , 2013, 128, S136-43.	1.6	13
77	Pinacidil Pretreatment Extends Ischemia Tolerance of Neonatal Rabbit Hearts. <i>Journal of Surgical Research</i> , 2000, 90, 131-137.	1.6	12
78	Metabolic regulation of endothelial SK channels and human coronary microvascular function. <i>International Journal of Cardiology</i> , 2020, 312, 1-9.	1.7	12
79	Effects of selective cyclooxygenase-2 and nonselective cyclooxygenase inhibition on ischemic myocardium. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2010, 140, 1143-1152.	0.8	11
80	Resveratrol supplementation abrogates pro-arteriogenic effects of intramyocardial vascular endothelial growth factor in a hypercholesterolemic swine model of chronic ischemia. <i>Surgery</i> , 2011, 150, 390-399.	1.9	11
81	How best to obtain consent to thrombolysis. <i>Neurology</i> , 2016, 86, 1045-1052.	1.1	11
82	Bradykinin Preconditioning Preserves Coronary Microvascular Reactivity During Cardioplegia Reperfusion. <i>Annals of Thoracic Surgery</i> , 2005, 79, 911-916.	1.3	10
83	Large Conductance Calcium-Activated Potassium Channels Contribute to the Reduced Myogenic Tone of Peripheral Microvasculature After Cardiopulmonary Bypass. <i>Journal of Surgical Research</i> , 2009, 157, 123-128.	1.6	10
84	Differential impairment of adherens-junction expression/phosphorylation after cardioplegia in diabetic versus non-diabetic patients. <i>European Journal of Cardio-thoracic Surgery</i> , 2016, 49, 937-943.	1.4	10
85	Coronary endothelial dysfunction prevented by small-conductance calcium-activated potassium channel activator in mice and patients with diabetes. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2020, 160, e263-e280.	0.8	10
86	Temporal and Spatial Changes in Collateral Formation and Function During Chronic Myocardial Ischemia. <i>Journal of the American College of Surgeons</i> , 2010, 211, 470-480.	0.5	9
87	Effects of cyclooxygenase inhibition on cardiovascular function in a hypercholesterolemic swine model of chronic ischemia. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012, 302, H479-H488.	3.2	9
88	Altered expression and activation of mitogen-activated protein kinases in diabetic heart during cardioplegic arrest and cardiopulmonary bypass. <i>Surgery</i> , 2013, 154, 436-443.	1.9	9
89	Robust effect of metabolic syndrome on major metabolic pathways in the myocardium. <i>PLoS ONE</i> , 2019, 14, e0225857.	2.5	9
90	Prostaglandin E1 (PGE1) reduces cardiac-derived TXA2 release in ischaemic arrest in isolated working rat heart. <i>International Journal of Cardiology</i> , 1996, 55, 265-270.	1.7	8

#	ARTICLE	IF	CITATIONS
91	KATP channel opener protects neonatal rabbit heart better than St. Thomas's solution. <i>Journal of Surgical Research</i> , 2003, 109, 69-73.	1.6	8
92	Effects of diabetes and cardiopulmonary bypass on expression of adherens junction proteins in human peripheral tissue. <i>Surgery</i> , 2017, 161, 823-829.	1.9	8
93	Influence of framing on medical decision making. <i>EXCLI Journal</i> , 2013, 12, 20-9.	0.7	8
94	Metabolic regulation and dysregulation of endothelial small conductance calcium activated potassium channels. <i>European Journal of Cell Biology</i> , 2022, 101, 151208.	3.6	8
95	Beneficial effects of iloprost cardioplegia in ischemic arrest in isolated working rat heart. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 1996, 54, 279-283.	2.2	7
96	Impaired contractile response of human peripheral arterioles to thromboxane A-2 after cardiopulmonary bypass. <i>Surgery</i> , 2011, 150, 263-271.	1.9	7
97	Increased coronary arteriolar contraction to serotonin in juvenile pigs with metabolic syndrome. <i>Molecular and Cellular Biochemistry</i> , 2019, 461, 57-64.	3.1	7
98	Diazoxide protects the rabbit heart following cardioplegic ischemia. <i>Molecular and Cellular Biochemistry</i> , 2002, 233, 133-138.	3.1	6
99	Cyclooxygenase 2 contributes to bradykinin-induced microvascular responses in peripheral arterioles after cardiopulmonary bypass. <i>Journal of Surgical Research</i> , 2017, 218, 246-252.	1.6	6
100	Decreased contractile response of peripheral arterioles to serotonin after CPB in patients with diabetes. <i>Surgery</i> , 2018, 164, 288-293.	1.9	6
101	Effects of neuropeptide Y on the microvasculature of human skeletal muscle. <i>Surgery</i> , 2020, 168, 155-159.	1.9	6
102	Pretreatment with Tetramethylpyrazine Increases the Release of PGI ₂ and Decreases TXA ₂ Release in Isolated Rat Heart. <i>Planta Medica</i> , 1996, 62, 379-381.	1.3	5
103	Impaired coronary contraction to phenylephrine after cardioplegic arrest in diabetic patients. <i>Journal of Surgical Research</i> , 2018, 230, 80-86.	1.6	5
104	Chronic Inhibition of mROS Protects Against Coronary Endothelial Dysfunction in Mice With Diabetes. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 643810.	3.7	5
105	New continuous-flow total artificial heart and vascular permeability. <i>Journal of Surgical Research</i> , 2015, 199, 296-305.	1.6	4
106	Skeletal muscle microvasculature response to β_2 -adrenergic stimuli is diminished with cardiac surgery. <i>Surgery</i> , 2020, 167, 493-498.	1.9	4
107	Glycemic control is not associated with neurocognitive decline after cardiac surgery. <i>Journal of Cardiac Surgery</i> , 2022, 37, 138-147.	0.7	4
108	Effect of Dimerized Thrombin Fragment TP508 on Acute Myocardial Ischemia Reperfusion Injury in Hypercholesterolemic Swine. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010, 334, 449-459.	2.5	3

#	ARTICLE	IF	CITATIONS
109	High-fat diet alters prostanoid balance and perfusion in ischemic myocardium of naproxen-treated swine. <i>Surgery</i> , 2011, 150, 490-496.	1.9	3
110	Invited Commentary. <i>Annals of Thoracic Surgery</i> , 2010, 90, 30.	1.3	1
111	Invited Commentary. <i>Annals of Thoracic Surgery</i> , 2014, 97, 1650-1651.	1.3	1
112	Mediterranean-style diet to prevent postoperative atrial fibrillation: Role of antioxidants?. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2015, 149, 1182-1184.	0.8	1
113	Potassium and Cardiac Surgery. <i>Physiology</i> , 0, , .	10.0	1
114	The cardiac molecular setting of metabolic syndrome in pigs reveals disease susceptibility and suggests mechanisms that exacerbate COVID-19 outcomes in patients. <i>Scientific Reports</i> , 2021, 11, 19752.	3.3	1
115	Expertise accounts for inversion effect: new behavioral evidence. <i>EXCLI Journal</i> , 2012, 11, 613-623.	0.7	1
116	Myocardial Preconditioning in the Experimental Model: A New Strategy to Improve Myocardial Protection. , 0, , 230-263.		0
117	Invited commentary. <i>Annals of Thoracic Surgery</i> , 2005, 80, 2234.	1.3	0
118	Invited commentary. <i>Annals of Thoracic Surgery</i> , 2006, 81, 2225-2226.	1.3	0
119	Invited commentary. <i>Annals of Thoracic Surgery</i> , 2007, 83, 1119-1120.	1.3	0
120	Invited commentary. <i>Annals of Thoracic Surgery</i> , 2008, 85, 87-88.	1.3	0
121	Invited Commentary. <i>Annals of Thoracic Surgery</i> , 2015, 99, 603-604.	1.3	0
122	Invited Commentary. <i>Annals of Thoracic Surgery</i> , 2015, 100, 589-590.	1.3	0
123	Timely screening for Carney complex and PRKAR1A gene mutations. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2016, 152, 1440-1441.	0.8	0
124	Topical amiodarone: To be or not to be effective?. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2017, 154, 893-894.	0.8	0
125	Commentary: Ionic heterogeneity in vessel grafts. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2021, 161, e411-e412.	0.8	0
126	Diabetes and Cardioplegia. <i>Journal of Nature and Science</i> , 2017, 3, .	1.1	0

#	ARTICLE	IF	CITATIONS
127	SK Channels and Heart Disease. <i>Biochemistry</i> , 0, , .	1.2	0
128	Abstract 161: Differential Effects of Short- and Long-Term Increase in Endothelial ROS on Coronary Vascular Function. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, .	2.4	0