

Li-Chung Hsu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1056108/publications.pdf>

Version: 2024-02-01

40
papers

9,885
citations

236925

25
h-index

289244

40
g-index

40
all docs

40
docs citations

40
times ranked

21785
citing authors

#	ARTICLE	IF	CITATIONS
1	The role of S100A9 in the interaction between pancreatic ductal adenocarcinoma cells and stromal cells. <i>Cancer Immunology, Immunotherapy</i> , 2022, 71, 705-718.	4.2	5
2	K48/K63-linked polyubiquitination of ATG9A by TRAF6 E3 ligase regulates oxidative stress-induced autophagy. <i>Cell Reports</i> , 2022, 38, 110354.	6.4	34
3	ZNRF1 Mediates Epidermal Growth Factor Receptor Ubiquitination to Control Receptor Lysosomal Trafficking and Degradation. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 642625.	3.7	10
4	Terminal uridyltransferase 7 regulates TLR4-triggered inflammation by controlling Regnase-1 mRNA uridylation and degradation. <i>Nature Communications</i> , 2021, 12, 3878.	12.8	12
5	Therapeutic Development Based on the Immunopathogenic Mechanisms of Psoriasis. <i>Pharmaceutics</i> , 2021, 13, 1064.	4.5	14
6	Toll-Like Receptor 21 of Chicken and Duck Recognize a Broad Array of Immunostimulatory CpG-oligodeoxynucleotide Sequences. <i>Vaccines</i> , 2020, 8, 639.	4.4	8
7	Galectin-3 Enhances Avian H5N1 Influenza A Virus-Induced Pulmonary Inflammation by Promoting NLRP3 Inflammasome Activation. <i>American Journal of Pathology</i> , 2018, 188, 1031-1042.	3.8	79
8	Involvement of M1 Macrophage Polarization in Endosomal Toll-Like Receptors Activated Psoriatic Inflammation. <i>Mediators of Inflammation</i> , 2018, 2018, 1-14.	3.0	52
9	Notch Ligand DLL4 Alleviates Allergic Airway Inflammation via Induction of a Homeostatic Regulatory Pathway. <i>Scientific Reports</i> , 2017, 7, 43535.	3.3	25
10	The ubiquitin ligase ZNRF1 promotes caveolin-1 ubiquitination and degradation to modulate inflammation. <i>Nature Communications</i> , 2017, 8, 15502.	12.8	48
11	Natural Modulators of Endosomal Toll-Like Receptor-Mediated Psoriatic Skin Inflammation. <i>Journal of Immunology Research</i> , 2017, 2017, 1-15.	2.2	60
12	Dectin-2 is a primary receptor for NLRP3 inflammasome activation in dendritic cell response to <i>Histoplasma capsulatum</i> . <i>PLoS Pathogens</i> , 2017, 13, e1006485.	4.7	47
13	The influence of a caveolin-1 mutant on the function of P-glycoprotein. <i>Scientific Reports</i> , 2016, 6, 20486.	3.3	15
14	Mycotoxin Patulin Suppresses Innate Immune Responses by Mitochondrial Dysfunction and p62/Sequestosome-1-dependent Mitophagy. <i>Journal of Biological Chemistry</i> , 2016, 291, 19299-19311.	3.4	36
15	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	9.1	4,701
16	Association of STAT6 genetic variants with childhood atopic dermatitis in Taiwanese population. <i>Journal of Dermatological Science</i> , 2015, 79, 222-228.	1.9	16
17	Development of CpG-Oligodeoxynucleotides for Effective Activation of Rabbit TLR9 Mediated Immune Responses. <i>PLoS ONE</i> , 2014, 9, e108808.	2.5	16
18	TLR-induced PAI-2 expression suppresses IL-1 β processing via increasing autophagy and NLRP3 degradation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 16079-16084.	7.1	130

#	ARTICLE	IF	CITATIONS
19	Transcription of Tnfaip3 Is Regulated by NF- κ B and p38 via C/EBP β in Activated Macrophages. PLoS ONE, 2013, 8, e73153.	2.5	32
20	The Pore-Forming Toxin β hemolysin/cytolysin Triggers p38 MAPK-Dependent IL-10 Production in Macrophages and Inhibits Innate Immunity. PLoS Pathogens, 2012, 8, e1002812.	4.7	47
21	Functional interaction of heat shock protein 90 and Beclin 1 modulates Toll-like receptor-mediated autophagy. FASEB Journal, 2011, 25, 2700-2710.	0.5	82
22	IL-1 β -driven neutrophilia preserves antibacterial defense in the absence of the kinase IKK β . Nature Immunology, 2011, 12, 144-150.	14.5	102
23	A five-amino-acid motif in the undefined region of the TLR8 ectodomain is required for species-specific ligand recognition. Molecular Immunology, 2010, 47, 1083-1090.	2.2	93
24	Gene Expression of P-glycoprotein and Cytochrome P450 3A4 in Peripheral Blood Mononuclear Cells and Correlation With Expression in Liver. Transplantation Proceedings, 2010, 42, 834-836.	0.6	7
25	Streptolysin O Promotes Group A Streptococcus Immune Evasion by Accelerated Macrophage Apoptosis. Journal of Biological Chemistry, 2009, 284, 862-871.	3.4	151
26	A NOD2/NALP1 complex mediates caspase-1-dependent IL-1 β secretion in response to <i>Bacillus anthracis</i> infection and muramyl dipeptide. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 7803-7808.	7.1	332
27	NF- κ B Is a Negative Regulator of IL-1 β Secretion as Revealed by Genetic and Pharmacological Inhibition of IKK β . Cell, 2007, 130, 918-931.	28.9	566
28	Specificity in Toll-like receptor signalling through distinct effector functions of TRAF3 and TRAF6. Nature, 2006, 439, 204-207.	27.8	836
29	TNF α induces ABCA1 through NF- κ B in macrophages and in phagocytes ingesting apoptotic cells. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 3112-3117.	7.1	103
30	<i>Nod2</i> Mutation in Crohn's Disease Potentiates NF- κ B Activity and IL-1 β Processing. Science, 2005, 307, 734-738.	12.6	717
31	κ B kinase (IKK) β , but not IKK α , is a critical mediator of osteoclast survival and is required for inflammation-induced bone loss. Journal of Experimental Medicine, 2005, 201, 1677-1687.	8.5	236
32	Activation of liver X receptors and retinoid X receptors prevents bacterial-induced macrophage apoptosis. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 17813-17818.	7.1	199
33	The protein kinase PKR is required for macrophage apoptosis after activation of Toll-like receptor 4. Nature, 2004, 428, 341-345.	27.8	338
34	Inhibition of NF- κ B in cancer cells converts inflammation-induced tumor growth mediated by TNF α to TRAIL-mediated tumor regression. Cancer Cell, 2004, 6, 297-305.	16.8	583
35	The Murine G+C-Rich Promoter Binding Protein mGPBP Is Required for Promoter-Specific Transcription. Molecular and Cellular Biology, 2003, 23, 8773-8785.	2.3	9
36	PITSLRE p110 Protein Kinases Associate with Transcription Complexes and Affect Their Activity. Journal of Biological Chemistry, 2002, 277, 2589-2596.	3.4	78

#	ARTICLE	IF	CITATIONS
37	Sp1-like proteins function in the transcription of human ferredoxin genes. Journal of Biomedical Science, 2000, 7, 144-151.	7.0	5
38	Characterization of the consequence of a novel Glu-380 to Asp mutation by expression of functional P450c21 in Escherichia coli. BBA - Proteins and Proteomics, 1999, 1430, 95-102.	2.1	5
39	Function and membrane topology of wild-type and mutated cytochrome <i>P</i> -450c21. Biochemical Journal, 1996, 316, 325-329.	3.7	21
40	The Common I172N Mutation Causes Conformational Change of Cytochrome P450c21 Revealed by Systematic Mutation, Kinetic, and Structural Studies. Journal of Biological Chemistry, 1996, 271, 3306-3310.	3.4	35