
Henry Wamani

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10568441/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Boys are more stunted than girls in Sub-Saharan Africa: a meta-analysis of 16 demographic and health surveys. BMC Pediatrics, 2007, 7, 17.	1.7	392
2	Exclusive breastfeeding promotion by peer counsellors in sub-Saharan Africa (PROMISE-EBF): a cluster-randomised trial. Lancet, The, 2011, 378, 420-427.	13.7	219
3	Mothers' education but not fathers' education, household assets or land ownership is the best predictor of child health inequalities in rural Uganda. International Journal for Equity in Health, 2004, 3, 9.	3.5	139
4	Low adherence to exclusive breastfeeding in Eastern Uganda: A community-based cross-sectional study comparing dietary recall since birth with 24-hour recall. BMC Pediatrics, 2007, 7, 10.	1.7	106
5	Timeliness of Childhood Vaccinations in Kampala Uganda: A Community-Based Cross-Sectional Study. PLoS ONE, 2012, 7, e35432.	2.5	99
6	Predictors of poor anthropometric status among children under 2 years of age in rural Uganda. Public Health Nutrition, 2006, 9, 320-326.	2.2	79
7	Private Sector Drug Shops in Integrated Community Case Management of Malaria, Pneumonia, and Diarrhea in Children in Uganda. American Journal of Tropical Medicine and Hygiene, 2012, 87, 92-96.	1.4	70
8	Infant and Young Child Feeding in Western Uganda: Knowledge, Practices and Socio-economic Correlates. Journal of Tropical Pediatrics, 2005, 51, 356-361.	1.5	65
9	More support for mothers: a qualitative study on factors affecting immunisation behaviour in Kampala, Uganda. BMC Public Health, 2011, 11, 723.	2.9	61
10	Increased Access to Care and Appropriateness of Treatment at Private Sector Drug Shops with Integrated Management of Malaria, Pneumonia and Diarrhoea: A Quasi-Experimental Study in Uganda. PLoS ONE, 2014, 9, e115440.	2.5	60
11	Determinants of infant growth in Eastern Uganda: a community-based cross-sectional study. BMC Public Health, 2008, 8, 418.	2.9	58
12	Population-based survey of overweight and obesity and the associated factors in peri-urban and rural Eastern Uganda. BMC Public Health, 2015, 15, 1168.	2.9	57
13	Frequency and distribution patterns of opportunistic infections associated with HIV/AIDS in Uganda. BMC Research Notes, 2016, 9, 501.	1.4	47
14	Infant feeding among HIV-positive mothers and the general population mothers: comparison of two cross-sectional surveys in Eastern Uganda. BMC Public Health, 2009, 9, 124.	2.9	41
15	Private retail drug shops: what they are, how they operate, and implications for health care delivery in rural Uganda. BMC Health Services Research, 2018, 18, 532.	2.2	36
16	Drug seller adherence to clinical protocols with integrated management of malaria, pneumonia and diarrhoea at drug shops in Uganda. Malaria Journal, 2015, 14, 277.	2.3	34
17	Growth effects of exclusive breastfeeding promotion by peer counsellors in sub-Saharan Africa: the cluster-randomised PROMISE EBF trial. BMC Public Health, 2014, 14, 633.	2.9	33
18	It could be viral but you don't know, you have not diagnosed it: health worker challenges in managing non-malaria paediatric fevers in the low transmission area of Mbarara District, Uganda. Malaria Journal, 2016, 15, 197.	2.3	27

HENRY WAMANI

#	Article	IF	CITATIONS
19	Integrated community case management by drug sellers influences appropriate treatment of paediatric febrile illness in South Western Uganda: a quasi-experimental study. Malaria Journal, 2017, 16, 425.	2.3	27
20	Factors associated with concurrent wasting and stunting among children 6–59 months in Karamoja, Uganda. Maternal and Child Nutrition, 2021, 17, e13074.	3.0	25
21	Trends and Predictors of Mortality among HIV Positive Patients in the Era of Highly Active Antiretroviral Therapy in Uganda. Gastroenterology Insights, 2015, 7, 5967.	1.2	23
22	Health system effects of implementing integrated community case management (iCCM) intervention in private retail drug shops in South Western Uganda: a qualitative study. BMJ Global Health, 2017, 2, e000334.	4.7	19
23	Concurrently wasted and stunted children 6â€59 months in Karamoja, Uganda: prevalence and case detection. Maternal and Child Nutrition, 2020, 16, e13000.	3.0	16
24	Factors associated with access to HIV care services in eastern Uganda: the Kumi home based HIV counseling and testing program experience. BMC Family Practice, 2015, 16, 162.	2.9	15
25	Quality of care for children with acute malnutrition at health center level in Uganda: a cross sectional study in West Nile region during the refugee crisis. BMC Health Services Research, 2018, 18, 561.	2.2	15
26	Concurrently wasted and stunted 6-59 months children admitted to the outpatient therapeutic feeding programme in Karamoja, Uganda: Prevalence, characteristics, treatment outcomes and response. PLoS ONE, 2020, 15, e0230480.	2.5	15
27	Designing programs to improve diets for maternal and child health: estimating costs and potential dietary impacts of nutrition-sensitive programs in Ethiopia, Nigeria, and India. Health Policy and Planning, 2018, 33, 564-573.	2.7	14
28	The effect of standard dose multivitamin supplementation on disease progression in HIV-infected adults initiating HAART: a randomized double blind placebo-controlled trial in Uganda. BMC Infectious Diseases, 2015, 15, 348.	2.9	11
29	Impact of a peer-counseling intervention on breastfeeding practices in different socioeconomic strata: results from the equity analysis of the PROMISE-EBF trial in Uganda. Global Health Action, 2016, 9, 30578.	1.9	11
30	Priority interventions to improve maternal and child diets in <scp>S</scp> ubâ€ <scp>S</scp> aharan <scp>A</scp> frica and <scp>S</scp> outh <scp>A</scp> sia. Maternal and Child Nutrition, 2018, 14, e12526.	3.0	11
31	Regulatory inspection of registered private drug shops in East-Central Uganda—what it is versus what it should be: a qualitative study. Journal of Pharmaceutical Policy and Practice, 2020, 13, 55.	2.4	11
32	Supportive supervision to improve the quality and outcome of outpatient care among malnourished children: a cluster randomised trial in Arua district, Uganda. BMJ Global Health, 2019, 4, e001339.	4.7	10
33	Child alcohol use disorder in Eastern Uganda: screening, diagnostics, risk factors and management of children drinking alcohol in Uganda (TREAT C-AUD): a mixed-methods research protocol. BMJ Paediatrics Open, 2021, 5, e001214.	1.4	5
34	Can malaria rapid diagnostic tests by drug sellers under field conditions classify children 5Âyears old or less with or without Plasmodium falciparum malaria? Comparison with nested PCR analysis. Malaria Journal, 2018, 17, 365.	2.3	3
35	Effects of complementary feeding on attained height among lower primary school-aged children in Eastern Uganda: A nested prospective cohort study. PLoS ONE, 2019, 14, e0211411.	2.5	2
36	Peer supervision experiences of drug sellers in a rural district in East-Central Uganda: a qualitative study. Malaria Journal, 2020, 19, 270.	2.3	2

#	Article	IF	CITATIONS
37	Effectiveness of peerâ€supervision on pediatric fever illness treatment among registered private drug sellers in <scp>Eastâ€Central</scp> Uganda: An interrupted time series analysis. Health Science Reports, 2021, 4, e284.	1.5	2
38	â€~l know those people will be approachable and not mistreat us': a qualitative study of inspectors and private drug sellers' views on peer supervision in rural Uganda. Globalization and Health, 2020, 16, 106.	4.9	1