Samuel D Gilman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1056976/publications.pdf

Version: 2024-02-01

394421 434195 1,241 31 19 31 citations h-index g-index papers 31 31 31 1034 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Capillary electrophoretic assay of human acetylâ€coenzyme A carboxylase 2. Electrophoresis, 2019, 40, 1558-1564.	2.4	2
2	Theoretical limitations of quantification for noncompetitive sandwich immunoassays. Analytical and Bioanalytical Chemistry, 2015, 407, 8605-8615.	3.7	16
3	Capillary electrophoresis-based assay of phosphofructokinase-1. Analytical Biochemistry, 2014, 447, 1-5.	2.4	7
4	A capillary electrophoretic assay for acetyl coenzyme A carboxylase. Analytical Biochemistry, 2013, 437, 32-38.	2.4	7
5	Manipulation and capture of $\hat{Al^2}$ amyloid fibrils and monomers by DC insulator gradient dielectrophoresis (DC-iGDEP). Analyst, The, 2012, 137, 3227.	3.5	31
6	A data treatment method for detecting fluorescence anisotropy peaks in capillary electropherograms. Analytica Chimica Acta, 2012, 739, 99-103.	5.4	6
7	Influence of immobilized biomolecules on magnetic bead plug formation and retention in capillary electrophoresis. Electrophoresis, 2012, 33, 827-833.	2.4	8
8	Separation and detection of individual \hat{A}^2 aggregates by capillary electrophoresis with laser-induced fluorescence detection. Analytical Biochemistry, 2012, 425, 104-112.	2.4	15
9	Analysis of $\hat{Al^2}$ (1-40) and $\hat{Al^2}$ (1-42) monomer and fibrils by capillary electrophoresis. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 627-632.	2.3	27
10	Improved peak capacity for CE separations of enzyme inhibitors with activity-based detection using magnetic bead microreactors. Electrophoresis, 2010, 31, 346-352.	2.4	11
11	Constituents of Cinnamon Inhibit Bacterial Acetyl CoA Carboxylase. Planta Medica, 2010, 76, 1570-1575.	1.3	23
12	Analysis of monomeric Aβ (1–40) peptide by capillary electrophoresis. Analyst, The, 2010, 135, 1631.	3.5	44
13	Separation and detection of individual submicron particles by capillary electrophoresis with laser-light-scattering detection. Analyst, The, 2007, 132, 1215.	3.5	22
14	Ultrasound-mediated release of iron from ferritin. Ultrasound in Medicine and Biology, 2003, 29, 1799-1803.	1.5	9
15	Optically gated vacancy electrophoresis in microfluidic devices. Analytica Chimica Acta, 2003, 496, 195-204.	5.4	3
16	Experimental Studies of Electroosmotic Flow Dynamics in Microfabricated Devices during Current Monitoring Experiments. Analytical Chemistry, 2003, 75, 361-370.	6.5	76
17	Experimental Studies of Electroosmotic Flow Dynamics during Sample Stacking for Capillary Electrophoresis. Analytical Chemistry, 2003, 75, 3531-3538.	6.5	20
18	Laser Ablation Construction of On-Column Reagent Addition Devices for Capillary Electrophoresis. Analytical Chemistry, 2002, 74, 1572-1577.	6.5	14

#	Article	IF	CITATIONS
19	Studies of reversible inhibition, irreversible inhibition, and activation of alkaline phosphatase by capillary electrophoresis. Analytical Biochemistry, 2002, 307, 226-234.	2.4	58
20	On-line monitoring of electroosmotic flow for capillary electrophoretic separations. Analyst, The, 2001, 126, 1240-1247.	3.5	39
21	Capillary electrophoretic analysis of alkaline phosphatase inhibition by theophylline. Electrophoresis, 2000, 21, 1341-1348.	2.4	46
22	Monitoring Electroosmotic Flow by Periodic Photobleaching of a Dilute, Neutral Fluorophore. Analytical Chemistry, 2000, 72, 4317-4321.	6.5	94
23	HPLCâ^'Accelerator MS Measurement of Atrazine Metabolites in Human Urine after Dermal Exposure. Analytical Chemistry, 1999, 71, 3519-3525.	6.5	100
24	Development of a Highly Sensitive Enzyme-Linked Immunosorbent Assay Based on Polyclonal Antibodies for the Detection of Polychlorinated Dibenzo-p-dioxins. Analytical Chemistry, 1998, 70, 1092-1099.	6.5	78
25	Hapten Synthesis and Antibody Development for Polychlorinated Dibenzo-p-dioxin Immunoassays. Journal of Agricultural and Food Chemistry, 1998, 46, 2407-2416.	5.2	39
26	Analytical Performance of Accelerator Mass Spectrometry and Liquid Scintillation Counting for Detection of 14C-Labeled Atrazine Metabolites in Human Urine. Analytical Chemistry, 1998, 70, 3463-3469.	6.5	77
27	Rapid assays for environmental and biological monitoring. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 1996, 31, 451-458.	1.5	31
28	Analysis of Single Cells by Capillary Electrophoresis with On-Column Derivatization and Laser-Induced Fluorescence Detection. Analytical Chemistry, 1995, 67, 58-64.	6.5	194
29	Electrogenerated chemiluminescence detection for capillary electrophoresis. Journal of Separation Science, 1994, 6, 97-106.	1.0	36
30	Post-column derivatization in narrow-bore capillaries for the analysis of amino acids and proteins by capillary electrophoresis with fluorescence detection. Journal of Separation Science, 1994, 6, 373-384.	1.0	30
31	Analysis of Human Cerebrospinal Fluid by Capillary Electrophoresis with Laser-Induced Fluorescence Detection. Analytical Chemistry, 1994, 66, 3512-3518.	6.5	78