

Elisabeth Svensson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1057863/publications.pdf>

Version: 2024-02-01

72
papers

3,740
citations

109321

35
h-index

133252

59
g-index

74
all docs

74
docs citations

74
times ranked

3133
citing authors

#	ARTICLE	IF	CITATIONS
1	The Effects of Using High-Fidelity Simulation in Undergraduate Nursing Education: A Multicenter Randomized Controlled Trial with a Process Evaluation. <i>International Journal of Educational Research</i> , 2021, 109, 101813.	2.2	9
2	Ethical issues in stroke thrombolysis revisited. <i>Acta Neurologica Scandinavica</i> , 2021, 144, 611-615.	2.1	3
3	Validity of a questionnaire developed to measure the impact of a high-fidelity simulation intervention: A feasibility study. <i>Journal of Advanced Nursing</i> , 2019, 75, 2673-2682.	3.3	1
4	Superior outcomes following cervical fusion vs. multimodal rehabilitation in a subgroup of randomized Whiplash-Associated-Disorders (WAD) patients indicating somatic pain origin-Comparison of outcome assessments made by four examiners from different disciplines. <i>Scandinavian Journal of Pain</i> , 2018, 18, 175-186.	1.3	1
5	Evaluation of two instruments of perceived symptom intensity in palliative care patients in an outpatient clinic. <i>Journal of Clinical Nursing</i> , 2016, 25, 799-810.	3.0	5
6	A small group Whiplash-Associated-Disorders (WAD) patients with central neck pain and movement induced stabbing pain, the painful segment determined by mechanical provocation: Fusion surgery was superior to multimodal rehabilitation in a randomized trial. <i>Scandinavian Journal of Pain</i> , 2016, 12, 33-42.	1.3	9
7	The functional barometer – a self-report questionnaire in accordance with the international classification of functioning, disability and health for pain related problems; validity and patient-observer comparisons. <i>BMC Health Services Research</i> , 2014, 14, 187.	2.2	10
8	Responsiveness of the Balanced Inventory for Spinal Disorders, A Questionnaire for Evaluation of Outcomes in Patients with various Spinal Disorders. <i>Journal of Spine & Neurosurgery</i> , 2014, 04, .	0.1	5
9	Effects of a computerized decision support system on care planning for pressure ulcers and malnutrition in nursing homes: An intervention study. <i>International Journal of Medical Informatics</i> , 2013, 82, 911-921.	3.3	38
10	Reliability of the Balanced Inventory for Spinal Disorders, a Questionnaire for Evaluation of Outcomes in Patients With Various Spinal Disorders. <i>Journal of Spinal Disorders and Techniques</i> , 2012, 25, 196-204.	1.9	14
11	Different ranking approaches defining association and agreement measures of paired ordinal data. <i>Statistics in Medicine</i> , 2012, 31, 3104-3117.	1.6	46
12	The Postoperative Recovery Profile (PRP) – a multidimensional questionnaire for evaluation of recovery profiles. <i>Journal of Evaluation in Clinical Practice</i> , 2011, 17, 236-243.	1.8	44
13	Family member's expectation of the psychiatric healthcare professionals' approach towards them. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2011, 18, 146-157.	2.1	39
14	Family members' involvement in psychiatric care: experiences of the healthcare professionals' approach and feeling of alienation. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2010, 17, 422-432.	2.1	63
15	A method to analyse observer disagreement in visual grading studies: example of assessed image quality in paediatric cerebral multidetector CT images. <i>British Journal of Radiology</i> , 2010, 83, 604-611.	2.2	21
16	Development of a questionnaire to measure patient-reported postoperative recovery: content validity and intra-patient reliability. <i>Journal of Evaluation in Clinical Practice</i> , 2009, 15, 411-419.	1.8	65
17	The Balanced Inventory for Spinal Disorders. <i>Spine</i> , 2009, 34, 1976-1983.	2.0	8
18	Developing the concept of family involvement and the alienation questionnaire in the context of psychiatric care. <i>International Journal of Mental Health Nursing</i> , 2008, 17, 439-449.	3.8	21

#	ARTICLE	IF	CITATIONS
19	Corticotropin releasing factor in urine—A possible biochemical marker of fibromyalgia. <i>Neuroscience Letters</i> , 2006, 403, 166-171.	2.1	27
20	Decrease of pregnant women's pelvic pain after acupuncture: a randomized controlled single-blind study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2006, 85, 12-19.	2.8	58
21	Diagnostic performance of computed tomography colonography in symptomatic patients and in patients with increased risk for colorectal disease. <i>Acta Radiologica</i> , 2006, 47, 888-898.	1.1	16
22	Lack of interchangeability between visual analogue and verbal rating pain scales: a cross sectional description of pain etiology groups. <i>BMC Medical Research Methodology</i> , 2005, 5, 31.	3.1	122
23	Evaluation of variations in sensory and pain threshold assessments by electrocutaneous stimulation. <i>Physiotherapy Theory and Practice</i> , 2005, 21, 81-92.	1.3	38
24	Gender differences in electrical pain threshold responses to transcutaneous electrical nerve stimulation (TENS). <i>Neuroscience Letters</i> , 2005, 375, 75-80.	2.1	40
25	Non-parametric Evaluation of Memory Changes at Group and Individual Level Following Temporal Lobe Resection for Pharmaco-resistant Partial Epilepsy. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2004, 26, 943-954.	1.3	19
26	Why do parents hesitate to vaccinate their children against measles, mumps and rubella?. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2004, 93, 1232-1237.	1.5	5
27	Statistical methods for repeated qualitative assessments on scales. <i>International Journal of Audiology</i> , 2003, 42, 13-22.	1.7	16
28	Optic disc morphology may reveal timing of insult in children with periventricular leucomalacia and/or periventricular haemorrhage. <i>British Journal of Ophthalmology</i> , 2003, 87, 1345-1349.	3.9	54
29	Postnatal Serum Insulin-Like Growth Factor I Deficiency Is Associated With Retinopathy of Prematurity and Other Complications of Premature Birth. <i>Pediatrics</i> , 2003, 112, 1016-1020.	2.1	478
30	Health-Related Quality of Life in Pacemaker Patients: A Single and Multidimensional Self-Rated Health Comparison Study. <i>European Journal of Cardiovascular Nursing</i> , 2003, 2, 291-302.	0.9	7
31	Patient Acceptance of CT Colonography and Conventional Colonoscopy: Prospective Comparative Study in Patients with or Suspected of Having Colorectal Disease. <i>Radiology</i> , 2002, 222, 337-345.	7.3	209
32	Low Gestational Age Associated with Abnormal Retinal Vascularization and Increased Blood Pressure in Adult Women. <i>Pediatric Research</i> , 2002, 51, 675-680.	2.3	108
33	IGF-I Is Critical for Normal Vascularization of the Human Retina. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 3413-3416.	3.6	177
34	Evaluation of individual and group changes in social outcome after aneurysmal subarachnoid haemorrhage: a long-term follow-up study. <i>Journal of Rehabilitation Medicine</i> , 2002, 34, 251-259.	1.1	31
35	Progression of fibrosis in untreated patients with hepatitis C virus infection. <i>Liver</i> , 2002, 22, 136-144.	0.1	69
36	Moderate alcohol intake increases fibrosis progression in untreated patients with hepatitis C virus infection. <i>Journal of Viral Hepatitis</i> , 2002, 9, 235-241.	2.0	128

#	ARTICLE	IF	CITATIONS
37	Liver transplant recipients' ability to cope during the first 12 months after transplantation - a prospective study. <i>Scandinavian Journal of Caring Sciences</i> , 2002, 16, 345-352.	2.1	20
38	Large variability in Performance IQ associated with postnatal morbidity, and reduced Verbal IQ among school-aged children born preterm. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2002, 91, 1371-1378.	1.5	21
39	Low Gestational Age Associated with Abnormal Retinal Vascularization and Increased Blood Pressure in Adult Women. <i>Pediatric Research</i> , 2002, 51, 675-680.	2.3	9
40	IGF-1 Is Critical for Normal Vascularization of the Human Retina. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 3413-3416.	3.6	73
41	A Health Education Program for Elderly Persons With Visual Impairments and Perceived Security in the Performance of Daily Occupations: A Randomized Study. <i>American Journal of Occupational Therapy</i> , 2002, 56, 322-330.	0.3	44
42	Bowel wall visualisation at CT colonography. <i>Acta Radiologica</i> , 2002, 43, 87-95.	1.1	3
43	GUIDELINES TO STATISTICAL EVALUATION OF DATA FROM RATING SCALES AND QUESTIONNAIRES. <i>Journal of Rehabilitation Medicine</i> , 2001, 33, 47-48.	1.1	229
44	Development of an ADL instrument targeting elderly persons with age-related macular degeneration. <i>Disability and Rehabilitation</i> , 2001, 23, 69-79.	1.8	27
45	Construction of a global assessment scale of family function, using a questionnaire. <i>Social Work in Health Care</i> , 2001, 34, 131-142.	1.6	2
46	Astheno-emotional disorder after aneurysmal SAH: reliability, symptomatology and relation to outcome. <i>Acta Neurologica Scandinavica</i> , 2001, 103, 379-385.	2.1	34
47	Construction of a single global scale for multi-item assessments of the same variable. <i>Statistics in Medicine</i> , 2001, 20, 3831-3846.	1.6	67
48	Pain assessment in children with juvenile chronic arthritis: a matter of scaling and rater. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2001, 90, 1131-1136.	1.5	24
49	Concordance between ratings using different scales for the same variable. <i>Statistics in Medicine</i> , 2000, 19, 3483-3496.	1.6	76
50	Comparison of the Quality of Assessments Using Continuous and Discrete Ordinal Rating Scales. <i>Biometrical Journal</i> , 2000, 42, 417-434.	1.0	88
51	Ocular fundus abnormalities in children born before 29 weeks of gestation: A population-based study. <i>Eye</i> , 2000, 14, 324-329.	2.1	57
52	STANDARDIZED ULTRASOUND METHOD FOR ASSESSING DETRUSOR MUSCLE THICKNESS IN CHILDREN. <i>Journal of Urology</i> , 2000, 164, 134-138.	0.4	60
53	Parallel reliability of the Functional Independence Measure and the Barthel ADL index. <i>Disability and Rehabilitation</i> , 2000, 22, 702-715.	1.8	119
54	Visual function in school-aged children born before 29 weeks of gestation: a population-based study. <i>Developmental Medicine and Child Neurology</i> , 2000, 42, 100-105.	2.1	2

#	ARTICLE	IF	CITATIONS
55	Visual function in school-aged children born before 29 weeks of gestation: a population-based study. <i>Developmental Medicine and Child Neurology</i> , 2000, 42, 100-105.	2.1	56
56	Reduced Retinal Vascularization in Children with Growth Hormone Deficiency ¹ . <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 795-798.	3.6	65
57	The ADL Taxonomy - from Individual Categorical Data to Ordinal Categorical Data. <i>Scandinavian Journal of Occupational Therapy</i> , 1999, 6, 11-20.	1.7	63
58	The clinical and morphologic spectrum of optic nerve hypoplasia. <i>Journal of AAPOS</i> , 1999, 3, 212-220.	0.3	67
59	Diagnostic value of magnetic resonance imaging and planimetric measurement of optic disc size in confirming optic nerve hypoplasia. <i>Journal of AAPOS</i> , 1999, 3, 104-108.	0.3	23
60	Reduced Retinal Vascularization in Children with Growth Hormone Deficiency. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 795-798.	3.6	47
61	REPLY TO THE LETTER BY DICKSON & KÄHLER. <i>Journal of Rehabilitation Medicine</i> , 1999, 31, 125-128.	1.1	0
62	Ordinal invariant measures for individual and group changes in ordered categorical data. , 1998, 17, 2923-2936.		107
63	Fitting Age Related Reference Intervals to Ocular Axial Length in Children Using a Four-Parameter Curve Family. <i>Biometrical Journal</i> , 1998, 40, 281-293.	1.0	0
64	Optic disc size and retinal vessel characteristics in healthy children. <i>Acta Ophthalmologica</i> , 1998, 76, 260-267.	0.3	60
65	Abnormal retinal vascularisation in preterm children as a general vascular phenomenon. <i>Lancet</i> , The, 1998, 352, 1827.	13.7	36
66	Assessing Food Choice in School Children: Reliability and Construct Validity of a Method Stacking Food Photographs. <i>Appetite</i> , 1998, 30, 25-37.	3.7	8
67	Midline brain lesions in children with hormone insufficiency indicate early prenatal damage. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1998, 87, 528-536.	1.5	8
68	A Coefficient of Agreement Adjusted for Bias in Paired Ordered Categorical Data. <i>Biometrical Journal</i> , 1997, 39, 643-657.	1.0	27
69	Eye size in healthy Swedish children and in children with fetal alcohol syndrome. <i>Acta Ophthalmologica</i> , 1997, 75, 423-428.	0.3	26
70	Analysis of interobserver disagreement in the assessment of subarachnoid blood and acute hydrocephalus on CT scans. <i>Neurological Research</i> , 1996, 18, 487-494.	1.3	45
71	Assessing factors influencing food choice among 10-16-year-old schoolboys. A pilot study with a stacking box method. <i>Journal of Human Nutrition and Dietetics</i> , 1996, 9, 219-229.	2.5	16
72	Separation of systematic and random differences in ordinal rating scales. <i>Statistics in Medicine</i> , 1994, 13, 2437-2453.	1.6	49