

J Andrew Royle

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10579517/publications.pdf>

Version: 2024-02-01

175
papers

19,868
citations

13827

67
h-index

12233

133
g-index

189
all docs

189
docs citations

189
times ranked

10969
citing authors

#	ARTICLE	IF	CITATIONS
1	ESTIMATING SITE OCCUPANCY RATES WHEN DETECTION PROBABILITIES ARE LESS THAN ONE. <i>Ecology</i> , 2002, 83, 2248-2255.	1.5	3,271
2	N-Mixture Models for Estimating Population Size from Spatially Replicated Counts. <i>Biometrics</i> , 2004, 60, 108-115.	0.8	1,170
3	ESTIMATING ABUNDANCE FROM REPEATED PRESENCE-ABSENCE DATA OR POINT COUNTS. <i>Ecology</i> , 2003, 84, 777-790.	1.5	1,013
4	Designing occupancy studies: general advice and allocating survey effort. <i>Journal of Applied Ecology</i> , 2005, 42, 1105-1114.	1.9	1,001
5	Presence-only modelling using MAXENT : when can we trust the inferences?. <i>Methods in Ecology and Evolution</i> , 2013, 4, 236-243.	2.2	537
6	Estimating Size and Composition of Biological Communities by Modeling the Occurrence of Species. <i>Journal of the American Statistical Association</i> , 2005, 100, 389-398.	1.8	416
7	ESTIMATING SPECIES RICHNESS AND ACCUMULATION BY MODELING SPECIES OCCURRENCE AND DETECTABILITY. <i>Ecology</i> , 2006, 87, 842-854.	1.5	362
8	Likelihood analysis of species occurrence probability from presence-only data for modelling species distributions. <i>Methods in Ecology and Evolution</i> , 2012, 3, 545-554.	2.2	349
9	A BAYESIAN STATE-SPACE FORMULATION OF DYNAMIC OCCUPANCY MODELS. <i>Ecology</i> , 2007, 88, 1813-1823.	1.5	345
10	A HIERARCHICAL MODEL FOR SPATIAL CAPTURE-RECAPTURE DATA. <i>Ecology</i> , 2008, 89, 2281-2289.	1.5	344
11	GENERALIZED SITE OCCUPANCY MODELS ALLOWING FOR FALSE POSITIVE AND FALSE NEGATIVE ERRORS. <i>Ecology</i> , 2006, 87, 835-841.	1.5	300
12	Scaling up camera traps: monitoring the planet's biodiversity with networks of remote sensors. <i>Frontiers in Ecology and the Environment</i> , 2017, 15, 26-34.	1.9	287
13	Modelling occurrence and abundance of species when detection is imperfect. <i>Oikos</i> , 2005, 110, 353-359.	1.2	282
14	Impacts of forest fragmentation on species richness: a hierarchical approach to community modelling. <i>Journal of Applied Ecology</i> , 2009, 46, 815-822.	1.9	270
15	MODELING AVIAN ABUNDANCE FROM REPLICATED COUNTS USING BINOMIAL MIXTURE MODELS. , 2005, 15, 1450-1461.		267
16	Bayesian inference in camera trapping studies for a class of spatial capture-recapture models. <i>Ecology</i> , 2009, 90, 3233-3244.	1.5	261
17	Spatially explicit models for inference about density in unmarked or partially marked populations. <i>Annals of Applied Statistics</i> , 2013, 7, .	0.5	249
18	Making Great Leaps Forward: Accounting for Detectability in Herpetological Field Studies. <i>Journal of Herpetology</i> , 2007, 41, 672-689.	0.2	247

#	ARTICLE	IF	CITATIONS
19	Analysis of Multinomial Models With Unknown Index Using Data Augmentation. <i>Journal of Computational and Graphical Statistics</i> , 2007, 16, 67-85.	0.9	243
20	MODELING ABUNDANCE EFFECTS IN DISTANCE SAMPLING. <i>Ecology</i> , 2004, 85, 1591-1597.	1.5	236
21	Multi-species occurrence models to evaluate the effects of conservation and management actions. <i>Biological Conservation</i> , 2010, 143, 479-484.	1.9	232
22	A hierarchical model for estimating density in camera-trap studies. <i>Journal of Applied Ecology</i> , 2009, 46, 118-127.	1.9	198
23	Trend estimation in populations with imperfect detection. <i>Journal of Applied Ecology</i> , 2009, 46, 1163-1172.	1.9	198
24	Mixture Models for Estimating the Size of a Closed Population When Capture Rates Vary among Individuals. <i>Biometrics</i> , 2003, 59, 351-364.	0.8	195
25	Inference about density and temporary emigration in unmarked populations. <i>Ecology</i> , 2011, 92, 1429-1435.	1.5	170
26	Modeling Individual Effects in the Cormack-Jolly-Seber Model: A State-Space Formulation. <i>Biometrics</i> , 2008, 64, 364-370.	0.8	165
27	Spatially explicit inference for open populations: estimating demographic parameters from camera-trap studies. <i>Ecology</i> , 2010, 91, 3376-3383.	1.5	162
28	HIERARCHICAL SPATIAL MODELS OF ABUNDANCE AND OCCURRENCE FROM IMPERFECT SURVEY DATA. <i>Ecological Monographs</i> , 2007, 77, 465-481.	2.4	152
29	Estimating true instead of apparent survival using spatial Cormack-Jolly-Seber models. <i>Methods in Ecology and Evolution</i> , 2014, 5, 1316-1326.	2.2	147
30	Multiresolution models for nonstationary spatial covariance functions. <i>Statistical Modelling</i> , 2002, 2, 315-331.	0.5	143
31	Site Occupancy Models with Heterogeneous Detection Probabilities. <i>Biometrics</i> , 2006, 62, 97-102.	0.8	143
32	Parameter-expanded data augmentation for Bayesian analysis of capture-recapture models. <i>Journal of Ornithology</i> , 2012, 152, 521-537.	0.5	140
33	Sexual selection affects local extinction and turnover in bird communities. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 5858-5862.	3.3	139
34	Hierarchical models of animal abundance and occurrence. <i>Journal of Agricultural, Biological, and Environmental Statistics</i> , 2006, 11, 249-263.	0.7	131
35	Trap Configuration and Spacing Influences Parameter Estimates in Spatial Capture-Recapture Models. <i>PLoS ONE</i> , 2014, 9, e88025.	1.1	131
36	Site Occupancy Distribution Modeling to Correct Population Trend Estimates Derived from Opportunistic Observations. <i>Conservation Biology</i> , 2010, 24, 1388-1397.	2.4	130

#	ARTICLE	IF	CITATIONS
37	Modeling the effects of environmental disturbance on wildlife communities: avian responses to prescribed fire. <i>Ecological Applications</i> , 2009, 19, 1253-1263.	1.8	126
38	Estimating Black Bear Density Using DNA Data From Hair Snares. <i>Journal of Wildlife Management</i> , 2010, 74, 318-325.	0.7	124
39	Integrating resource selection information with spatial capture-recapture. <i>Methods in Ecology and Evolution</i> , 2013, 4, 520-530.	2.2	124
40	Program <scp>SPACECAP</scp>: software for estimating animal density using spatially explicit capture-recapture models. <i>Methods in Ecology and Evolution</i> , 2012, 3, 1067-1072.	2.2	114
41	Species Co-Occurrence. , 2018, , 509-556.		113
42	Unifying population and landscape ecology with spatial capture-recapture. <i>Ecography</i> , 2018, 41, 444-456.	2.1	109
43	Species richness and occupancy estimation in communities subject to temporary emigration. <i>Ecology</i> , 2009, 90, 1279-1290.	1.5	105
44	Modelling non-Euclidean movement and landscape connectivity in highly structured ecological networks. <i>Methods in Ecology and Evolution</i> , 2015, 6, 169-177.	2.2	104
45	Hierarchical distance-sampling models to estimate population size and habitat-specific abundance of an island endemic. <i>Ecological Applications</i> , 2012, 22, 1997-2006.	1.8	103
46	Estimating landscape resistance to dispersal. <i>Landscape Ecology</i> , 2014, 29, 1201-1211.	1.9	103
47	A Hierarchical Approach to Multivariate Spatial Modeling and Prediction. <i>Journal of Agricultural, Biological, and Environmental Statistics</i> , 1999, 4, 29.	0.7	99
48	Estimating abundance of mountain lions from unstructured spatial sampling. <i>Journal of Wildlife Management</i> , 2012, 76, 1551-1561.	0.7	96
49	Examining the occupancy-density relationship for a low-density carnivore. <i>Journal of Applied Ecology</i> , 2017, 54, 2043-2052.	1.9	96
50	Models for inference in dynamic metacommunity systems. <i>Ecology</i> , 2010, 91, 2466-2475.	1.5	95
51	Hierarchical modeling of an invasive spread: the Eurasian Collared-Dove <i>Streptopelia decaocto</i> in the United States. , 2011, 21, 290-302.		95
52	Spatial capture-recapture models for jointly estimating population density and landscape connectivity. <i>Ecology</i> , 2013, 94, 287-294.	1.5	91
53	A hierarchical model combining distance sampling and time removal to estimate detection probability during avian point counts. <i>Auk</i> , 2014, 131, 476-494.	0.7	91
54	Hierarchical models for estimating density from DNA mark-recapture studies. <i>Ecology</i> , 2009, 90, 1106-1115.	1.5	88

#	ARTICLE	IF	CITATIONS
55	Biodiversity of man-made open habitats in an underused country: a class of multispecies abundance models for count data. <i>Biodiversity and Conservation</i> , 2012, 21, 1365-1380.	1.2	87
56	Accounting for non-independent detection when estimating abundance of organisms with a Bayesian approach. <i>Methods in Ecology and Evolution</i> , 2011, 2, 595-601.	2.2	86
57	Current approaches using genetic distances produce poor estimates of landscape resistance to interindividual dispersal. <i>Molecular Ecology</i> , 2013, 22, 3888-3903.	2.0	86
58	Modeling Abundance Index Data from Anuran Calling Surveys. <i>Conservation Biology</i> , 2004, 18, 1378-1385.	2.4	85
59	ESTIMATING SITE OCCUPANCY AND ABUNDANCE USING INDIRECT DETECTION INDICES. <i>Journal of Wildlife Management</i> , 2005, 69, 874-883.	0.7	85
60	Hierarchical modelling and estimation of abundance and population trends in metapopulation designs. <i>Journal of Animal Ecology</i> , 2010, 79, 453-461.	1.3	84
61	Analysis of Capture-Recapture Models with Individual Covariates Using Data Augmentation. <i>Biometrics</i> , 2009, 65, 267-274.	0.8	83
62	Spatial capture-recapture models allowing Markovian transience or dispersal. <i>Population Ecology</i> , 2016, 58, 53-62.	0.7	82
63	Modeling structured population dynamics using data from unmarked individuals. <i>Ecology</i> , 2014, 95, 22-29.	1.5	80
64	Density estimation in a wolverine population using spatial capture-recapture models. <i>Journal of Wildlife Management</i> , 2011, 75, 604-611.	0.7	79
65	Hierarchical Spatiotemporal Matrix Models for Characterizing Invasions. <i>Biometrics</i> , 2007, 63, 558-567.	0.8	78
66	Use of Spatial Capture-Recapture Modeling and DNA Data to Estimate Densities of Elusive Animals. <i>Conservation Biology</i> , 2010, 25, no-no.	2.4	77
67	Density estimation in tiger populations: combining information for strong inference. <i>Ecology</i> , 2012, 93, 1741-1751.	1.5	77
68	A GENERAL CLASS OF MULTINOMIAL MIXTURE MODELS FOR ANURAN CALLING SURVEY DATA. <i>Ecology</i> , 2005, 86, 2505-2512.	1.5	75
69	Migratory behavior and winter geography drive differential range shifts of eastern birds in response to recent climate change. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 12897-12903.	3.3	74
70	Modelling community dynamics based on species-level abundance models from detection/nondetection data. <i>Journal of Applied Ecology</i> , 2011, 48, 67-75.	1.9	73
71	Population Influences on Tornado Reports in the United States. <i>Weather and Forecasting</i> , 2007, 22, 571-579.	0.5	72
72	EXPERIMENTAL LEAD POISONING IN TURKEY VULTURES (CATHARTES AURA). <i>Journal of Wildlife Diseases</i> , 2003, 39, 96-104.	0.3	71

#	ARTICLE	IF	CITATIONS
73	Spatial capture–recapture with partial identity: An application to camera traps. <i>Annals of Applied Statistics</i> , 2018, 12, .	0.5	70
74	Estimating and forecasting spatial population dynamics of apex predators using transnational genetic monitoring. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 30531-30538.	3.3	70
75	Efficient statistical mapping of avian count data. <i>Environmental and Ecological Statistics</i> , 2005, 12, 225-243.	1.9	67
76	A framework for inference about carnivore density from unstructured spatial sampling of scat using detector dogs. <i>Journal of Wildlife Management</i> , 2012, 76, 863-871.	0.7	66
77	Density, distribution, and genetic structure of grizzly bears in the Cabinet–Yaak Ecosystem. <i>Journal of Wildlife Management</i> , 2016, 80, 314-331.	0.7	66
78	Inference About Species Richness and Community Structure Using Species-Specific Occupancy Models in the National Swiss Breeding Bird Survey MHB. , 2009, , 639-656.		60
79	Estimating population density and connectivity of American mink using spatial capture–recapture. <i>Ecological Applications</i> , 2016, 26, 1125-1135.	1.8	60
80	oSCR: a spatial capture–recapture R package for inference about spatial ecological processes. <i>Ecography</i> , 2019, 42, 1459-1469.	2.1	57
81	Use of spatial capture–recapture to estimate density of Andean bears in northern Ecuador. <i>Ursus</i> , 2017, 28, 117.	0.3	56
82	Living on the edge: Opportunities for Amur tiger recovery in China. <i>Biological Conservation</i> , 2018, 217, 269-279.	1.9	56
83	LEAD POISONING IN CAPTIVE ANDEAN CONDORS (<i>VULTUR GRYPHUS</i>). <i>Journal of Wildlife Diseases</i> , 2006, 42, 772-779.	0.3	54
84	Management decision making for fisher populations informed by occupancy modeling. <i>Journal of Wildlife Management</i> , 2016, 80, 794-802.	0.7	52
85	Using bear rub data and spatial capture-recapture models to estimate trend in a brown bear population. <i>Scientific Reports</i> , 2019, 9, 16804.	1.6	52
86	Spatial capture–recapture models for search–encounter data. <i>Methods in Ecology and Evolution</i> , 2011, 2, 602-611.	2.2	48
87	Modeling spatial variation in avian survival and residency probabilities. <i>Ecology</i> , 2010, 91, 1885-1891.	1.5	47
88	Incorporating Imperfect Detection into Joint Models of Communities: A response to Warton et al.. <i>Trends in Ecology and Evolution</i> , 2016, 31, 736-737.	4.2	45
89	An integrated population model for bird monitoring in North America. <i>Ecological Applications</i> , 2017, 27, 916-924.	1.8	45
90	Study of biological communities subject to imperfect detection: bias and precision of community mixture abundance models in small–sample situations. <i>Ecological Research</i> , 2016, 31, 289-305.	0.7	44

#	ARTICLE	IF	CITATIONS
91	Spatial capture–recapture for categorically marked populations with an application to genetic capture–recapture. <i>Ecosphere</i> , 2019, 10, e02627.	1.0	43
92	An open–population hierarchical distance sampling model. <i>Ecology</i> , 2015, 96, 325-331.	1.5	42
93	Dynamic design of ecological monitoring networks for non-Gaussian spatio-temporal data. <i>Environmetrics</i> , 2005, 16, 507-522.	0.6	40
94	Incorporating citizen science data in spatially explicit integrated population models. <i>Ecology</i> , 2019, 100, e02777.	1.5	40
95	Demographic Analysis from Summaries of an Age–structured Population. <i>Biometrics</i> , 2003, 59, 778-785.	0.8	39
96	A hierarchical nest survival model integrating incomplete temporally varying covariates. <i>Ecology and Evolution</i> , 2013, 3, 4439-4447.	0.8	39
97	Hierarchical spatial capture–recapture models: modelling population density in stratified populations. <i>Methods in Ecology and Evolution</i> , 2014, 5, 37-43.	2.2	38
98	Estimating Population Size for Capercaillie (<i>Tetrao urogallus</i> L.) with Spatial Capture-Recapture Models Based on Genotypes from One Field Sample. <i>PLoS ONE</i> , 2015, 10, e0129020.	1.1	37
99	RESEARCH NOTES: THE EFFECT OF REWARD BAND VALUE ON MID-CENTRAL MALLARD BAND REPORTING RATES. <i>Journal of Wildlife Management</i> , 2005, 69, 800-804.	0.7	35
100	Consequences of ignoring group association in spatial capture–recapture analysis. <i>Wildlife Biology</i> , 2020, 2020, .	0.6	35
101	Genetic tagging in the Anthropocene: scaling ecology from alleles to ecosystems. <i>Ecological Applications</i> , 2019, 29, e01876.	1.8	34
102	Model-based estimators of density and connectivity to inform conservation of spatially structured populations. <i>Ecosphere</i> , 2017, 8, e01623.	1.0	34
103	Explaining Local-Scale Species Distributions: Relative Contributions of Spatial Autocorrelation and Landscape Heterogeneity for an Avian Assemblage. <i>PLoS ONE</i> , 2013, 8, e55097.	1.1	33
104	Likelihood analysis of spatial capture-recapture models for stratified or class structured populations. <i>Ecosphere</i> , 2015, 6, art22.	1.0	32
105	Estimating species–area relationships by modeling abundance and frequency subject to incomplete sampling. <i>Ecology and Evolution</i> , 2016, 6, 4836-4848.	0.8	32
106	Population Size and Stopover Duration Estimation Using Mark–Resight Data and Bayesian Analysis of a Superpopulation Model. <i>Biometrics</i> , 2016, 72, 262-271.	0.8	32
107	Random effects and shrinkage estimation in capture-recapture models. <i>Journal of Applied Statistics</i> , 2002, 29, 329-351.	0.6	30
108	Inferences about population dynamics from count data using multistate models: a comparison to capture–recapture approaches. <i>Ecology and Evolution</i> , 2014, 4, 417-426.	0.8	30

#	ARTICLE	IF	CITATIONS
109	Integrated modeling predicts shifts in waterbird population dynamics under climate change. <i>Ecography</i> , 2019, 42, 1470-1481.	2.1	30
110	Using partial aggregation in spatial capture recapture. <i>Methods in Ecology and Evolution</i> , 2018, 9, 1896-1907.	2.2	29
111	Hierarchical Spatial Capture-Recapture Models for Estimating Density from Trapping Arrays. , 2011, , 163-190.		29
112	Modelling predation by transient leopard seals for an ecosystem-based management of Southern Ocean fisheries. <i>Ecological Modelling</i> , 2009, 220, 1513-1521.	1.2	28
113	Eco-evolutionary rescue promotes host-pathogen coexistence. <i>Ecological Applications</i> , 2018, 28, 1948-1962.	1.8	28
114	Population Size of Snowy Plovers Breeding in North America. <i>Waterbirds</i> , 2012, 35, 1-14.	0.2	27
115	Importance of sampling design and analysis in animal population studies: a comment on Sergio <i>et al.</i> . <i>Journal of Applied Ecology</i> , 2008, 45, 981-986.	1.9	26
116	A hierarchical model for spatial capture-recapture data: comment. <i>Ecology</i> , 2011, 92, 526-528.	1.5	25
117	Estimating migratory connectivity of birds when re-encounter probabilities are heterogeneous. <i>Ecology and Evolution</i> , 2014, 4, 1659-1670.	0.8	25
118	Modeling Spatial Variation in Waterfowl Band-Recovery Data. <i>Journal of Wildlife Management</i> , 2001, 65, 726.	0.7	22
119	Large-scale variation in density of an aquatic ecosystem indicator species. <i>Scientific Reports</i> , 2018, 8, 8958.	1.6	22
120	Spatial proximity moderates genotype uncertainty in genetic tagging studies. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 17903-17912.	3.3	22
121	Estimating Population Trends With a Linear Model: Technical Comments. <i>Condor</i> , 2004, 106, 435-440.	0.7	21
122	ESTIMATING POPULATION TRENDS WITH A LINEAR MODEL: TECHNICAL COMMENTS. <i>Condor</i> , 2004, 106, 435.	0.7	21
123	Integrating occurrence and detectability patterns based on interview data: a case study for threatened mammals in Equatorial Guinea. <i>Scientific Reports</i> , 2016, 6, 33838.	1.6	21
124	Accounting for imperfect detection of groups and individuals when estimating abundance. <i>Ecology and Evolution</i> , 2017, 7, 7304-7310.	0.8	21
125	Optimal sampling design for spatial capture-recapture. <i>Ecology</i> , 2021, 102, e03262.	1.5	21
126	USING THE NORTH AMERICAN BREEDING BIRD SURVEY AS A TOOL FOR CONSERVATION: A CRITIQUE OF BART ET AL. (2004). <i>Journal of Wildlife Management</i> , 2005, 69, 1321-1326.	0.7	20

#	ARTICLE	IF	CITATIONS
127	Modeling spatially and temporally complex range dynamics when detection is imperfect. <i>Scientific Reports</i> , 2019, 9, 12805.	1.6	20
128	Community distance sampling models allowing for imperfect detection and temporary emigration. <i>Ecosphere</i> , 2017, 8, e02028.	1.0	18
129	Reserve design to optimize functional connectivity and animal density. <i>Conservation Biology</i> , 2019, 33, 1023-1034.	2.4	18
130	Assessing hypotheses about nesting site occupancy dynamics. <i>Ecology</i> , 2011, 92, 938-951.	1.5	17
131	Acoustic space occupancy: Combining ecoacoustics and lidar to model biodiversity variation and detection bias across heterogeneous landscapes. <i>Ecological Indicators</i> , 2020, 113, 106172.	2.6	17
132	Spatial capture-recapture with random thinning for unidentified encounters. <i>Ecology and Evolution</i> , 2021, 11, 1187-1198.	0.8	17
133	Bayesian analysis of multi-state data with individual covariates for estimating genetic effects on demography. <i>Journal of Ornithology</i> , 2012, 152, 561-572.	0.5	16
134	Band reporting probabilities for mallards recovered in the United States and Canada. <i>Journal of Wildlife Management</i> , 2013, 77, 1059-1066.	0.7	16
135	Spatially explicit dynamic N-mixture models. <i>Population Ecology</i> , 2017, 59, 293-300.	0.7	16
136	DISTRIBUTION, ABUNDANCE, AND HABITAT AFFINITIES OF THE COASTAL PLAIN SWAMP SPARROW. <i>The Wilson Bulletin</i> , 2003, 115, 38-44.	0.5	15
137	Rejoinder to "The Performance of Mixture Models in Heterogeneous Closed Population Capture-Recapture". <i>Biometrics</i> , 2005, 61, 874-876.	0.8	15
138	Large-scale monitoring of shorebird populations using count data and N-mixture models: Black Oystercatcher (<i>Haematopus bachmani</i>) surveys by land and sea. <i>Auk</i> , 2012, 129, 645-652.	0.7	15
139	Comparing spatial capture-recapture modeling and nest count methods to estimate orangutan densities in the Wehea Forest, East Kalimantan, Indonesia. <i>Biological Conservation</i> , 2015, 191, 185-193.	1.9	15
140	Modelling sound attenuation in heterogeneous environments for improved bioacoustic sampling of wildlife populations. <i>Methods in Ecology and Evolution</i> , 2018, 9, 1939-1947.	2.2	14
141	Dynamic N-mixture models with temporal variability in detection probability. <i>Ecological Modelling</i> , 2019, 393, 20-24.	1.2	14
142	Integrating side-scan sonar and acoustic telemetry to estimate the annual spawning run size of Atlantic sturgeon in the Hudson River. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2020, 77, 1038-1048.	0.7	13
143	Spatial modeling of survival and residency and application to the Monitoring Avian Productivity and Survivorship program. <i>Journal of Ornithology</i> , 2012, 152, 469-476.	0.5	12
144	Balancing Precision and Risk: Should Multiple Detection Methods Be Analyzed Separately in N-Mixture Models?. <i>PLoS ONE</i> , 2012, 7, e49410.	1.1	11

#	ARTICLE	IF	CITATIONS
145	Hierarchical modeling of cluster size in wildlife surveys. <i>Journal of Agricultural, Biological, and Environmental Statistics</i> , 2008, 13, 23-36.	0.7	10
146	Markov models for community dynamics allowing for observation error. <i>Ecology</i> , 2013, 94, 2670-2677.	1.5	10
147	Model-based approaches to deal with detectability: a comment on Hutto (2016a). <i>Ecological Applications</i> , 2017, 27, 1694-1698.	1.8	10
148	Observer-free experimental evaluation of habitat and distance effects on the detection of anuran and bird vocalizations. <i>Ecology and Evolution</i> , 2018, 8, 12991-13003.	0.8	10
149	Fundamental Principles of Statistical Inference. , 2018, , 71-111.		9
150	Dealing with incomplete and variable detectability in multi-year, multi-site monitoring of ecological populations. , 2012, , 426-442.		8
151	Population abundance, size structure and sex-ratio in an insular lizard. <i>Ecological Modelling</i> , 2013, 267, 39-47.	1.2	8
152	Occupancy in Community-Level Studies. , 2018, , 557-583.		7
153	Concepts: Assessing Tiger Population Dynamics Using Capture-Recapture Sampling. , 2017, , 163-189.		5
154	Occupancy Applications. , 2018, , 27-70.		5
155	Spatial Modeling of Wetland Condition in the U.S. Prairie Pothole Region. <i>Biometrics</i> , 2002, 58, 270-279.	0.8	4
156	Reply to Efford on "Integrating resource selection information with spatial capture-recapture". <i>Methods in Ecology and Evolution</i> , 2014, 5, 603-605.	2.2	4
157	Basic Presence/Absence Situation. , 2018, , 115-215.		4
158	Design of Single-Season Occupancy Studies. , 2018, , 439-476.		4
159	Leveraging community science data for population assessments during a pandemic. <i>Ecological Applications</i> , 2022, 32, e2529.	1.8	4
160	Modeling spatiotemporal abundance and movement dynamics using an integrated spatial capture-recapture movement model. <i>Ecology</i> , 2022, 103, .	1.5	4
161	Inference for finite-sample trajectories in dynamic multi-state site-occupancy models using hidden Markov model smoothing. <i>Environmental and Ecological Statistics</i> , 2014, 21, 313-328.	1.9	3
162	Extensions to Basic Approaches. , 2018, , 243-311.		3

#	ARTICLE	IF	CITATIONS
163	Occupancy Patterns of Breeding American Black Ducks. <i>Journal of Wildlife Management</i> , 2020, 84, 150-160.	0.7	3
164	Movement-assisted localization from acoustic telemetry data. <i>Movement Ecology</i> , 2020, 8, 15.	1.3	3
165	Estimating species misclassification with occupancy dynamics and encounter rates: A semi-supervised, individual-level approach. <i>Methods in Ecology and Evolution</i> , 2022, 13, 1528-1539.	2.2	3
166	Estimating population density and connectivity of American mink using spatial capture-recapture. , 2015, , .		2
167	Basic Presence/Absence Situation. , 2018, , 341-375.		2
168	More than Two Occupancy States. , 2018, , 377-397.		2
169	Small mammal use of native warm-season and non-native cool-season grass forage fields. <i>Wildlife Society Bulletin</i> , 2015, 39, 49-55.	1.6	1
170	Concepts and Practices: Estimating Abundance of Prey Species Using Hierarchical Model-Based Approaches. , 2017, , 137-162.		1
171	Estimating occupancy from autonomous recording unit data in the presence of misclassifications and detection heterogeneity. <i>Methods in Ecology and Evolution</i> , 2022, 13, 1719-1729.	2.2	1
172	A multistate dynamic site occupancy model for spatially aggregated sessile communities. <i>Methods in Ecology and Evolution</i> , 2017, 8, 757-767.	2.2	0
173	Beyond Two Occupancy States. , 2018, , 217-241.		0
174	Modeling Heterogeneous Detection Probabilities. , 2018, , 313-338.		0
175	Multiple-Season Study Design. , 2018, , 477-486.		0