Peter Selby

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10588847/publications.pdf

Version: 2024-02-01

66911 109321 6,449 91 35 78 h-index citations g-index papers 93 93 93 8460 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Neonatal Abstinence Syndrome after Methadone or Buprenorphine Exposure. New England Journal of Medicine, 2010, 363, 2320-2331.	27.0	855
2	Hypertension Canada's 2018 Guidelines for Diagnosis, Risk Assessment, Prevention, and Treatment of Hypertension in Adults and Children. Canadian Journal of Cardiology, 2018, 34, 506-525.	1.7	474
3	The 2015 Canadian Hypertension Education Program Recommendations for Blood Pressure Measurement, Diagnosis, Assessment of Risk, Prevention, and Treatment of Hypertension. Canadian Journal of Cardiology, 2015, 31, 549-568.	1.7	431
4	Hypertension Canada's 2016 Canadian Hypertension Education Program Guidelines for Blood Pressure Measurement, Diagnosis, Assessment of Risk, Prevention, and Treatment of Hypertension. Canadian Journal of Cardiology, 2016, 32, 569-588.	1.7	400
5	Estimating the number of quit attempts it takes to quit smoking successfully in a longitudinal cohort of smokers. BMJ Open, 2016, 6, e011045.	1.9	308
6	Management of opioid use disorders: a national clinical practice guideline. Cmaj, 2018, 190, E247-E257.	2.0	297
7	Methods for Quantification of Exposure to Cigarette Smoking and Environmental Tobacco Smoke: Focus on Developmental Toxicology. Therapeutic Drug Monitoring, 2009, 31, 14-30.	2.0	271
8	Hypertension Canada's 2017 Guidelines for Diagnosis, Risk Assessment, Prevention, and Treatment of Hypertension in Adults. Canadian Journal of Cardiology, 2017, 33, 557-576.	1.7	269
9	Unintended pregnancy in opioid-abusing women. Journal of Substance Abuse Treatment, 2011, 40, 199-202.	2.8	227
10	The 2014 Canadian Hypertension Education Program Recommendations for Blood Pressure Measurement, Diagnosis, Assessment of Risk, Prevention, and TreatmentÂof Hypertension. Canadian Journal of Cardiology, 2014, 30, 485-501.	1.7	221
11	Usage and Longitudinal Effectiveness of a Web-Based Self-Help Cognitive Behavioral Therapy Program for Panic Disorder. Journal of Medical Internet Research, 2005, 7, e7.	4.3	184
12	Treatment of opioid-dependent pregnant women: Clinical and research issues. Journal of Substance Abuse Treatment, 2008, 35, 245-259.	2.8	164
13	Higher Binding of the Dopamine D ₃ Receptor-Preferring Ligand [¹¹ C]-(+)-Propyl-Hexahydro-Naphtho-Oxazin in Methamphetamine Polydrug Users: A Positron Emission Tomography Study. Journal of Neuroscience, 2012, 32, 1353-1359.	3.6	152
14	Buprenorphine treatment of opioidâ€dependent pregnant women: a comprehensive review. Addiction, 2012, 107, 5-27.	3.3	151
15	Heightened D3 Dopamine Receptor Levels in Cocaine Dependence and Contributions to the Addiction Behavioral Phenotype: A Positron Emission Tomography Study with [11C]-(+)-PHNO. Neuropsychopharmacology, 2014, 39, 311-318.	5.4	99
16	Nabiximols combined with motivational enhancement/cognitive behavioral therapy for the treatment of cannabis dependence: A pilot randomized clinical trial. PLoS ONE, 2018, 13, e0190768.	2.5	88
17	Increased Vesicular Monoamine Transporter Binding during Early Abstinence In Human Methamphetamine Users: Is VMAT2 a Stable Dopamine Neuron Biomarker?. Journal of Neuroscience, 2008, 28, 9850-9856.	3.6	86
18	A Perioperative Smoking Cessation Intervention with Varenicline. Anesthesiology, 2012, 117, 755-764.	2.5	83

#	Article	IF	CITATIONS
19	<scp>M</scp> aternal <scp>O</scp> pioid <scp>T</scp> reatment: <scp>H</scp> uman <scp>E</scp> xperimental <scp>R</scp> esearch (<scp>MOTHER</scp>)â€"approach, issues and lessons learned. Addiction, 2012, 107, 28-35.	3.3	74
20	Effects of fixed or self-titrated dosages of Sativex on cannabis withdrawal and cravings. Drug and Alcohol Dependence, 2016, 161, 298-306.	3.2	70
21	Methadone: a review of drug-drug and pathophysiological interactions. Critical Reviews in Clinical Laboratory Sciences, 2011, 48, 171-195.	6.1	66
22	Reference Values for Hair Cotinine as a Biomarker of Active and Passive Smoking in Women of Reproductive Age, Pregnant Women, Children, and Neonates: Systematic Review and Meta-Analysis. Therapeutic Drug Monitoring, 2007, 29, 437-446.	2.0	64
23	Methadone-Nicotine Interactions in Methadone Maintenance Treatment Patients. Journal of Clinical Psychopharmacology, 2009, 29, 231-238.	1.4	61
24	Second-Hand Smoke As a Predictor of Smoking Cessation Among Lung Cancer Survivors. Journal of Clinical Oncology, 2014, 32, 564-570.	1.6	59
25	Management of Acute Postpartum Pain in Patients Maintained on Methadone or Buprenorphine During Pregnancy. American Journal of Drug and Alcohol Abuse, 2009, 35, 151-156.	2.1	58
26	Patterns, perceptions, and perceived barriers to physical activity in adult cancer survivors. Supportive Care in Cancer, 2018, 26, 3755-3763.	2.2	57
27	Elevation of Dopamine Induced by Cigarette Smoking: Novel Insights from a [11C]-(+)-PHNO PET Study in Humans. Neuropsychopharmacology, 2014, 39, 415-424.	5.4	54
28	Superusers in Social Networks for Smoking Cessation: Analysis of Demographic Characteristics and Posting Behavior From the Canadian Cancer Society's Smokers' Helpline Online and StopSmokingCenter.net. Journal of Medical Internet Research, 2012, 14, e66.	4.3	53
29	Psychopharmacologic Management of Opioid-Dependent Women during Pregnancy. American Journal on Addictions, 2009, 18, 148-156.	1.4	52
30	Effectiveness of pharmacist counseling combined with nicotine replacement therapy: a pragmatic randomized trial with 6,987 smokers. Cancer Causes and Control, 2011, 22, 167-180.	1.8	46
31	Effect of Mailing Nicotine Patches on Tobacco Cessation Among Adult Smokers. JAMA Internal Medicine, 2016, 176, 184.	5.1	41
32	Canadian Cardiovascular Harmonized National Guidelines Endeavour (C-CHANGE) guideline for the prevention and management of cardiovascular disease in primary care: 2018 update. Cmaj, 2018, 190, E1192-E1206.	2.0	39
33	Atypical antipsychotics and effects on feeding: from mice to men. Psychopharmacology, 2016, 233, 2629-2653.	3.1	38
34	Concurrent E-Cigarette Use During Tobacco Dependence Treatment in Primary Care Settings: Association With Smoking Cessation at Three and Six Months. Nicotine and Tobacco Research, 2017, 19, 183-189.	2.6	36
35	The acceptability of physical activity programming within a smoking cessation service for individuals with severe mental illness. Patient Education and Counseling, 2007, 66, 123-126.	2.2	35
36	A Tobacco Reconceptualization in Psychiatry: Toward the Development of Tobaccoâ€Free Psychiatric Facilities. American Journal on Addictions, 2010, 19, 293-311.	1.4	35

#	Article	IF	CITATIONS
37	Do components of current †hardcore smoker†definitions predict quitting behaviour?. Addiction, 2012, 107, 434-440.	3.3	35
38	Perceptions of Continued Smoking and Smoking Cessation Among Patients With Cancer. Journal of Oncology Practice, 2018, 14, e269-e279.	2.5	35
39	Using E-Health Programs to Overcome Barriers to the Effective Treatment of Mental Health and Addiction Problems. Journal of Technology in Human Services, 2009, 27, 5-22.	1.6	33
40	Cardiovascular and Neuropsychiatric Events after Varenicline Use for Smoking Cessation. American Journal of Respiratory and Critical Care Medicine, 2018, 197, 913-922.	5.6	33
41	Changing practitioner behavior and building capacity in tobacco cessation treatment: The TEACH project. Patient Education and Counseling, 2012, 86, 49-56.	2.2	32
42	Sativex Associated With Behavioral-Relapse Prevention Strategy as Treatment for Cannabis Dependence. Journal of Addiction Medicine, 2016, 10, 274-279.	2.6	32
43	Duration of Nicotine Replacement Therapy Use and Smoking Cessation: A Population-Based Longitudinal Study. American Journal of Epidemiology, 2015, 181, 513-520.	3.4	30
44	Lifestyle Behaviors in Elderly Cancer Survivors: A Comparison With Middle-Age Cancer Survivors. Journal of Oncology Practice, 2015, 11, e450-e459.	2.5	27
45	A Perioperative Smoking Cessation Intervention With Varenicline, Counseling, and Fax Referral to a Telephone Quitline Versus a Brief Intervention: A Randomized Controlled Trial. Anesthesia and Analgesia, 2017, 125, 571-579.	2.2	27
46	Tobacco-Nicotine Education and Training for Health-Care Professional Students and Practitioners: A Systematic Review. Nicotine and Tobacco Research, 2018, 20, 531-542.	2.6	26
47	Individualized smoking cessation treatment in an outpatient setting: Predictors of outcome in a sample with psychiatric and addictions co-morbidity. Addictive Behaviors, 2010, 35, 811-817.	3.0	25
48	Transitions in Smoking Status Over Time in a Population-Based Panel Study of Smokers. Nicotine and Tobacco Research, 2013, 15, 1201-1210.	2.6	25
49	Impact of a smoke-free policy in a large psychiatric hospital on staff attitudes and patient behavior. General Hospital Psychiatry, 2010, 32, 623-630.	2.4	21
50	The role of secondâ€hand smoke exposure on smoking cessation in non–tobaccoâ€related cancers. Cancer, 2015, 121, 2655-2663.	4.1	21
51	Integrated online services for smokers and drinkers? Use of the Check Your Drinking assessment screener by participants of the Stop Smoking Center. Nicotine and Tobacco Research, 2006, 8, 21-25.	2.6	20
52	Influence of a low dose of amphetamine on vesicular monoamine transporter binding: A PET (+)[¹¹ C]DTBZ study in humans. Synapse, 2010, 64, 417-420.	1.2	19
53	Characteristics of Opioid-Using Pregnant Women Who Accept or Refuse Participation in a Clinical Trial: Screening Results from the MOTHER Study. American Journal of Drug and Alcohol Abuse, 2009, 35, 429-433.	2.1	18
54	Varenicline-Induced Elevation of Dopamine in Smokers: A Preliminary [11C]-(+)-PHNO PET Study. Neuropsychopharmacology, 2016, 41, 1513-1520.	5.4	18

#	Article	IF	Citations
55	Exploring Patterns of Disturbed Eating in Psychosis: A Scoping Review. Nutrients, 2020, 12, 3883.	4.1	15
56	Implementation of a Novel Electronic Patient-Directed Smoking Cessation Platform for Cancer Patients: Interrupted Time Series Analysis. Journal of Medical Internet Research, 2019, 21, e11735.	4.3	15
57	A pilot study examining the acute effects of exercise on cigarette cravings and affect among individuals with serious mental illness. Mental Health and Physical Activity, 2011, 4, 89-94.	1.8	14
58	Screening and Treatment for Alcohol, Tobacco and Opioid Use Disorders: A Survey of Family Physicians across Ontario. PLoS ONE, 2015, 10, e0124402.	2.5	14
59	Becoming tobacco-free: Changes in staff and patient attitudes and incident reports in a large academic mental health and addictions hospital. American Journal on Addictions, 2017, 26, 183-191.	1.4	14
60	Food Addiction and Tobacco Use Disorder: Common Liability and Shared Mechanisms. Nutrients, 2020, 12, 3834.	4.1	14
61	Smoking Cessation in Women With Severe Mental Illness: Exploring the Role of Exercise as an Adjunct Treatment. Archives of Psychiatric Nursing, 2011, 25, 43-52.	1.4	12
62	How to adapt existing evidence-based clinical practice guidelines: a case example with smoking cessation guidelines in Canada. BMJ Open, 2017, 7, e016124.	1.9	12
63	Sex Differences in Use of Smoking Cessation Services and Resources: A Real-World Study. Tobacco Use Insights, 2020, 13, 1179173X2090150.	1.6	12
64	Intrauterine abstinence syndrome (IAS) during buprenorphine inductions and methadone tapers: can we assure the safety of the fetus?. Journal of Maternal-Fetal and Neonatal Medicine, 2012, 25, 1197-1201.	1.5	11
65	Escalating Doses of Transdermal Nicotine in Heavy Smokers. Journal of Clinical Psychopharmacology, 2013, 33, 667-674.	1.4	11
66	Awareness of the Harms of Continued Smoking Among Cancer Survivors. Supportive Care in Cancer, 2020, 28, 3409-3419.	2.2	11
67	Varenicline and Bupropion for Long-Term Smoking Cessation (the MATCH Study): Protocol for a Real-World, Pragmatic, Randomized Controlled Trial. JMIR Research Protocols, 2018, 7, e10826.	1.0	11
68	Public health impact of a novel smoking cessation outreach program in Ontario, Canada. BMC Public Health, 2018, 18, 1117.	2.9	10
69	Impact of immigration status on health behaviors and perceptions in cancer survivors. Cancer Medicine, 2019, 8, 2623-2635.	2.8	8
70	The effectiveness of generic emails versus a remote knowledge broker to integrate mood management into a smoking cessation programme in team-based primary care: a cluster randomised trial. Implementation Science, 2021 , 16 , 30 .	6.9	8
71	Impact of comprehensive smoking cessation training of practitioners on patients' 6-month quit outcome. Canadian Journal of Public Health, 2020, 111, 766-774.	2.3	8
72	Evaluation of Web-Based Continuing Professional Development Courses: Aggregate Mixed-Methods Model. JMIR Medical Education, 2017, 3, e19.	2.6	8

#	Article	IF	CITATIONS
73	Efficient screening of current smoking status in recruitment of smokers for population-based research. Nicotine and Tobacco Research, 2008, 10, 1663-1667.	2.6	7
74	Empowering smokers with a web-assisted tobacco intervention to use prescription smoking cessation medications: a feasibility trial. Implementation Science, 2015, 10, 139.	6.9	7
75	Long-term effectiveness of mailed nicotine replacement therapy: study protocol of a randomized controlled trial 5-year follow-up. BMC Public Health, 2018, 18, 28.	2.9	7
76	Treatment use patterns in a large extended-treatment tobacco cessation program: predictors and cost implications. Tobacco Control, 2022, 31, 549-555.	3.2	7
77	Beyond Quitting: Any Additional Impact of Mailing Free Nicotine Patches to Current Smokers?. Nicotine and Tobacco Research, 2018, 20, 654-655.	2.6	6
78	Interprofessional Communities of Practice in Continuing Medical Education for Promoting and Sustaining Practice Change: A Prospective Cohort Study. Journal of Continuing Education in the Health Professions, 2018, 38, 86-93.	1.3	5
79	Seasonal Variation in Demand for Smoking Cessation Treatment and Clinical Outcomes. Nicotine and Tobacco Research, 2021, 23, 976-982.	2.6	5
80	Smokers who seek help in specialized cessation clinics: How special are they compared to smokers in general population?. Journal of Smoking Cessation, 2014, 9, 76-84.	1.0	4
81	Tailored Versus Generic Knowledge Brokering to Integrate Mood Management Into Smoking Cessation Interventions in Primary Care Settings: Protocol for a Cluster Randomized Controlled Trial. JMIR Research Protocols, 2018, 7, e111.	1.0	4
82	Performance Change in Treating Tobacco Addiction: An Online, Interprofessional, Facilitated Continuing Education Course (TEACH) Evaluation at Moore's Level 5. Journal of Continuing Education in the Health Professions, 2021, 41, 31-38.	1.3	3
83	Comments on: Efficacy versus Effectiveness of Buprenorphine and Methadone Maintenance in Pregnancy. Journal of Addictive Diseases, 2012, 31, 321-326.	1.3	2
84	A Qualitative Evaluation of an Online Expert-Facilitated Course on Tobacco Dependence Treatment. Inquiry (United States), 2017, 54, 004695801773296.	0.9	2
85	Five-Year Follow-up of a Randomized Clinical Trial Testing Mailed Nicotine Patches to Promote Tobacco Cessation. JAMA Internal Medicine, 2020, 180, 792.	5.1	2
86	Smoking Cessation Training and Treatment: Options for Cancer Centres. Current Oncology, 2022, 29, 2252-2262.	2.2	2
87	Nonserious Adverse Events in Randomized Trials with Opioid-Dependent Pregnant Women: Direct versus Indirect Measurement. American Journal on Addictions, 2012, 21, S1-S4.	1.4	1
88	Impact of self-reported lifetime depression or anxiety on effectiveness of mass distribution of nicotine patches. Tobacco Control, 2017, 26, 526-533.	3.2	1
89	Free, easy and effective: how young adults used 8 weeks of mailed nicotine patches and to what effect. Journal of Smoking Cessation, 2020, 15, 206-213.	1.0	1
90	Reply to Goulden et al.: Risk of Bias in Study of Varenicline and Cardiovascular Outcomes. American Journal of Respiratory and Critical Care Medicine, 2018, 198, 691-692.	5.6	0

#	Article	IF	CITATIONS
91	Use of additional nicotine replacement therapy by participants in a five-year follow-up of a tobacco cessation trial. Addictive Behaviors, 2021, 117, 106875.	3.0	0