

B Parvatheeswara Rao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10594855/publications.pdf>

Version: 2024-02-01

61
papers

1,815
citations

279798

23
h-index

265206

42
g-index

61
all docs

61
docs citations

61
times ranked

2035
citing authors

#	ARTICLE	IF	CITATIONS
1	Structural and electrical properties of Nd ³⁺ doped ferroelectric barium sodium niobate ceramics. <i>Ferroelectrics</i> , 2021, 572, 158-163.	0.6	0
2	Enhanced magnetoelectric coupling in Bi _{0.95} Mn _{0.05} FeO ₃ â€“Ni _{0.5} Zn _{0.5} Fe ₂ O ₄ nanocomposites for spintronic applications. <i>Applied Physics A: Materials Science and Processing</i> , 2021, 127, 1.	2.3	6
3	Synthesis, structural and microstructural properties of CBN ferroelectric ceramics. <i>Ferroelectrics</i> , 2021, 573, 154-165.	0.6	0
4	Enhanced dielectric and magnetic properties in Mn-doped bismuth ferrite multiferroic nanoceramics. <i>Applied Physics A: Materials Science and Processing</i> , 2020, 126, 1.	2.3	12
5	Superparamagnetism in Bi _{0.95} Mn _{0.05} FeO ₃ â€“ Ni _{0.5} Zn _{0.5} Fe ₂ O ₄ multiferroic nanocomposites. <i>Physica B: Condensed Matter</i> , 2019, 571, 5-9.	2.7	18
6	Cation distribution of Ni-Zn-Mn ferrite nanoparticles. <i>Journal of Magnetism and Magnetic Materials</i> , 2018, 456, 444-450.	2.3	40
7	Multiferroic and magnetoelectric studies on BMFOâ€“NZFO nanocomposites. <i>Applied Physics A: Materials Science and Processing</i> , 2018, 124, 1.	2.3	14
8	Preparation, characterization and PTCR behavior of calcium barium niobate ferroelectric ceramics. <i>AIP Conference Proceedings</i> , 2018, , .	0.4	2
9	Enhanced magnetic and magnetoelectric properties of Mn doped multiferroic ceramics. <i>Ceramics International</i> , 2017, 43, 9272-9275.	4.8	45
10	Structural and magnetic studies on Mn-doped Niâ€“Zn ferrite nanoparticles. <i>Applied Physics A: Materials Science and Processing</i> , 2016, 122, 1.	2.3	15
11	Effect of Mn/Co substitutions on the resistivity and dielectric properties of nickelâ€“zinc ferrites. <i>Ceramics International</i> , 2016, 42, 9591-9598.	4.8	28
12	Effects of Mn doping on structural, dielectric and multiferroic properties of BiFeO ₃ nanoceramics. <i>Journal of Alloys and Compounds</i> , 2016, 676, 193-201.	5.5	82
13	Diffuse Dielectric Anomalies in (x).Bi _{0.95} Mn _{0.05} FeO ₃ â€“(1âˆ“x).Ni _{0.5} Zn _{0.5} Fe ₂ O ₄ multiferroic composites. <i>Journal of Magnetism and Magnetic Materials</i> , 2016, 404, 119-125.	2.3	17
14	Magnetic and magnetostrictive properties of Cu substituted Co-ferrites. <i>Journal of Magnetism and Magnetic Materials</i> , 2016, 398, 59-63.	2.3	54
15	Impedance spectroscopy and dielectric properties of multiferroic BiFeO ₃ /Bi _{0.95} Mn _{0.05} FeO ₃ â€“Ni _{0.5} Zn _{0.5} Fe ₂ O ₄ composites. <i>Ceramics International</i> , 2016, 42, 2186-2197.	4.8	61
16	Size controlled sonochemical synthesis of highly crystalline superparamagnetic Mnâ€“Zn ferrite nanoparticles in aqueous medium. <i>Journal of Alloys and Compounds</i> , 2015, 644, 774-782.	5.5	22
17	Facile one-pot chemical approach for synthesis of monodisperse chain-like superparamagnetic maghemite (Î³-Fe ₂ O ₃) nanoparticles. <i>Journal of Industrial and Engineering Chemistry</i> , 2015, 31, 43-46.	5.8	16
18	Cation Distribution of Cobalt-manganese Ferrite for Torque Sensor Applications. <i>Materials Today: Proceedings</i> , 2015, 2, 2491-2495.	1.8	3

#	ARTICLE	IF	CITATIONS
19	Facile approach for synthesis of high moment Fe/ferrite and FeCo/ferrite core/shell nanostructures. <i>Materials Letters</i> , 2015, 139, 161-164.	2.6	24
20	Mossbauer Spectroscopic Study of High Magnetostrictive Cobalt Chromium Ferrites for Automobile Torque Sensors. , 2014, 6, 1511-1515.		5
21	Modified polyol route for synthesis of Fe ₃ O ₄ /Ag and $\hat{\pm}$ -Fe/Ag nanocomposite. <i>Journal of Alloys and Compounds</i> , 2014, 615, S308-S312.	5.5	13
22	Microstructural and magnetic behavior of mixed Ni $\hat{\epsilon}$ “Zn $\hat{\epsilon}$ “Co and Ni $\hat{\epsilon}$ “Zn $\hat{\epsilon}$ “Mn ferrites. <i>Ceramics International</i> , 2014, 40, 8729-8735.	4.8	45
23	Highly stable- silica encapsulating magnetite nanoparticles (Fe ₃ O ₄ /SiO ₂) synthesized using single surfactantless- polyol process. <i>Ceramics International</i> , 2014, 40, 1379-1385.	4.8	97
24	Size-controlled high magnetization CoFe ₂ O ₄ nanospheres and nanocubes using rapid one-pot sonochemical technique. <i>Ceramics International</i> , 2014, 40, 3269-3276.	4.8	70
25	Fe ₃ O ₄ /TiO ₂ core/shell nanocubes: Single-batch surfactantless synthesis, characterization and efficient catalysts for methylene blue degradation. <i>Ceramics International</i> , 2014, 40, 11177-11186.	4.8	120
26	Shape and size-controlled synthesis of Ni Zn ferrite nanoparticles by two different routes. <i>Materials Chemistry and Physics</i> , 2014, 147, 443-451.	4.0	49
27	Synthesis of high magnetization hydrophilic magnetite (Fe ₃ O ₄) nanoparticles in single reaction $\hat{\epsilon}$ ”Surfactantless polyol process. <i>Ceramics International</i> , 2013, 39, 7605-7611.	4.8	78
28	Improved magnetostrictive properties of Co $\hat{\epsilon}$ “Mn ferrites for automobile torque sensor applications. <i>Journal of Magnetism and Magnetic Materials</i> , 2013, 341, 60-64.	2.3	51
29	One-pot synthesis of high magnetization air-stable FeCo nanoparticles by modified polyol method. <i>Materials Letters</i> , 2013, 91, 326-329.	2.6	63
30	Low temperature chemical synthesis of ferrite nanoparticles. , 2012, , .		0
31	Translocation of magnetic beads using patterned magnetic pathways for biosensing applications. <i>Journal of Applied Physics</i> , 2009, 105, 07B312.	2.5	12
32	Template Synthesis of Cobalt Nanowires Using PS-b-PMMA Block Copolymer. <i>IEEE Transactions on Magnetics</i> , 2009, 45, 4063-4066.	2.1	4
33	Influence of silicon and cobalt substitutions on magnetostriction coefficient of cobalt ferrite. <i>Hyperfine Interactions</i> , 2008, 184, 179-184.	0.5	7
34	M $\hat{\alpha}$ ssbauer and magnetic study of silicon substituted cobalt ferrite. <i>Hyperfine Interactions</i> , 2008, 184, 51-55.	0.5	3
35	Template synthesis of NiFe nanowires using diblock copolymers. <i>Materials Chemistry and Physics</i> , 2008, 112, 1133-1136.	4.0	13
36	Enhanced Strain Derivative of Mn $\hat{\cdot}$ Si Substituted Cobalt Ferrite. <i>AIP Conference Proceedings</i> , 2008, , .	0.4	0

#	ARTICLE	IF	CITATIONS
37	Excellent Low Loss Performance of Microwave Permeability in High Resistive CoFeHfO Films by Thermal Annealing. IEEE Transactions on Magnetics, 2008, 44, 3115-3118.	2.1	3
38	Influence of silicon and cobalt substitutions on magnetostriction coefficient of cobalt ferrite. , 2008, , 593-598.		1
39	Soft chemical synthesis and characterization of Ni _{0.65} Zn _{0.35} Fe ₂ O ₄ nanoparticles. Journal of Applied Physics, 2007, 101, 123902.	2.5	32
40	Etching Effect on Exchange Anisotropy in NiFe/Cu/NiFe/IrMn Spin-valve Structure for an Array of PHR Sensor Element. , 2007, , .		1
41	Fabrication of Nanowire Arrays Using Diblock Copolymer. , 2007, , .		1
42	Planar Hall resistance sensor for biochip application. Physica Status Solidi (A) Applications and Materials Science, 2007, 204, 4053-4057.	1.8	16
43	Depth sensitive exchange coupling in top and bottom pinned spin valve structures. Physica Status Solidi (B): Basic Research, 2007, 244, 4464-4469.	1.5	0
44	Influence of V ₂ O ₅ additions on the permeability and power loss characteristics of Ni-Zn ferrites. Materials Letters, 2007, 61, 1601-1604.	2.6	39
45	The influence of Mn doping level on magnetostriction coefficient of cobalt ferrite. Journal of Magnetism and Magnetic Materials, 2007, 316, e618-e620.	2.3	81
46	Effect of Nb ₂ O ₅ additions on the power loss of NiZn ferrites. Journal of Materials Science, 2007, 42, 8433-8437.	3.7	15
47	Fabrication of Nanowire Array Templates Using Diblock Polymer. Sensor Letters, 2007, 5, 39-41.	0.4	2
48	High Magnetostrictive Cobalt Ferrite for Sensor Applications. Sensor Letters, 2007, 5, 45-47.	0.4	62
49	Swift heavy ions irradiation studies on some ferrite nanoparticles. Nuclear Instruments & Methods in Physics Research B, 2006, 244, 27-30.	1.4	36
50	Complex permeability spectra of Ni-Zn ferrites doped with V ₂ O ₅ /Nb ₂ O ₅ . Journal of Magnetism and Magnetic Materials, 2006, 304, e749-e751.	2.3	22
51	Electrical properties of In ³⁺ and Cr ³⁺ substituted magnesium-manganese ferrites. Journal Physics D: Applied Physics, 2005, 38, 673-678.	2.8	132
52	Distribution of In ³⁺ ions in indium-substituted Ni-Zn-Ti ferrites. Journal of Magnetism and Magnetic Materials, 2005, 292, 44-48.	2.3	72
53	Electric and Magnetic Studies on Copper/Cobalt Substituted Ni-Zn Ferrites. , 2005, , .		0
54	Design aspects in processing of Ni-Zn ferrites for high frequency applications. Journal of Materials Science Letters, 2003, 22, 1607-1608.	0.5	17

#	ARTICLE	IF	CITATIONS
55	Influence of Sintering Conditions on the Microstructural and Electrical Properties of NiZn-Ferrites. Journal of the Magnetics Society of Japan, 1998, 22, S1_83-85.	0.4	0
56	Dimensional Effects Resulting from High Dielectric Constants in NiZnSc-Ferrites. Journal of the Magnetics Society of Japan, 1998, 22, S1_305-307.	0.4	1
57	Densification, Grain Growth and Microstructure of Ni-Zn Ferrites. European Physical Journal Special Topics, 1997, 07, C1-241-C1-242.	0.2	7
58	X-ray and magnetic studies of scandium substituted Ni-Zn ferrites. IEEE Transactions on Magnetics, 1997, 33, 4454-4458.	2.1	37
59	Effect of sintering conditions on resistivity and dielectric properties of Ni-Zn ferrites. Journal of Materials Science, 1997, 32, 6049-6054.	3.7	127
60	Unusual dielectric behaviour of Ni-Zn ferrites in the lower megahertz region (1?10 MHz) due to dimensional resonance. Journal of Materials Science Letters, 1996, 15, 781-783.	0.5	7
61	Direct current resistivity studies of various polycrystalline NiZnSc ferrites. Journal of Applied Physics, 1996, 80, 6804-6808.	2.5	15