

Bruno G Frenguelli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1059814/publications.pdf>

Version: 2024-02-01

76
papers

6,982
citations

126907

33
h-index

71685

76
g-index

80
all docs

80
docs citations

80
times ranked

8327
citing authors

#	ARTICLE	IF	CITATIONS
1	The glutamatergic synapse â€œ A key hub in neuronal metabolism, signalling and plasticity. <i>Neuropharmacology</i> , 2022, 207, 108945.	4.1	8
2	Selective activation of GÎ±ob by an adenosine A1 receptor agonist elicits analgesia without cardiorespiratory depression. <i>Nature Communications</i> , 2022, 13, .	12.8	23
3	Mitogen and Stress-activated Protein Kinase 1 Negatively Regulates Hippocampal Neurogenesis. <i>Neuroscience</i> , 2021, 452, 228-234.	2.3	11
4	Deciphering the Agonist Binding Mechanism to the Adenosine A1 Receptor. <i>ACS Pharmacology and Translational Science</i> , 2021, 4, 314-326.	4.9	9
5	<i>Synedrella nodiflora</i> Extract Depresses Excitatory Synaptic Transmission and Chemically-Induced In Vitro Seizures in the Rat Hippocampus. <i>Frontiers in Pharmacology</i> , 2021, 12, 610025.	3.5	2
6	Artificial Synapse: Spatiotemporal Heterogeneities in Dopamine Electrochemistry at a Carbon Fiber Ultramicroelectrode. <i>ACS Measurement Science Au</i> , 2021, 1, 6-10.	4.4	9
7	The influence of sensory experience on the glutamatergic synapse. <i>Neuropharmacology</i> , 2021, 193, 108620.	4.1	9
8	A tribute to Chris Parsons. <i>Neuropharmacology</i> , 2021, 195, 108633.	4.1	2
9	Magic-angle spinning NMR spectroscopy provides insight into the impact of small molecule uptake by G-quartet hydrogels. <i>Materials Advances</i> , 2020, 1, 2236-2247.	5.4	8
10	Experience Recruits MSK1 to Expand the Dynamic Range of Synapses and Enhance Cognition. <i>Journal of Neuroscience</i> , 2020, 40, 4644-4660.	3.6	13
11	Purines: From Diagnostic Biomarkers to Therapeutic Agents in Brain Injury. <i>Neuroscience Bulletin</i> , 2020, 36, 1315-1326.	2.9	16
12	The Purine Salvage Pathway and the Restoration of Cerebral ATP: Implications for Brain Slice Physiology and Brain Injury. <i>Neurochemical Research</i> , 2019, 44, 661-675.	3.3	22
13	Role for Astroglia-Derived BDNF and MSK1 in Homeostatic Synaptic Plasticity. <i>Neuroglia (Basel.)</i> Tj ETQq1 1 0.784314 rgBT /QOverlock 0,9	0.9	5
14	The combination of ribose and adenine promotes adenosine release and attenuates the intensity and frequency of epileptiform activity in hippocampal slices: Evidence for the rapid depletion of cellular <sc>ATP</sc> during electrographic seizures. <i>Journal of Neurochemistry</i> , 2018, 147, 178-189.	3.9	7
15	Psychedelics â€œ Re-opening the doors of perception. <i>Neuropharmacology</i> , 2018, 142, 1-6.	4.1	5
16	MSK1 regulates transcriptional induction of Arc/Arg3.1 in response to neurotrophins. <i>FEBS Open Bio</i> , 2017, 7, 821-834.	2.3	13
17	Differential-Concentration Scanning Ion Conductance Microscopy. <i>Analytical Chemistry</i> , 2017, 89, 12458-12465.	6.5	25
18	An AMPK-dependent regulatory pathway in tau-mediated toxicity. <i>Biology Open</i> , 2017, 6, 1434-1444.	1.2	13

#	ARTICLE	IF	CITATIONS
19	Ionotropic glutamate receptors: Still exciting after all these years. <i>Neuropharmacology</i> , 2017, 112, 1-3.	4.1	2
20	Proof of concept and feasibility studies examining the influence of combination ribose, adenine and allopurinol treatment on stroke outcome in the rat. <i>Brain and Neuroscience Advances</i> , 2017, 1, 239821281771711.	3.4	6
21	The Kinase Function of MSK1 Regulates BDNF Signaling to CREB and Basal Synaptic Transmission, But Is Not Required for Hippocampal Long-Term Potentiation or Spatial Memory. <i>ENeuro</i> , 2017, 4, ENEURO.0212-16.2017.	1.9	20
22	Fast Nanoscale Surface Charge Mapping with Pulsed-Potential Scanning Ion Conductance Microscopy. <i>Analytical Chemistry</i> , 2016, 88, 10854-10859.	6.5	62
23	Discovery of Novel Adenosine Receptor Agonists That Exhibit Subtype Selectivity. <i>Journal of Medicinal Chemistry</i> , 2016, 59, 947-964.	6.4	41
24	Surface Charge Visualization at Viable Living Cells. <i>Journal of the American Chemical Society</i> , 2016, 138, 3152-3160.	13.7	98
25	Combined electrophysiological and biosensor approaches to study purinergic regulation of epileptiform activity in cortical tissue. <i>Journal of Neuroscience Methods</i> , 2016, 260, 202-214.	2.5	18
26	Opportunities for improving animal welfare in rodent models of epilepsy and seizures. <i>Journal of Neuroscience Methods</i> , 2016, 260, 2-25.	2.5	93
27	Pannexin-1-mediated ATP release from area CA3 drives mGlu5-dependent neuronal oscillations. <i>Neuropharmacology</i> , 2015, 93, 219-228.	4.1	45
28	Modulation of intracellular ATP determines adenosine release and functional outcome in response to metabolic stress in rat hippocampal slices and cerebellar granule cells. <i>Journal of Neurochemistry</i> , 2014, 128, 111-124.	3.9	22
29	Homeostatic Control of Synaptic Activity by Endogenous Adenosine is Mediated by Adenosine Kinase. <i>Cerebral Cortex</i> , 2014, 24, 67-80.	2.9	54
30	Glutamate receptor-dependent synaptic plasticity. <i>Neuropharmacology</i> , 2013, 74, 1.	4.1	4
31	Localisation of adenine nucleotides in heat-stabilised mouse brains using ion mobility enabled MALDI imaging. <i>International Journal of Mass Spectrometry</i> , 2013, 345-347, 19-27.	1.5	29
32	Cognitive enhancers: Molecules, mechanisms and minds. <i>Neuropharmacology</i> , 2013, 64, 1.	4.1	3
33	miR-132/212 Knockout Mice Reveal Roles for These miRNAs in Regulating Cortical Synaptic Transmission and Plasticity. <i>PLoS ONE</i> , 2013, 8, e62509.	2.5	122
34	The Double-Edged Sword: Gaining Adenosine at the Expense of ATP. How to Balance the Books. , 2013, , 109-129.		1
35	MSK1 Regulates Homeostatic and Experience-Dependent Synaptic Plasticity. <i>Journal of Neuroscience</i> , 2012, 32, 13039-13051.	3.6	67
36	Putative depolarisation-induced retrograde signalling accelerates the repeated hypoxic depression of excitatory synaptic transmission in area CA1 of rat hippocampus via group I metabotropic glutamate receptors. <i>Neuroscience</i> , 2012, 222, 159-172.	2.3	5

#	ARTICLE	IF	CITATIONS
37	Measurement of purine release with microelectrode biosensors. <i>Purinergic Signalling</i> , 2012, 8, 27-40.	2.2	41
38	Differential trafficking of adenosine receptors in hippocampal neurons monitored using GFP- and super-ecliptic pHluorin-tagged receptors. <i>Neuropharmacology</i> , 2011, 61, 1-11.	4.1	10
39	Minor contribution of ATP P2 receptors to electrically-evoked electrographic seizure activity in hippocampal slices: Evidence from purine biosensors and P2 receptor agonists and antagonists. <i>Neuropharmacology</i> , 2011, 61, 25-34.	4.1	32
40	Purinergic signalling between neurones and glia: For those about to rock. <i>Seminars in Cell and Developmental Biology</i> , 2011, 22, 193.	5.0	1
41	Intracellular ATP Influences Synaptic Plasticity in Area CA1 of Rat Hippocampus via Metabolism to Adenosine and Activity-Dependent Activation of Adenosine A ₁ Receptors. <i>Journal of Neuroscience</i> , 2011, 31, 6221-6234.	3.6	51
42	Synaptic Tagging and Capture: Differential Role of Distinct Calcium/Calmodulin Kinases in Protein Synthesis-Dependent Long-Term Potentiation. <i>Journal of Neuroscience</i> , 2010, 30, 4981-4989.	3.6	155
43	Intracellular Acidification Causes Adenosine Release During States of Hyperexcitability in the Hippocampus. <i>Journal of Neurophysiology</i> , 2009, 102, 1984-1993.	1.8	39
44	Release of Adenosine and ATP During Ischemia and Epilepsy. <i>Current Neuropharmacology</i> , 2009, 7, 160-179.	2.9	203
45	An ion-pair reversed-phase HPLC method for determination of fresh tissue adenine nucleotides avoiding freeze-thaw degradation of ATP. <i>Analytical Biochemistry</i> , 2009, 388, 108-114.	2.4	48
46	Astrocytic adenosine kinase regulates basal synaptic adenosine levels and seizure activity but not activity-dependent adenosine release in the hippocampus. <i>Neuropharmacology</i> , 2009, 56, 429-437.	4.1	87
47	Special issue on cerebral ischemia. <i>Neuropharmacology</i> , 2008, 55, 249.	4.1	2
48	The novel NTPDase inhibitor sodium polyoxotungstate (POM-1) inhibits ATP breakdown but also blocks central synaptic transmission, an action independent of NTPDase inhibition. <i>Neuropharmacology</i> , 2008, 55, 1251-1258.	4.1	62
49	A Neural Protection Racket: AMPK and the GABAB Receptor. <i>Neuron</i> , 2007, 53, 159-162.	8.1	29
50	Cannabinoid modulation of neuronal function after oxygen/glucose deprivation in area CA1 of the rat hippocampus. <i>Neuropharmacology</i> , 2007, 52, 1327-1335.	4.1	13
51	Mitochondrial Dysfunction and Dendritic Beading during Neuronal Toxicity. <i>Journal of Biological Chemistry</i> , 2007, 282, 26235-26244.	3.4	98
52	Temporal and mechanistic dissociation of ATP and adenosine release during ischaemia in the mammalian hippocampus. <i>Journal of Neurochemistry</i> , 2007, 101, 1400-1413.	3.9	205
53	Sustained elevation of extracellular adenosine and activation of A1 receptors underlie the post-ischaemic inhibition of neuronal function in rat hippocampus in vitro. <i>Journal of Neurochemistry</i> , 2006, 97, 1357-1368.	3.9	79
54	Dopaminergic modulation of the persistence of one-trial hippocampus-dependent memory. <i>Learning and Memory</i> , 2006, 13, 760-769.	1.3	198

#	ARTICLE	IF	CITATIONS
55	Differential responses to NMDA receptor activation in rat hippocampal interneurons and pyramidal cells may underlie enhanced pyramidal cell vulnerability. <i>European Journal of Neuroscience</i> , 2005, 22, 3077-3090.	2.6	26
56	Calmodulin-dependent protein kinase kinase- β is an alternative upstream kinase for AMP-activated protein kinase. <i>Cell Metabolism</i> , 2005, 2, 9-19.	16.2	1,397
57	Adenosine and ATP Link PCO ₂ to Cortical Excitability via pH. <i>Neuron</i> , 2005, 48, 1011-1023.	8.1	182
58	Adrenoceptor subtype-specific acceleration of the hypoxic depression of excitatory synaptic transmission in area CA1 of the rat hippocampus. <i>European Journal of Neuroscience</i> , 2004, 20, 1555-1565.	2.6	22
59	Endogenous adenosine modulates epileptiform activity in rat hippocampus in a receptor subtype-dependent manner. <i>European Journal of Neuroscience</i> , 2004, 19, 2539-2550.	2.6	100
60	AICA riboside both activates AMP-activated protein kinase and competes with adenosine for the nucleoside transporter in the CA1 region of the rat hippocampus. <i>Journal of Neurochemistry</i> , 2004, 88, 1272-1282.	3.9	131
61	Plasticity of purine release during cerebral ischemia: clinical implications?. <i>Journal of Cellular and Molecular Medicine</i> , 2003, 7, 362-375.	3.6	47
62	High-resolution real-time recording with microelectrode biosensors reveals novel aspects of adenosine release during hypoxia in rat hippocampal slices. <i>Journal of Neurochemistry</i> , 2003, 86, 1506-1515.	3.9	100
63	Phosphorylation influences neurosteroid modulation of synaptic GABA _A receptors in rat CA1 and dentate gyrus neurones. <i>Neuropharmacology</i> , 2003, 45, 873-883.	4.1	78
64	Modulation of native and recombinant GABA _A receptors by endogenous and synthetic neuroactive steroids. <i>Brain Research Reviews</i> , 2001, 37, 68-80.	9.0	145
65	A Depletable Pool of Adenosine in Area CA1 of the Rat Hippocampus. <i>Journal of Neuroscience</i> , 2001, 21, 2298-2307.	3.6	70
66	Venom from <i>Anemesia</i> species of spider modulates high voltage-activated Ca ²⁺ currents from rat cultured sensory neurones and excitatory post synaptic currents from rat hippocampal slices. <i>Cell Calcium</i> , 2001, 30, 212-221.	2.4	2
67	Volume-regulated anion channels do not contribute extracellular adenosine during the hypoxic depression of excitatory synaptic transmission in area CA1 of rat hippocampus. <i>European Journal of Neuroscience</i> , 2000, 12, 3064-3066.	2.6	9
68	Direct measurement of adenosine release during hypoxia in the CA1 region of the rat hippocampal slice. <i>Journal of Physiology</i> , 2000, 526, 143-155.	2.9	160
69	Mitochondrial Membrane Potential and Glutamate Excitotoxicity in Cultured Cerebellar Granule Cells. <i>Journal of Neuroscience</i> , 2000, 20, 7208-7219.	3.6	290
70	The effects of metabolic stress on glutamate receptor-mediated depolarizations in the in vitro rat hippocampal slice. <i>Neuropharmacology</i> , 1997, 36, 981-991.	4.1	15
71	Fluctuations in intracellular calcium responses to action potentials in single en passage presynaptic boutons of layer V neurons in neocortical slices. <i>Learning and Memory</i> , 1996, 3, 150-159.	1.3	21
72	Ca ²⁺ stores and hippocampal synaptic plasticity. <i>Seminars in Neuroscience</i> , 1996, 8, 301-309.	2.2	19

#	ARTICLE	IF	CITATIONS
73	The Ca^{2+} /calmodulin kinase II: A bidirectional modulator of presynaptic plasticity. <i>Neuron</i> , 1995, 14, 591-597.	8.1	125
74	Deficient long-term memory in mice with a targeted mutation of the cAMP-responsive element-binding protein. <i>Cell</i> , 1994, 79, 59-68.	28.9	1,725
75	Metabotropic glutamate receptors and calcium signalling in dendrites of hippocampal CA1 neurones. <i>Neuropharmacology</i> , 1993, 32, 1229-1237.	4.1	45
76	Electrogenic uptake contributes a major component of the depolarizing action of glutamate in rat hippocampal slices. <i>British Journal of Pharmacology</i> , 1991, 102, 355-362.	5.4	22