

Yasmin J Cardoza

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10602066/publications.pdf>

Version: 2024-02-01

27
papers

1,203
citations

516710

16
h-index

526287

27
g-index

28
all docs

28
docs citations

28
times ranked

1367
citing authors

#	ARTICLE	IF	CITATIONS
1	Longevity and fecundity of the egg parasitoid <i>Telenomus podisi</i> provided with different carbohydrate diets. <i>Entomologia Experimentalis Et Applicata</i> , 2017, 162, 178-187.	1.4	12
2	Soil and Foliar Arthropod Abundance and Diversity in Five Cropping Systems in the Coastal Plains of North Carolina. <i>Environmental Entomology</i> , 2017, 46, 771-783.	1.4	5
3	Behavior of <i>Telenomus podisi</i> (Hymenoptera: Platygasteridae) Adults under Overwintering Conditions. <i>Journal of Entomological Science</i> , 2017, 52, 15-28.	0.3	2
4	Tolerance in St. Augustinegrass Germplasm against <i>Blissus insularis</i> Barber (Hemiptera: Blissidae). <i>Crop Science</i> , 2017, 57, S-26.	1.8	5
5	Impact of Location, Cropping History, Tillage, and Chlorpyrifos on Soil Arthropods in Peanut. <i>Environmental Entomology</i> , 2015, 44, 951-959.	1.4	5
6	St. Augustinegrass Germplasm Resistant to <i>Blissus insularis</i> (Hemiptera: Blissidae). <i>Journal of Economic Entomology</i> , 2014, 107, 1688-1694.	1.8	7
7	Effects of Soil Quality Enhancement on Pollinator-Plant Interactions. <i>Psyche: Journal of Entomology</i> , 2012, 2012, 1-8.	0.9	33
8	Soil organic amendment impacts on corn resistance to <i>Helicoverpa zea</i> : Constitutive or induced?. <i>Pedobiologia</i> , 2012, 55, 343-347.	1.2	20
9	Host plant effects on generalist and specialist lepidopterous cabbage pests modulated by organic soil amendment. <i>Pedobiologia</i> , 2011, 54, 353-359.	1.2	10
10	Bottom-up effects mediated by an organic soil amendment on the cabbage aphid pests <i>Myzus persicae</i> and <i>Brevicoryne brassicae</i> . <i>Entomologia Experimentalis Et Applicata</i> , 2011, 139, 111-119.	1.4	14
11	Studies on the entomopathogenicity and bacterial associates of the nematode <i>Oscheius carolinensis</i> . <i>Biological Control</i> , 2011, 59, 123-129.	3.0	65
12	<i>Arabidopsis thaliana</i> resistance to insects, mediated by an earthworm-produced organic soil amendment. <i>Pest Management Science</i> , 2011, 67, 233-238.	3.4	26
13	Survey and phylogenetic analysis of culturable microbes in the oral secretions of three bark beetle species. <i>Entomologia Experimentalis Et Applicata</i> , 2009, 131, 138-147.	1.4	36
14	Multipartite Symbioses Among Fungi, Mites, Nematodes, and the Spruce Beetle, <i>Dendroctonus rufipennis</i> . <i>Environmental Entomology</i> , 2008, 37, 956-963.	1.4	62
15	Multipartite Symbioses Among Fungi, Mites, Nematodes, and the Spruce Beetle, <i>Dendroctonus rufipennis</i> . <i>Environmental Entomology</i> , 2008, 37, 956-963.	1.4	39
16	Compatible and Incompatible <i>Xanthomonas</i> Infections Differentially Affect Herbivore-Induced Volatile Emission by Pepper Plants. <i>Journal of Chemical Ecology</i> , 2006, 32, 1755-1768.	1.8	47
17	Phloem Alkaloid Tolerance Allows Feeding on Resistant <i>Lupinus angustifolius</i> by the Aphid <i>Myzus persicae</i> . <i>Journal of Chemical Ecology</i> , 2006, 32, 1965-1976.	1.8	19
18	Bacteria in oral secretions of an endophytic insect inhibit antagonistic fungi. <i>Ecological Entomology</i> , 2006, 31, 636-645.	2.2	184

#	ARTICLE	IF	CITATIONS
19	Differential inter- and intra-specific defense induction in <i>Lupinus</i> by <i>Myzus persicae</i> feeding. <i>Entomologia Experimentalis Et Applicata</i> , 2005, 117, 155-163.	1.4	16
20	Differential volatile emissions and salicylic acid levels from tobacco plants in response to different strains of <i>Pseudomonas syringae</i> . <i>Planta</i> , 2003, 217, 767-775.	3.2	124
21	Simultaneous quantification of jasmonic acid and salicylic acid in plants by vapor-phase extraction and gas chromatography-chemical ionization-mass spectrometry. <i>Analytical Biochemistry</i> , 2003, 312, 242-250.	2.4	138
22	Effect of Peanut Plant Fungal Infection on Oviposition Preference by <i>Spodoptera exigua</i> and on Host-Searching Behavior by <i>Cotesia marginiventris</i> . <i>Environmental Entomology</i> , 2003, 32, 970-976.	1.4	83
23	Fungus-Induced Biochemical Changes in Peanut Plants and Their Effect on Development of Beet Armyworm, <i>Spodoptera Exigua</i> (Lepidoptera: Noctuidae) Larvae. <i>Environmental Entomology</i> , 2003, 32, 220-228.	1.4	61
24	In vivo volatile emissions from peanut plants induced by simultaneous fungal infection and insect damage. <i>Journal of Chemical Ecology</i> , 2002, 28, 161-174.	1.8	153
25	Effect of Leaf Age and Silverleaf Symptoms on Oviposition Site Selection and Development of <i>Bemisia argentifolii</i> (Homoptera: Aleyrodidae) on Zucchini. <i>Environmental Entomology</i> , 2000, 29, 220-225.	1.4	11
26	Effect of Leaf Age and Silverleaf Symptoms on Oviposition Site Selection and Development of <i>Bemisia argentifolii</i> (Homoptera: Aleyrodidae) on Zucchini. <i>Environmental Entomology</i> , 2000, 29, 220-225.	1.4	7
27	Mechanisms of Resistance to Whitefly-Induced Squash Silverleaf Disorder in Zucchini. <i>Journal of Economic Entomology</i> , 1999, 92, 700-707.	1.8	17