

# Grzegorz Ira

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10614538/publications.pdf>

Version: 2024-02-01

54  
papers

8,851  
citations

117625

34  
h-index

206112

48  
g-index

58  
all docs

58  
docs citations

58  
times ranked

8067  
citing authors

#	ARTICLE	IF	CITATIONS
1	Mechanisms of change in gene copy number. <i>Nature Reviews Genetics</i> , 2009, 10, 551-564.	16.3	1,066
2	Sgs1 Helicase and Two Nucleases Dna2 and Exo1 Resect DNA Double-Strand Break Ends. <i>Cell</i> , 2008, 134, 981-994.	28.9	915
3	A Microhomology-Mediated Break-Induced Replication Model for the Origin of Human Copy Number Variation. <i>PLoS Genetics</i> , 2009, 5, e1000327.	3.5	700
4	DNA end resection, homologous recombination and DNA damage checkpoint activation require CDK1. <i>Nature</i> , 2004, 431, 1011-1017.	27.8	641
5	Srs2 and Sgs1 "Top3 Suppress Crossovers during Double-Strand Break Repair in Yeast. <i>Cell</i> , 2003, 115, 401-411.	28.9	539
6	Distribution and Dynamics of Chromatin Modification Induced by a Defined DNA Double-Strand Break. <i>Current Biology</i> , 2004, 14, 1703-1711.	3.9	458
7	Mechanism of the ATP-dependent DNA end-resection machinery from <i>Saccharomyces cerevisiae</i> . <i>Nature</i> , 2010, 467, 108-111.	27.8	349
8	MRE11 and EXO1 nucleases degrade reversed forks and elicit MUS81-dependent fork rescue in BRCA2-deficient cells. <i>Nature Communications</i> , 2017, 8, 860.	12.8	311
9	Recovery from Checkpoint-Mediated Arrest after Repair of a Double-Strand Break Requires Srs2 Helicase. <i>Molecular Cell</i> , 2002, 10, 373-385.	9.7	310
10	Migrating bubble during break-induced replication drives conservative DNA synthesis. <i>Nature</i> , 2013, 502, 389-392.	27.8	277
11	Pif1 helicase and Pol $\eta$ promote recombination-coupled DNA synthesis via bubble migration. <i>Nature</i> , 2013, 502, 393-396.	27.8	265
12	DNA Length Dependence of the Single-Strand Annealing Pathway and the Role of <i>Saccharomyces cerevisiae</i> RAD59 in Double-Strand Break Repair. <i>Molecular and Cellular Biology</i> , 2000, 20, 5300-5309.	2.3	264
13	Yeast Mph1 helicase dissociates Rad51-made D-loops: implications for crossover control in mitotic recombination. <i>Genes and Development</i> , 2009, 23, 67-79.	5.9	226
14	The Fun30 nucleosome remodeller promotes resection of DNA double-strand break ends. <i>Nature</i> , 2012, 489, 576-580.	27.8	219
15	<i>Saccharomyces cerevisiae</i> Mre11/Rad50/Xrs2 and Ku proteins regulate association of Exo1 and Dna2 with DNA breaks. <i>EMBO Journal</i> , 2010, 29, 3370-3380.	7.8	197
16	Characterization of RAD51-Independent Break-Induced Replication That Acts Preferentially with Short Homologous Sequences. <i>Molecular and Cellular Biology</i> , 2002, 22, 6384-6392.	2.3	172
17	Cell cycle regulation of DNA double-strand break end resection by Cdk1-dependent Dna2 phosphorylation. <i>Nature Structural and Molecular Biology</i> , 2011, 18, 1015-1019.	8.2	165
18	Mus81 and converging forks limit the mutagenicity of replication fork breakage. <i>Science</i> , 2015, 349, 742-747.	12.6	162

#	ARTICLE	IF	CITATIONS
19	RAD51 -Dependent Break-Induced Replication Differs in Kinetics and Checkpoint Responses from RAD51 -Mediated Gene Conversion. <i>Molecular and Cellular Biology</i> , 2005, 25, 933-944.	2.3	157
20	Break-induced replication: functions and molecular mechanism. <i>Current Opinion in Genetics and Development</i> , 2013, 23, 271-279.	3.3	156
21	Defective Resection at DNA Double-Strand Breaks Leads to De Novo Telomere Formation and Enhances Gene Targeting. <i>PLoS Genetics</i> , 2010, 6, e1000948.	3.5	147
22	Role of DNA Replication Proteins in Double-Strand Break-Induced Recombination in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 2004, 24, 6891-6899.	2.3	118
23	Translesion Polymerases Drive Microhomology-Mediated Break-Induced Replication Leading to Complex Chromosomal Rearrangements. <i>Molecular Cell</i> , 2015, 60, 860-872.	9.7	112
24	Predicting human genes susceptible to genomic instability associated with <i>Alu</i> -mediated rearrangements. <i>Genome Research</i> , 2018, 28, 1228-1242.	5.5	74
25	Megabase Length Hypermutation Accompanies Human Structural Variation at 17p11.2. <i>Cell</i> , 2019, 176, 1310-1324.e10.	28.9	73
26	Human Nuclease/Helicase DNA2 Alleviates Replication Stress by Promoting DNA End Resection. <i>Cancer Research</i> , 2012, 72, 2802-2813.	0.9	63
27	Role of the Pif1-PCNA Complex in Pol $\delta$ -Dependent Strand Displacement DNA Synthesis and Break-Induced Replication. <i>Cell Reports</i> , 2017, 21, 1707-1714.	6.4	62
28	Conservative Inheritance of Newly Synthesized DNA in Double-Strand Break-Induced Gene Conversion. <i>Molecular and Cellular Biology</i> , 2006, 26, 9424-9429.	2.3	56
29	Break-induced replication promotes formation of lethal joint molecules dissolved by Srs2. <i>Nature Communications</i> , 2017, 8, 1790.	12.8	55
30	Guidelines for DNA recombination and repair studies: Cellular assays of DNA repair pathways. <i>Microbial Cell</i> , 2019, 6, 1-64.	3.2	47
31	RSC Facilitates Rad59-Dependent Homologous Recombination between Sister Chromatids by Promoting Cohesin Loading at DNA Double-Strand Breaks. <i>Molecular and Cellular Biology</i> , 2011, 31, 3924-3937.	2.3	45
32	Absence of Heterozygosity Due to Template Switching during Replicative Rearrangements. <i>American Journal of Human Genetics</i> , 2015, 96, 555-564.	6.2	45
33	Mechanisms restraining break-induced replication at two-ended DNA double-strand breaks. <i>EMBO Journal</i> , 2021, 40, e104847.	7.8	45
34	Yeast Sub1 and human PC4 are G-quadruplex binding proteins that suppress genome instability at co-transcriptionally formed G4 DNA. <i>Nucleic Acids Research</i> , 2017, 45, 5850-5862.	14.5	41
35	Enrichment of Cdk1-cyclins at DNA double-strand breaks stimulates Fun30 phosphorylation and DNA end resection. <i>Nucleic Acids Research</i> , 2016, 44, 2742-2753.	14.5	39
36	Bre1-dependent H2B ubiquitination promotes homologous recombination by stimulating histone eviction at DNA breaks. <i>Nucleic Acids Research</i> , 2018, 46, 11326-11339.	14.5	37

#	ARTICLE	IF	CITATIONS
37	Rad52 Restrains Resection at DNA Double-Strand Break Ends in Yeast. <i>Molecular Cell</i> , 2019, 76, 699-711.e6.	9.7	37
38	Tracking break-induced replication shows that it stalls at roadblocks. <i>Nature</i> , 2021, 590, 655-659.	27.8	36
39	A novel role of the Dna2 translocase function in DNA break resection. <i>Genes and Development</i> , 2017, 31, 503-510.	5.9	33
40	Dna2 nuclease deficiency results in large and complex DNA insertions at chromosomal breaks. <i>Nature</i> , 2018, 564, 287-290.	27.8	33
41	A Rad51-independent pathway promotes single-strand template repair in gene editing. <i>PLoS Genetics</i> , 2020, 16, e1008689.	3.5	33
42	Selective modulation of the functions of a conserved DNA motor by a histone fold complex. <i>Genes and Development</i> , 2015, 29, 1000-1005.	5.9	17
43	Differential regulation of the anti-crossover and replication fork regression activities of Mph1 by Mte1. <i>Genes and Development</i> , 2016, 30, 687-699.	5.9	17
44	Deciphering the mechanism of processive ssDNA digestion by the Dna2-RPA ensemble. <i>Nature Communications</i> , 2022, 13, 359.	12.8	12
45	Rtt105 promotes high-fidelity DNA replication and repair by regulating the single-stranded DNA-binding factor RPA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	10
46	DNA breakage drives nuclear search. <i>Nature Cell Biology</i> , 2012, 14, 448-450.	10.3	6
47	A new Riff: Rif1 eats its cake and has it too. <i>EMBO Reports</i> , 2014, 15, 622-4.	4.5	5
48	Analysis of DNA Double-Strand Break End Resection and Single-Strand Annealing in <i>S. pombe</i> . <i>Methods in Molecular Biology</i> , 2021, 2153, 47-57.	0.9	1
49	Mechanism and Regulation of the Helicase-driven Path of DNA End Resection in <i>Saccharomyces cerevisiae</i> . <i>FASEB Journal</i> , 2012, 26, 536.7.	0.5	0
50	Measuring the contributions of helicases to break-induced replication. <i>Methods in Enzymology</i> , 2022, , 339-368.	1.0	0
51	A Rad51-independent pathway promotes single-strand template repair in gene editing. , 2020, 16, e1008689.		0
52	A Rad51-independent pathway promotes single-strand template repair in gene editing. , 2020, 16, e1008689.		0
53	A Rad51-independent pathway promotes single-strand template repair in gene editing. , 2020, 16, e1008689.		0
54	A Rad51-independent pathway promotes single-strand template repair in gene editing. , 2020, 16, e1008689.		0