

Roger S Lo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10615354/publications.pdf>

Version: 2024-02-01

72
papers

25,914
citations

44069

48
h-index

66911

78
g-index

84
all docs

84
docs citations

84
times ranked

31299
citing authors

#	ARTICLE	IF	CITATIONS
1	Genomic and Transcriptomic Features of Response to Anti-PD-1 Therapy in Metastatic Melanoma. <i>Cell</i> , 2016, 165, 35-44.	28.9	2,437
2	Mutations Associated with Acquired Resistance to PD-1 Blockade in Melanoma. <i>New England Journal of Medicine</i> , 2016, 375, 819-829.	27.0	2,430
3	TGF β 2 Signaling in Growth Control, Cancer, and Heritable Disorders. <i>Cell</i> , 2000, 103, 295-309.	28.9	2,239
4	Melanomas acquire resistance to B-RAF(V600E) inhibition by RTK or N-RAS upregulation. <i>Nature</i> , 2010, 468, 973-977.	27.8	1,944
5	Tumour micro-environment elicits innate resistance to RAF inhibitors through HGF secretion. <i>Nature</i> , 2012, 487, 500-504.	27.8	1,561
6	RAF inhibitor resistance is mediated by dimerization of aberrantly spliced BRAF(V600E). <i>Nature</i> , 2011, 480, 387-390.	27.8	1,298
7	Interferon Receptor Signaling Pathways Regulating PD-L1 and PD-L2 Expression. <i>Cell Reports</i> , 2017, 19, 1189-1201.	6.4	1,256
8	Exome sequencing identifies recurrent somatic RAC1 mutations in melanoma. <i>Nature Genetics</i> , 2012, 44, 1006-1014.	21.4	1,052
9	Primary Resistance to PD-1 Blockade Mediated by <i>JAK1/2</i> Mutations. <i>Cancer Discovery</i> , 2017, 7, 188-201.	9.4	997
10	<i>RAS</i> Mutations in Cutaneous Squamous-Cell Carcinomas in Patients Treated with BRAF Inhibitors. <i>New England Journal of Medicine</i> , 2012, 366, 207-215.	27.0	978
11	Acquired Resistance and Clonal Evolution in Melanoma during BRAF Inhibitor Therapy. <i>Cancer Discovery</i> , 2014, 4, 80-93.	9.4	836
12	Melanoma whole-exome sequencing identifies V600EB-RAF amplification-mediated acquired B-RAF inhibitor resistance. <i>Nature Communications</i> , 2012, 3, 724.	12.8	567
13	A Smad Transcriptional Corepressor. <i>Cell</i> , 1999, 97, 29-39.	28.9	523
14	Non-genomic and Immune Evolution of Melanoma Acquiring MAPKi Resistance. <i>Cell</i> , 2015, 162, 1271-1285.	28.9	516
15	Low MITF/AXL ratio predicts early resistance to multiple targeted drugs in melanoma. <i>Nature Communications</i> , 2014, 5, 5712.	12.8	503
16	A structural basis for mutational inactivation of the tumour suppressor Smad4. <i>Nature</i> , 1997, 388, 87-93.	27.8	436
17	Therapy-induced tumour secretomes promote resistance and tumour progression. <i>Nature</i> , 2015, 520, 368-372.	27.8	389
18	Mutations increasing autoinhibition inactivate tumour suppressors Smad2 and Smad4. <i>Nature</i> , 1997, 388, 82-87.	27.8	345

#	ARTICLE	IF	CITATIONS
19	Pharmacodynamic Effects and Mechanisms of Resistance to Vemurafenib in Patients With Metastatic Melanoma. <i>Journal of Clinical Oncology</i> , 2013, 31, 1767-1774.	1.6	335
20	Ubiquitin-dependent degradation of TGF- β -activated Smad2. <i>Nature Cell Biology</i> , 1999, 1, 472-478.	10.3	321
21	Tunable-Combinatorial Mechanisms of Acquired Resistance Limit the Efficacy of BRAF/MEK Cotargeting but Result in Melanoma Drug Addiction. <i>Cancer Cell</i> , 2015, 27, 240-256.	16.8	299
22	Regional glutamine deficiency in tumours promotes dedifferentiation through inhibition of histone demethylation. <i>Nature Cell Biology</i> , 2016, 18, 1090-1101.	10.3	291
23	sFRP2 in the aged microenvironment drives melanoma metastasis and therapy resistance. <i>Nature</i> , 2016, 532, 250-254.	27.8	290
24	Acquired BRAF inhibitor resistance: A multicenter meta-analysis of the spectrum and frequencies, clinical behaviour, and phenotypic associations of resistance mechanisms. <i>European Journal of Cancer</i> , 2015, 51, 2792-2799.	2.8	269
25	MDM4 is a key therapeutic target in cutaneous melanoma. <i>Nature Medicine</i> , 2012, 18, 1239-1247.	30.7	266
26	Response of BRAF-Mutant Melanoma to BRAF Inhibition Is Mediated by a Network of Transcriptional Regulators of Glycolysis. <i>Cancer Discovery</i> , 2014, 4, 423-433.	9.4	242
27	Combinatorial Treatments That Overcome PDGFR β -Driven Resistance of Melanoma Cells to V600E-RAF Inhibition. <i>Cancer Research</i> , 2011, 71, 5067-5074.	0.9	206
28	Differential sensitivity of melanoma cell lines with BRAF V600E mutation to the specific Raf inhibitor PLX4032. <i>Journal of Translational Medicine</i> , 2010, 8, 39.	4.4	203
29	Reversing Melanoma Cross-Resistance to BRAF and MEK Inhibitors by Co-Targeting the AKT/mTOR Pathway. <i>PLoS ONE</i> , 2011, 6, e28973.	2.5	196
30	Polymer Nanofiber-Embedded Microchips for Detection, Isolation, and Molecular Analysis of Single Circulating Melanoma Cells. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 3379-3383.	13.8	194
31	Multiple Modes of Repression by the Smad Transcriptional Corepressor TGIF. <i>Journal of Biological Chemistry</i> , 1999, 274, 37105-37110.	3.4	170
32	Glucose deprivation activates a metabolic and signaling amplification loop leading to cell death. <i>Molecular Systems Biology</i> , 2012, 8, 589.	7.2	168
33	Phylogenetic analyses of melanoma reveal complex patterns of metastatic dissemination. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 10995-11000.	7.1	146
34	The HSP90 Inhibitor XL888 Overcomes BRAF Inhibitor Resistance Mediated through Diverse Mechanisms. <i>Clinical Cancer Research</i> , 2012, 18, 2502-2514.	7.0	145
35	A Novel AKT1 Mutant Amplifies an Adaptive Melanoma Response to BRAF Inhibition. <i>Cancer Discovery</i> , 2014, 4, 69-79.	9.4	141
36	Recurrent Tumor Cell-Intrinsic and -Extrinsic Alterations during MAPK-Induced Melanoma Regression and Early Adaptation. <i>Cancer Discovery</i> , 2017, 7, 1248-1265.	9.4	134

#	ARTICLE	IF	CITATIONS
37	Vemurafenib resistance reprograms melanoma cells towards glutamine dependence. <i>Journal of Translational Medicine</i> , 2015, 13, 210.	4.4	97
38	Preexisting <i>MEK1</i> Exon 3 Mutations in <i>V600E/K</i> <i>BRAF</i> Melanomas Do Not Confer Resistance to BRAF Inhibitors. <i>Cancer Discovery</i> , 2012, 2, 414-424.	9.4	91
39	Antitumor activity of the ERK inhibitor SCH722984 against BRAF mutant, NRAS mutant and wild-type melanoma. <i>Molecular Cancer</i> , 2014, 13, 194.	19.2	90
40	Exploiting Drug Addiction Mechanisms to Select against MAPKi-Resistant Melanoma. <i>Cancer Discovery</i> , 2018, 8, 74-93.	9.4	89
41	Combination therapy with vemurafenib (PLX4032/RG7204) and metformin in melanoma cell lines with distinct driver mutations. <i>Journal of Translational Medicine</i> , 2011, 9, 76.	4.4	82
42	Intratumoral Molecular Heterogeneity in a <i>BRAF</i> -Mutant, BRAF Inhibitor-Resistant Melanoma: A Case Illustrating the Challenges for Personalized Medicine. <i>Molecular Cancer Therapeutics</i> , 2012, 11, 2704-2708.	4.1	78
43	Anti-PD-1/L1 lead-in before MAPK inhibitor combination maximizes antitumor immunity and efficacy. <i>Cancer Cell</i> , 2021, 39, 1375-1387.e6.	16.8	78
44	The state of melanoma: challenges and opportunities. <i>Pigment Cell and Melanoma Research</i> , 2016, 29, 404-416.	3.3	77
45	Multimodel preclinical platform predicts clinical response of melanoma to immunotherapy. <i>Nature Medicine</i> , 2020, 26, 781-791.	30.7	75
46	The RNA-binding Protein MEX3B Mediates Resistance to Cancer Immunotherapy by Downregulating HLA-A Expression. <i>Clinical Cancer Research</i> , 2018, 24, 3366-3376.	7.0	73
47	Continuous versus intermittent BRAF and MEK inhibition in patients with BRAF-mutated melanoma: a randomized phase 2 trial. <i>Nature Medicine</i> , 2020, 26, 1564-1568.	30.7	71
48	Mixed lineage kinases activate MEK independently of RAF to mediate resistance to RAF inhibitors. <i>Nature Communications</i> , 2014, 5, 3901.	12.8	68
49	JUN dependency in distinct early and late BRAF inhibition adaptation states of melanoma. <i>Cell Discovery</i> , 2016, 2, 16028.	6.7	57
50	Cutaneous wound healing through paradoxical MAPK activation by BRAF inhibitors. <i>Nature Communications</i> , 2016, 7, 12348.	12.8	52
51	A Conserved Glutamate Is Responsible for Ion Selectivity and pH Dependence of the Mammalian Anion Exchangers AE1 and AE2. <i>Journal of Biological Chemistry</i> , 1995, 270, 28751-28758.	3.4	47
52	Durable Suppression of Acquired MEK Inhibitor Resistance in Cancer by Sequestering MEK from ERK and Promoting Antitumor T-cell Immunity. <i>Cancer Discovery</i> , 2021, 11, 714-735.	9.4	45
53	COX-2 inhibition prevents the appearance of cutaneous squamous cell carcinomas accelerated by BRAF inhibitors. <i>Molecular Oncology</i> , 2014, 8, 250-260.	4.6	37
54	High-Speed Live-Cell Interferometry: A New Method for Quantifying Tumor Drug Resistance and Heterogeneity. <i>Analytical Chemistry</i> , 2018, 90, 3299-3306.	6.5	35

#	ARTICLE	IF	CITATIONS
55	Sulfate Transport Mediated by the Mammalian Anion Exchangers in Reconstituted Proteoliposomes. <i>Journal of Biological Chemistry</i> , 1995, 270, 11251-11256.	3.4	30
56	Neoadjuvant presurgical PD-1 inhibition in oral cavity squamous cell carcinoma. <i>Cell Reports Medicine</i> , 2021, 2, 100426.	6.5	28
57	Plasticity of Extrachromosomal and Intrachromosomal <i>BRAF</i> Amplifications in Overcoming Targeted Therapy Dosage Challenges. <i>Cancer Discovery</i> , 2022, 12, 1046-1069.	9.4	27
58	Receptor tyrosine kinases in cancer escape from BRAF inhibitors. <i>Cell Research</i> , 2012, 22, 945-947.	12.0	26
59	Transforming Growth Factor- β 2 Activation Promotes Genetic Context-Dependent Invasion of Immortalized Melanocytes. <i>Cancer Research</i> , 2008, 68, 4248-4257.	0.9	23
60	<i>SPRED1</i> deletion confers resistance to MAPK inhibition in melanoma. <i>Journal of Experimental Medicine</i> , 2021, 218, .	8.5	19
61	Response and recurrence correlates in individuals treated with neoadjuvant anti-PD-1 therapy for resectable oral cavity squamous cell carcinoma. <i>Cell Reports Medicine</i> , 2021, 2, 100411.	6.5	18
62	Combinatorial therapies to overcome B-RAF inhibitor resistance in melanomas. <i>Pharmacogenomics</i> , 2012, 13, 125-128.	1.3	17
63	Enhancing PD-L1 Degradation by ITCH during MAPK Inhibitor Therapy Suppresses Acquired Resistance. <i>Cancer Discovery</i> , 2022, 12, 1942-1959.	9.4	15
64	Topical 5-Fluorouracil Elicits Regressions of BRAF Inhibitor-Induced Cutaneous Squamous Cell Carcinoma. <i>Journal of Investigative Dermatology</i> , 2013, 133, 274-276.	0.7	14
65	Detecting Mechanisms of Acquired BRAF Inhibitor Resistance in Melanoma. <i>Methods in Molecular Biology</i> , 2014, 1102, 163-174.	0.9	14
66	The Prognostic Significance of Low-Frequency Somatic Mutations in Metastatic Cutaneous Melanoma. <i>Frontiers in Oncology</i> , 2018, 8, 584.	2.8	14
67	Perspectives in melanoma: meeting report from the "Melanoma Bridge" (December 5th-7th, 2019,) <i>TJ ETQq</i> 1.1 0.784314 rgB 4.4 5		
68	The great debate at "Immunotherapy Bridge 2018", Naples, November 29th, 2018. , 2019, 7, 221.		4
69	Wound healing with topical BRAF inhibitor therapy in a diabetic model suggests tissue regenerative effects. <i>PLoS ONE</i> , 2021, 16, e0252597.	2.5	4
70	Trying for a BRAF Slam Dunk. <i>Cancer Discovery</i> , 2020, 10, 640-642.	9.4	3
71	Melanoma to Vitiligo: The Melanocyte in Biology & Medicine "Joint Montagna Symposium on the Biology of Skin/PanAmerican Society for Pigment Cell Research Annual Meeting. <i>Journal of Investigative Dermatology</i> , 2020, 140, 269-274.	0.7	2
72	Melanoma Prognostics and Personalized Therapeutics at a Crossroad. <i>Journal of Investigative Dermatology</i> , 2013, 133, 292-295.	0.7	1