

Stephen Moses

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10618088/publications.pdf>

Version: 2024-02-01

124
papers

6,842
citations

71102

41
h-index

64796

79
g-index

125
all docs

125
docs citations

125
times ranked

4757
citing authors

#	ARTICLE	IF	CITATIONS
1	Male circumcision for HIV prevention in young men in Kisumu, Kenya: a randomised controlled trial. <i>Lancet</i> , The, 2007, 369, 643-656.	13.7	1,982
2	Monthly Antibiotic Chemoprophylaxis and Incidence of Sexually Transmitted Infections and HIV-1 Infection in Kenyan Sex Workers. <i>JAMA - Journal of the American Medical Association</i> , 2004, 291, 2555.	7.4	227
3	Geographical Patterns of Male Circumcision Practices in Africa: Association with HIV Seroprevalence. <i>International Journal of Epidemiology</i> , 1990, 19, 693-697.	1.9	193
4	Declines in risk behaviour and sexually transmitted infection prevalence following a community-led HIV preventive intervention among female sex workers in Mysore, India. <i>Aids</i> , 2008, 22, S91-S100.	2.2	168
5	Levels of innate immune factors in genital fluids: association of alpha defensins and LL-37 with genital infections and increased HIV acquisition. <i>Aids</i> , 2009, 23, 309-317.	2.2	136
6	Adult Male Circumcision: Effects on Sexual Function and Sexual Satisfaction in Kisumu, Kenya. <i>Journal of Sexual Medicine</i> , 2008, 5, 2610-2622.	0.6	131
7	Changes in risk behaviours and prevalence of sexually transmitted infections following HIV preventive interventions among female sex workers in five districts in Karnataka state, south India. <i>Sexually Transmitted Infections</i> , 2010, 86, i17-i24.	1.9	128
8	Prevalent Herpes Simplex Virus Type 2 Infection is Associated with Altered Vaginal Flora and an increased Susceptibility to Multiple Sexually Transmitted Infections. <i>Journal of Infectious Diseases</i> , 2007, 196, 1692-1697.	4.0	124
9	The Association Between Lack of Male Circumcision and Risk for HIV Infection. <i>Sexually Transmitted Diseases</i> , 1994, 21, 201-210.	1.7	121
10	Male circumcision and HIV prevention: current knowledge and future research directions. <i>Lancet Infectious Diseases</i> , The, 2001, 1, 223-231.	9.1	113
11	Risk Compensation Is Not Associated with Male Circumcision in Kisumu, Kenya: A Multi-Faceted Assessment of Men Enrolled in a Randomized Controlled Trial. <i>PLoS ONE</i> , 2008, 3, e2443.	2.5	112
12	Modelling the public health impact of male circumcision for HIV prevention in high prevalence areas in Africa. <i>BMC Infectious Diseases</i> , 2007, 7, 16.	2.9	99
13	Modelling HIV/AIDS epidemics in Botswana and India: impact of interventions to prevent transmission. <i>Bulletin of the World Health Organization</i> , 2002, 80, 89-96.	3.3	99
14	HIV-1 Target Cells in Foreskins of African Men With Varying Histories of Sexually Transmitted Infections. <i>American Journal of Clinical Pathology</i> , 2006, 125, 386-391.	0.7	97
15	Dhandha, dharm and disease: traditional sex work and HIV/AIDS in rural India. <i>Social Science and Medicine</i> , 2004, 59, 851-860.	3.8	92
16	HIV-neutralizing immunoglobulin A and HIV-specific proliferation are independently associated with reduced HIV acquisition in Kenyan sex workers. <i>Aids</i> , 2008, 22, 727-735.	2.2	89
17	Adult Male Circumcision Does Not Reduce the Risk of Incident <i>Neisseria gonorrhoeae</i> , <i>Chlamydia trachomatis</i> , or <i>Trichomonas vaginalis</i> Infection: Results from a Randomized, Controlled Trial in Kenya. <i>Journal of Infectious Diseases</i> , 2009, 200, 370-378.	4.0	88
18	New Policy on Circumcision – Cause for Concern. <i>Pediatrics</i> , 2000, 105, 620-623.	2.1	75

#	ARTICLE	IF	CITATIONS
19	Increased Risk of HIV Acquisition among Kenyan Men with Human Papillomavirus Infection. <i>Journal of Infectious Diseases</i> , 2010, 201, 1677-1685.	4.0	72
20	An integrated structural intervention to reduce vulnerability to HIV and sexually transmitted infections among female sex workers in Karnataka state, south India. <i>BMC Public Health</i> , 2011, 11, 755.	2.9	69
21	Estimating the Size of the Female Sex Worker Population in Kenya to Inform HIV Prevention Programming. <i>PLoS ONE</i> , 2014, 9, e89180.	2.5	69
22	Genital ulcer disease among STD clinic attenders in Nairobi: association with HIV-1 and circumcision status. <i>International Journal of STD and AIDS</i> , 1996, 7, 410-414.	1.1	67
23	The effects of COVID-19 on the health and socio-economic security of sex workers in Nairobi, Kenya: Emerging intersections with HIV. <i>Global Public Health</i> , 2020, 15, 1073-1082.	2.0	66
24	Assessment of the population-level effectiveness of the Avahan HIV-prevention programme in South India: a preplanned, causal-pathway-based modelling analysis. <i>The Lancet Global Health</i> , 2013, 1, e289-e299.	6.3	64
25	Factors Associated with Sexual Violence against Men Who Have Sex with Men and Transgendered Individuals in Karnataka, India. <i>PLoS ONE</i> , 2012, 7, e31705.	2.5	63
26	Abundant Expression of HIV Target Cells and C-Type Lectin Receptors in the Foreskin Tissue of Young Kenyan Men. <i>American Journal of Pathology</i> , 2010, 176, 2798-2805.	3.8	61
27	Correlates of school dropout and absenteeism among adolescent girls from marginalized community in north Karnataka, south India. <i>Journal of Adolescence</i> , 2017, 61, 64-76.	2.4	61
28	HIV-1 target cells in foreskins of African men with varying histories of sexually transmitted infections. <i>American Journal of Clinical Pathology</i> , 2006, 125, 386-91.	0.7	61
29	Reduced HIV Risk-Taking and Low HIV Incidence After Enrollment and Risk-Reduction Counseling in a Sexually Transmitted Disease Prevention Trial in Nairobi, Kenya. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2002, 30, 69-72.	2.1	60
30	Coinfection with Herpes Simplex Virus Type 2 Is Associated with Reduced HIV-specific T Cell Responses and Systemic Immune Activation. <i>Journal of Infectious Diseases</i> , 2008, 197, 1394-1401.	4.0	60
31	Adult male circumcision: results of a standardized procedure in Kisumu District, Kenya. <i>BJU International</i> , 2005, 96, 1109-1113.	2.5	58
32	Adult Male Circumcision Outcomes: Experience in a Developing Country Setting. <i>Urologia Internationalis</i> , 2007, 78, 235-240.	1.3	57
33	Circumcision status and incident herpes simplex virus type 2 infection, genital ulcer disease, and HIV infection. <i>Aids</i> , 2012, 26, 1141-1149.	2.2	57
34	Devising a female sex work typology using data from Karnataka, India. <i>International Journal of Epidemiology</i> , 2010, 39, 439-448.	1.9	56
35	The long-term efficacy of medical male circumcision against HIV acquisition. <i>Aids</i> , 2013, 27, 2899-2709.	2.2	56
36	Male circumcision is associated with a lower prevalence of human papillomavirus-associated penile lesions among Kenyan men. <i>International Journal of Cancer</i> , 2012, 130, 1888-1897.	5.1	51

#	ARTICLE	IF	CITATIONS
37	Increased Risk of Infection with Human Immunodeficiency Virus Type 1 Among Uncircumcised Men Presenting with Genital Ulcer Disease in Kenya. <i>Clinical Infectious Diseases</i> , 1996, 23, 449-453.	5.8	47
38	Does sex in the early period after circumcision increase HIV-seroconversion risk? Pooled analysis of adult male circumcision clinical trials. <i>Aids</i> , 2009, 23, 1557-1564.	2.2	45
39	Determinants of Consistent Condom Use Vary by Partner Type among Young Men in Kisumu, Kenya: A Multi-level Data Analysis. <i>AIDS and Behavior</i> , 2010, 14, 949-959.	2.7	44
40	Reduced HIV Risk-Taking and Low HIV Incidence After Enrollment and Risk-Reduction Counseling in a Sexually Transmitted Disease Prevention Trial in Nairobi, Kenya. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2002, 30, 69-72.	2.1	43
41	Prevalence and determinants of HIV infection in South India: a heterogeneous, rural epidemic. <i>Aids</i> , 2007, 21, 739-747.	2.2	43
42	Impact of an intensive HIV prevention programme for female sex workers on HIV prevalence among antenatal clinic attenders in Karnataka state, south India: an ecological analysis. <i>Aids</i> , 2008, 22, S101-S108.	2.2	42
43	Declines in violence and police arrest among female sex workers in Karnataka state, south India, following a comprehensive HIV prevention programme. <i>Journal of the International AIDS Society</i> , 2015, 18, 20079.	3.0	41
44	Widow Inheritance and HIV Prevalence in Bondo District, Kenya: Baseline Results from a Prospective Cohort Study. <i>PLoS ONE</i> , 2010, 5, e14028.	2.5	39
45	Prevalence and risk factors of human papillomavirus infection by penile site in uncircumcised Kenyan men. <i>International Journal of Cancer</i> , 2010, 126, 572-577.	5.1	37
46	Data and methods to characterize the role of sex work and to inform sex work programs in generalized HIV epidemics: evidence to challenge assumptions. <i>Annals of Epidemiology</i> , 2016, 26, 557-569.	1.9	37
47	Effectiveness of Onsite Nurse Mentoring in Improving Quality of Institutional Births in the Primary Health Centres of High Priority Districts of Karnataka, South India: A Cluster Randomized Trial. <i>PLoS ONE</i> , 2016, 11, e0161957.	2.5	36
48	What Really Is a Concentrated HIV Epidemic and What Does It Mean for West and Central Africa? Insights From Mathematical Modeling. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2015, 68, S74-S82.	2.1	35
49	The Effect of Medical Male Circumcision on Urogenital <i>Mycoplasma genitalium</i> Among Men in Kisumu, Kenya. <i>Sexually Transmitted Diseases</i> , 2012, 39, 276-280.	1.7	34
50	Circumcision and Reduced Risk of Self-Reported Penile Coital Injuries: Results From a Randomized Controlled Trial in Kisumu, Kenya. <i>Journal of Urology</i> , 2010, 184, 203-209.	0.4	33
51	Validation of the Modes of Transmission Model as a Tool to Prioritize HIV Prevention Targets: A Comparative Modelling Analysis. <i>PLoS ONE</i> , 2014, 9, e101690.	2.5	33
52	Sustained Changes in Sexual Behavior by Female Sex Workers After Completion of a Randomized HIV Prevention Trial. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2007, 45, 588-594.	2.1	32
53	Prevalence and determinants of HIV and sexually transmitted infections in a general population-based sample in Mysore district, Karnataka state, southern India. <i>Aids</i> , 2008, 22, S117-S125.	2.2	32
54	Emergence of Quinolone Resistance and Cephalosporin MIC Creep in <i>Neisseria gonorrhoeae</i> Isolates from a Cohort of Young Men in Kisumu, Kenya, 2002 to 2009. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 3882-3888.	3.2	32

#	ARTICLE	IF	CITATIONS
55	A Nested Case–Control Study of Sexual Practices and Risk Factors for Prevalent HIV-1 Infection Among Young Men in Kisumu, Kenya. <i>Sexually Transmitted Diseases</i> , 2007, 34, 731-736.	1.7	32
56	Micro-planning at scale with key populations in Kenya: Optimising peer educator ratios for programme outreach and HIV/STI service utilisation. <i>PLoS ONE</i> , 2018, 13, e0205056.	2.5	31
57	Prevalence and correlates of psychological distress among 13–14-year old adolescent girls in North Karnataka, South India: a cross-sectional study. <i>BMC Public Health</i> , 2019, 19, 48.	2.9	31
58	Logistic regression in case-control studies: The effect of using independent as dependent variables. <i>Statistics in Medicine</i> , 1995, 14, 769-775.	1.6	30
59	Human Papillomavirus Detection by Penile Site in Young Men From Kenya. <i>Sexually Transmitted Diseases</i> , 2007, 34, 928-934.	1.7	29
60	Multiple Human Papillomavirus Infections and Type Competition in Men. <i>Journal of Infectious Diseases</i> , 2012, 205, 72-81.	4.0	29
61	Education, poverty and "purity" in the context of adolescent girls' secondary school retention and dropout: A qualitative study from Karnataka, southern India. <i>PLoS ONE</i> , 2018, 13, e0202470.	2.5	29
62	The role of sexually transmitted infections in male circumcision effectiveness against HIV – insights from clinical trial simulation. <i>Emerging Themes in Epidemiology</i> , 2006, 3, 19.	2.7	28
63	Heterogeneity of the HIV epidemic in the general population of Karnataka state, south India. <i>BMC Public Health</i> , 2011, 11, S13.	2.9	28
64	Prioritizing Risk in Preparation for a Demonstration Project: A Mixed Methods Feasibility Study of Oral Pre-Exposure Prophylaxis (PREP) among Female Sex Workers in South India. <i>PLoS ONE</i> , 2016, 11, e0166889.	2.5	28
65	Medical Male Circumcision and Herpes Simplex Virus 2 Acquisition: Posttrial Surveillance in Kisumu, Kenya. <i>Journal of Infectious Diseases</i> , 2013, 208, 1869-1876.	4.0	26
66	Mucosal <i>Neisseria gonorrhoeae</i> coinfection during HIV acquisition is associated with enhanced systemic HIV-specific CD8 T-cell responses. <i>Aids</i> , 2008, 22, 1729-1737.	2.2	25
67	Changes in HIV and syphilis prevalence among female sex workers from three serial cross-sectional surveys in Karnataka state, South India. <i>BMJ Open</i> , 2015, 5, e007106-e007106.	1.9	24
68	The Samata intervention to increase secondary school completion and reduce child marriage among adolescent girls: results from a cluster-randomised control trial in India. <i>Journal of Global Health</i> , 2019, 9, 010430.	2.7	23
69	Assessing reported condom use among female sex workers in southern India through examination of condom availability. <i>Sexually Transmitted Infections</i> , 2010, 86, i44-i48.	1.9	22
70	Veracity and rhetoric in paediatric medicine: a critique of Svoboda and Van Howe's response to the AAP policy on infant male circumcision. <i>Journal of Medical Ethics</i> , 2014, 40, 463-470.	1.8	22
71	Changes in HIV prevention programme outcomes among key populations in Kenya: Data from periodic surveys. <i>PLoS ONE</i> , 2018, 13, e0203784.	2.5	22
72	Monitoring HIV Prevention Programme Outcomes among Key Populations in Kenya: Findings from a National Survey. <i>PLoS ONE</i> , 2015, 10, e0137007.	2.5	21

#	ARTICLE	IF	CITATIONS
73	Acquisition and Persistence of Human Papillomavirus 16 (HPV-16) and HPV-18 Among Men With High-HPV Viral Load Infections in a Circumcision Trial in Kisumu, Kenya. <i>Journal of Infectious Diseases</i> , 2015, 211, 811-820.	4.0	21
74	HIV prevention programme cascades: insights from HIV programme monitoring for female sex workers in Kenya. <i>Journal of the International AIDS Society</i> , 2019, 22, e25311.	3.0	21
75	Spatial distribution and cluster analysis of sexual risk behaviors reported by young men in Kisumu, Kenya. <i>International Journal of Health Geographics</i> , 2010, 9, 24.	2.5	20
76	Fertility intentions, power relations and condom use within intimate and other non-paying partnerships of women in sex work in Bagalkot District, South India. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2015, 27, 1241-1249.	1.2	19
77	HIV prevalence, testing and treatment among men who have sex with men through engagement in virtual sexual networks in Kenya: a cross-sectional bio-behavioural study. <i>Journal of the International AIDS Society</i> , 2020, 23, e25516.	3.0	19
78	Strategies for reducing police arrest in the context of an HIV prevention programme for female sex workers: evidence from structural interventions in Karnataka, South India. <i>Journal of the International AIDS Society</i> , 2016, 19, 20856.	3.0	18
79	Improving the knowledge of labour and delivery nurses in India: a randomized controlled trial of mentoring and case sheets in primary care centres. <i>BMC Health Services Research</i> , 2017, 17, 14.	2.2	18
80	Key Programme Science lessons from an HIV prevention "Learning Site"™ for sex workers in Mombasa, Kenya. <i>Sexually Transmitted Infections</i> , 2018, 94, 346-352.	1.9	17
81	Can a national government implement a violence prevention and response strategy for key populations in a criminalized setting? A case study from Kenya. <i>Journal of the International AIDS Society</i> , 2018, 21, e25122.	3.0	17
82	Ecologies of security: On the everyday security tactics of female sex workers in Nairobi, Kenya. <i>Global Public Health</i> , 2018, 13, 1767-1780.	2.0	17
83	Male circumcision: a new approach to reducing HIV transmission. <i>Cmaj</i> , 2009, 181, E134-E135.	2.0	16
84	Circumcision Denialism Unfounded and Unscientific. <i>American Journal of Preventive Medicine</i> , 2011, 40, e11-e12.	3.0	16
85	Risk of HIV acquisition among circumcised and uncircumcised young men with penile human papillomavirus infection. <i>Aids</i> , 2014, 28, 745-752.	2.2	16
86	Scaling Sexual Behavior or "Sexual Risk Propensity" Among Men at Risk for HIV in Kisumu, Kenya. <i>AIDS and Behavior</i> , 2010, 14, 162-172.	2.7	15
87	Sexual behaviour and less frequent bathing are associated with higher human papillomavirus incidence in a cohort study of uncircumcised Kenyan men. <i>Sexually Transmitted Infections</i> , 2013, 89, 148-155.	1.9	15
88	Effects of exposure to an intensive HIV-prevention programme on behavioural changes among female sex workers in Nairobi, Kenya. <i>African Journal of AIDS Research</i> , 2018, 17, 99-108.	0.9	15
89	Violence experience by perpetrator and associations with HIV/STI risk and infection: a cross-sectional study among female sex workers in Karnataka, south India. <i>BMJ Open</i> , 2018, 8, e021389.	1.9	15
90	What determines violence among female sex workers in an intimate partner relationship? Findings from North Karnataka, south India. <i>BMC Public Health</i> , 2019, 19, 350.	2.9	15

#	ARTICLE	IF	CITATIONS
91	Family and community level stigma and discrimination among women living with HIV/AIDS in a high HIV prevalence district of India. <i>Journal of HIV/AIDS and Social Services</i> , 2016, , 1-16.	0.7	14
92	Dutiful daughters: HIV/AIDS, moral pragmatics, female citizenship and structural violence among Devadasis in northern Karnataka, India. <i>Global Public Health</i> , 2018, 13, 1065-1080.	2.0	14
93	Multilevel Analysis of the Predictors of HIV Prevalence among Pregnant Women Enrolled in Annual HIV Sentinel Surveillance in Four States in Southern India. <i>PLoS ONE</i> , 2015, 10, e0131629.	2.5	14
94	Vaccine-Relevant Human Papillomavirus (HPV) Infections and Future Acquisition of High-Risk HPV Types in Men. <i>Journal of Infectious Diseases</i> , 2012, 206, 669-677.	4.0	13
95	Evaluation of community-based HIV self-testing delivery strategies on reducing undiagnosed HIV infection, and improving linkage to prevention and treatment services, among men who have sex with men in Kenya: a programme science study protocol. <i>BMC Public Health</i> , 2019, 19, 986.	2.9	13
96	Male Circumcision Reduces Penile HPV Incidence and Persistence: A Randomized Controlled Trial in Kenya. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1139-1148.	2.5	12
97	Sexually Transmitted Diseases in Manitoba. <i>Sexually Transmitted Diseases</i> , 2002, 29, 840-846.	1.7	10
98	Descriptive Epidemiology of Factors Associated with HIV Infections Among Men and Transgender Women Who Have Sex with Men in South India. <i>LGBT Health</i> , 2016, 3, 292-299.	3.4	9
99	Risky Behaviors among HIV-Positive Female Sex Workers in Northern Karnataka, India. <i>AIDS Research and Treatment</i> , 2013, 2013, 1-7.	0.7	8
100	Evaluation of a Community-Based HIV Preventive Intervention for Female Sex Workers in Rural Areas of Karnataka State, South India. <i>Asia-Pacific Journal of Public Health</i> , 2014, 26, 349-357.	1.0	8
101	Pornography, Sexual Enhancement Products, and Sexual Risk of Female Sex Workers and their Clients in Southern India. <i>Archives of Sexual Behavior</i> , 2016, 45, 945-954.	1.9	8
102	HIV viral set point and host immune control in individuals with HIV-specific CD8+ T-cell responses prior to HIV acquisition. <i>Aids</i> , 2010, 24, 1449-1454.	2.2	7
103	Transitions: Novel Study Methods to Understand Early HIV Risk Among Adolescent Girls and Young Women in Mombasa, Kenya, and Dnipro, Ukraine. <i>Frontiers in Reproductive Health</i> , 2020, 2, .	1.9	7
104	Higher HPV16 and HPV18 Penile Viral Loads Are Associated With Decreased Human Papillomavirus Clearance in Uncircumcised Kenyan Men. <i>Sexually Transmitted Diseases</i> , 2016, 43, 572-578.	1.7	6
105	Identification of Novel Risks for Nonulcerative Sexually Transmitted Infections Among Young Men in Kisumu, Kenya. <i>Sexually Transmitted Diseases</i> , 2007, 34, 892-899.	1.7	5
106	Two cross-sectional studies in south India assessing the effect of an HIV prevention programme for female sex workers on reducing syphilis among their clients. <i>Sexually Transmitted Infections</i> , 2014, 90, 556-562.	1.9	5
107	Understanding low levels of condom use between female sex workers and their regular partners: Timing of sexual initiation in relationships as a differentiating factor in Karnataka, South India. <i>Journal of HIV/AIDS and Social Services</i> , 2017, 16, 113-126.	0.7	5
108	Can we have the confidence to ask: thickening agency among adolescent girls in Karnataka, South India. <i>Culture, Health and Sexuality</i> , 2022, 24, 16-30.	1.8	4

#	ARTICLE	IF	CITATIONS
109	Sexual and reproductive health among adolescent girls and young women in Mombasa, Kenya. <i>Sexual and Reproductive Health Matters</i> , 2020, 28, 1749341.	1.8	4
110	Male circumcision in HIV prevention – Authors' reply. <i>Lancet, The</i> , 2007, 369, 1598-1599.	13.7	3
111	Pregnancy wastage among HIV infected women in a high HIV prevalence district of India. <i>BMC Public Health</i> , 2015, 15, 602.	2.9	3
112	Changes in Family-Level Attitudes and Norms and Association with Secondary School Completion and Child Marriage Among Adolescent Girls: Results from an Exploratory Study Nested Within a Cluster-Randomised Controlled Trial in India. <i>Prevention Science</i> , 2020, 21, 1065-1080.	2.6	3
113	Factors Affecting Female-to-Male Transmission of HIV-1: Implications of Transmission Dynamics for Prevention. , 1991, , 35-45.		3
114	Beyond remedicalisation: a community-led PrEP demonstration project among sex workers in India. <i>Culture, Health and Sexuality</i> , 2020, 23, 1-15.	1.8	2
115	Assessing the effect of the Samata intervention on factors hypothesised to be on the pathway to child marriage and school drop-out: results from a cluster-randomised trial in rural north Karnataka, India. <i>Journal of Global Health Reports</i> , 0, , .	1.0	2
116	Response to – Herpes simplex virus type-2 (HSV-2) assay specificity and male circumcision to reduce HSV-2 acquisition. <i>Aids</i> , 2013, 27, 149-150.	2.2	1
117	Potential contributions of an on-site nurse mentoring program on neonatal mortality reductions in rural Karnataka state, South India: evidence from repeat community cross-sectional surveys. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 242.	2.4	1
118	Visualizing participant experiences in maternal and child nutrition studies using timeline mapping. <i>Gates Open Research</i> , 2019, 3, 1535.	1.1	1
119	Association between treatment for gonorrhoea and chlamydia and lower condom use in a cross-sectional study of female sex workers in southern India. <i>BMJ Open</i> , 2016, 6, e009774.	1.9	0
120	P714 – HIV testing and undiagnosed fraction among adolescent girls and young women by engagement in sex work in mombasa, kenya. , 2019, , .		0
121	Complementary Feeding Practices and Associated Factors in Children 6 – 23 months in Uttar Pradesh, India: Program Implications. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa053_107.	0.3	0
122	Incidence and clearance of penile human papillomavirus infection among circumcised Kenyan men. <i>International Journal of STD and AIDS</i> , 2020, 31, 1202-1211.	1.1	0
123	Using data from – visible – populations to estimate the size and importance of – hidden – populations in an epidemic: A modelling technique. <i>Infectious Disease Modelling</i> , 2020, 5, 798-813.	1.9	0
124	Healthcare utilization among persons living with HIV in Manitoba, Canada, prior to HIV diagnosis: A case-control analysis. <i>International Journal of STD and AIDS</i> , 2022, 33, 265-274.	1.1	0