

Christian Sorg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10621545/publications.pdf>

Version: 2024-02-01

133
papers

9,868
citations

53794

45
h-index

39675

94
g-index

137
all docs

137
docs citations

137
times ranked

13344
citing authors

#	ARTICLE	IF	CITATIONS
1	Toward discovery science of human brain function. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 4734-4739.	7.1	2,703
2	Selective changes of resting-state networks in individuals at risk for Alzheimer's disease. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 18760-18765.	7.1	957
3	Aberrant Dependence of Default Mode/Central Executive Network Interactions on Anterior Insular Salience Network Activity in Schizophrenia. Schizophrenia Bulletin, 2014, 40, 428-437.	4.3	303
4	Brain Rhythms of Pain. Trends in Cognitive Sciences, 2017, 21, 100-110.	7.8	290
5	Insular dysfunction within the salience network is associated with severity of symptoms and aberrant inter-network connectivity in major depressive disorder. Frontiers in Human Neuroscience, 2013, 7, 930.	2.0	267
6	Complex activities of daily living in mild cognitive impairment: conceptual and diagnostic issues. Age and Ageing, 2006, 35, 240-245.	1.6	227
7	Impairment of activities of daily living requiring memory or complex reasoning as part of the MCI syndrome. International Journal of Geriatric Psychiatry, 2006, 21, 158-162.	2.7	198
8	Aberrant topology of striatum's connectivity is associated with the number of episodes in depression. Brain, 2014, 137, 598-609.	7.6	189
9	Frontoparietal areas link impairments of large-scale intrinsic brain networks with aberrant fronto-striatal interactions in OCD: a meta-analysis of resting-state functional connectivity. Neuroscience and Biobehavioral Reviews, 2018, 87, 151-160.	6.1	166
10	Cognitive rehabilitation in patients with mild cognitive impairment. International Journal of Geriatric Psychiatry, 2009, 24, 163-168.	2.7	157
11	Local Activity Determines Functional Connectivity in the Resting Human Brain: A Simultaneous FDG-PET/fMRI Study. Journal of Neuroscience, 2014, 34, 6260-6266.	3.6	149
12	Patients With Pain Disorder Show Gray-Matter Loss in Pain-Processing Structures: A Voxel-Based Morphometric Study. Psychosomatic Medicine, 2009, 71, 49-56.	2.0	137
13	Within-patient correspondence of amyloid- β^2 and intrinsic network connectivity in Alzheimer's disease. Brain, 2014, 137, 2052-2064.	7.6	126
14	Grey-Matter Atrophy in Alzheimer's Disease is Asymmetric but not Lateralized. Journal of Alzheimer's Disease, 2011, 25, 347-357.	2.6	123
15	Aberrant Intrinsic Connectivity of Hippocampus and Amygdala Overlap in the Fronto-Insular and Dorsomedial-Prefrontal Cortex in Major Depressive Disorder. Frontiers in Human Neuroscience, 2013, 7, 639.	2.0	123
16	Mindful attention to breath regulates emotions via increased amygdala-prefrontal cortex connectivity. NeuroImage, 2016, 134, 305-313.	4.2	123
17	Mindfulness is associated with intrinsic functional connectivity between default mode and salience networks. Frontiers in Human Neuroscience, 2015, 9, 461.	2.0	116
18	White matter hyperintensities predict amyloid increase in Alzheimer's disease. Neurobiology of Aging, 2012, 33, 2766-2773.	3.1	115

#	ARTICLE	IF	CITATIONS
19	Insular Dysfunction Reflects Altered Between-Network Connectivity and Severity of Negative Symptoms in Schizophrenia during Psychotic Remission. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 216.	2.0	111
20	Increased Intrinsic Brain Activity in the Striatum Reflects Symptom Dimensions in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2013, 39, 387-395.	4.3	104
21	Progression of Cerebral Amyloid Load Is Associated with the Apolipoprotein E ϵ 4 Genotype in Alzheimer's Disease. <i>Biological Psychiatry</i> , 2010, 68, 879-884.	1.3	103
22	Perfusion abnormalities in mild cognitive impairment and mild dementia in Alzheimer's disease measured by pulsed arterial spin labeling MRI. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 69-77.	3.2	103
23	Specific Substantial Dysconnectivity in Schizophrenia: A Transdiagnostic Multimodal Meta-analysis of Resting-State Functional and Structural Magnetic Resonance Imaging Studies. <i>Biological Psychiatry</i> , 2019, 85, 573-583.	1.3	93
24	Disrupted Intrinsic Networks Link Amyloid- β Pathology and Impaired Cognition in Prodromal Alzheimer's Disease. <i>Cerebral Cortex</i> , 2015, 25, 4678-4688.	2.9	92
25	Measuring Cortical Connectivity in Alzheimer's Disease as a Brain Neural Network Pathology: Toward Clinical Applications. <i>Journal of the International Neuropsychological Society</i> , 2016, 22, 138-163.	1.8	92
26	The lower hippocampus global connectivity, the higher its local metabolism in Alzheimer disease. <i>Neurology</i> , 2015, 84, 1956-1963.	1.1	87
27	Metabolic connectivity mapping reveals effective connectivity in the resting human brain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 428-433.	7.1	84
28	Impact of Alzheimer's Disease on the Functional Connectivity of Spontaneous Brain Activity. <i>Current Alzheimer Research</i> , 2009, 6, 541-553.	1.4	83
29	Staged decline of visual processing capacity in mild cognitive impairment and Alzheimer's disease. <i>Neurobiology of Aging</i> , 2011, 32, 1219-1230.	3.1	83
30	Disconnection of Frontal and Parietal Areas Contributes to Impaired Attention in Very Early Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2011, 25, 309-321.	2.6	79
31	Link between hippocampus' raised local and eased global intrinsic connectivity in AD. <i>Alzheimer's and Dementia</i> , 2015, 11, 475-484.	0.8	78
32	Selectively and progressively disrupted structural connectivity of functional brain networks in Alzheimer's disease - Revealed by a novel framework to analyze edge distributions of networks detecting disruptions with strong statistical evidence. <i>NeuroImage</i> , 2013, 81, 96-109.	4.2	77
33	How do you make me feel better? Social cognitive emotion regulation and the default mode network. <i>NeuroImage</i> , 2016, 134, 270-280.	4.2	75
34	Extensive and interrelated subcortical white and gray matter alterations in preterm-born adults. <i>Brain Structure and Function</i> , 2016, 221, 2109-2121.	2.3	74
35	Resting-State Connectivity of the Left Frontal Cortex to the Default Mode and Dorsal Attention Network Supports Reserve in Mild Cognitive Impairment. <i>Frontiers in Aging Neuroscience</i> , 2017, 9, 264.	3.4	73
36	Resting-State Networks as Simultaneously Measured with Functional MRI and PET. <i>Journal of Nuclear Medicine</i> , 2017, 58, 1314-1317.	5.0	71

#	ARTICLE	IF	CITATIONS
37	Shifted intrinsic connectivity of central executive and salience network in borderline personality disorder. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 727.	2.0	63
38	Correspondence Between Aberrant Intrinsic Network Connectivity and Gray-Matter Volume in the Ventral Brain of Preterm Born Adults. <i>Cerebral Cortex</i> , 2015, 25, 4135-4145.	2.9	59
39	Prediction of Alzheimer's disease using individual structural connectivity networks. <i>Neurobiology of Aging</i> , 2012, 33, 2756-2765.	3.1	56
40	Common and distinct changes of default mode and salience network in schizophrenia and major depression. <i>Brain Imaging and Behavior</i> , 2018, 12, 1708-1719.	2.1	56
41	Cognitive reward control recruits medial and lateral frontal cortices, which are also involved in cognitive emotion regulation: A coordinate-based meta-analysis of fMRI studies. <i>NeuroImage</i> , 2019, 200, 659-673.	4.2	54
42	Medial Prefrontal Aberrations in Major Depressive Disorder Revealed by Cytoarchitectonically Informed Voxel-Based Morphometry. <i>American Journal of Psychiatry</i> , 2016, 173, 291-298.	7.2	52
43	Repeated pain induces adaptations of intrinsic brain activity to reflect past and predict future pain. <i>NeuroImage</i> , 2011, 57, 206-213.	4.2	51
44	A new integrative model of cerebral activation, deactivation and default mode function in Alzheimer's disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008, 35, 12-24.	6.4	50
45	Based on the Network Degeneration Hypothesis: Separating Individual Patients with Different Neurodegenerative Syndromes in a Preliminary Hybrid PET/MR Study. <i>Journal of Nuclear Medicine</i> , 2016, 57, 410-415.	5.0	50
46	Multicenter stability of resting state fMRI in the detection of Alzheimer's disease and amnesic MCI. <i>NeuroImage: Clinical</i> , 2017, 14, 183-194.	2.7	49
47	Medial Temporal Lobe Disconnection and Hyperexcitability Across Alzheimer's Disease Stages. <i>Journal of Alzheimer's Disease Reports</i> , 2019, 3, 103-112.	2.2	48
48	Visual Versus Fully Automated Analyses of ¹⁸ F-FDG and Amyloid PET for Prediction of Dementia Due to Alzheimer Disease in Mild Cognitive Impairment. <i>Journal of Nuclear Medicine</i> , 2016, 57, 204-207.	5.0	47
49	The corticotopic organization of the human basal forebrain as revealed by regionally selective functional connectivity profiles. <i>Human Brain Mapping</i> , 2019, 40, 868-878.	3.6	47
50	Effective connectivity in the default mode network is distinctively disrupted in Alzheimer's disease: A simultaneous resting-state FDGPET/fMRI study. <i>Human Brain Mapping</i> , 2021, 42, 4134-4143.	3.6	43
51	TRIMAGE: A dedicated trimodality (PET/MR/EEG) imaging tool for schizophrenia. <i>European Psychiatry</i> , 2018, 50, 7-20.	0.2	40
52	Decreased cingulo-opercular network functional connectivity mediates the impact of aging on visual processing speed. <i>Neurobiology of Aging</i> , 2019, 73, 50-60.	3.1	40
53	Changes in extra-striatal functional connectivity in patients with schizophrenia in a psychotic episode. <i>British Journal of Psychiatry</i> , 2017, 210, 75-82.	2.8	38
54	Robust Detection of Impaired Resting State Functional Connectivity Networks in Alzheimer's Disease Using Elastic Net Regularized Regression. <i>Frontiers in Aging Neuroscience</i> , 2016, 8, 318.	3.4	36

#	ARTICLE	IF	CITATIONS
55	Neuro-cognitive mechanisms of simultanagnosia in patients with posterior cortical atrophy. <i>Brain</i> , 2016, 139, 3267-3280.	7.6	31
56	Individual Correspondence of Amyloid- β^2 and Intrinsic Connectivity in the Posterior Default Mode Network Across Stages of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2017, 58, 763-773.	2.6	30
57	Reduced Cholinergic Basal Forebrain Integrity Links Neonatal Complications and Adult Cognitive Deficits After Premature Birth. <i>Biological Psychiatry</i> , 2017, 82, 119-126.	1.3	30
58	A biased competition account of attention and memory in Alzheimer's disease. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2013, 368, 20130062.	4.0	29
59	Functional connectivity and grey matter volume of the striatum in schizophrenia. <i>British Journal of Psychiatry</i> , 2014, 205, 204-213.	2.8	29
60	Common and specific large-scale brain changes in major depressive disorder, anxiety disorders, and chronic pain: a transdiagnostic multimodal meta-analysis of structural and functional MRI studies. <i>Neuropsychopharmacology</i> , 2022, 47, 1071-1080.	5.4	29
61	In Alzheimer's Disease, Hypometabolism in Low-Amyloid Brain Regions May Be a Functional Consequence of Pathologies in Connected Brain Regions. <i>Brain Connectivity</i> , 2014, 4, 371-383.	1.7	28
62	Impaired visual short-term memory capacity is distinctively associated with structural connectivity of the posterior thalamic radiation and the splenium of the corpus callosum in preterm-born adults. <i>NeuroImage</i> , 2017, 150, 68-76.	4.2	28
63	Reduced blood oxygenation level dependent connectivity is related to hypoperfusion in Alzheimer's disease. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2019, 39, 1314-1325.	4.3	28
64	Low-rank network signatures in the triple network separate schizophrenia and major depressive disorder. <i>NeuroImage: Clinical</i> , 2019, 22, 101725.	2.7	22
65	An analysis of MRI derived cortical complexity in premature-born adults: Regional patterns, risk factors, and potential significance. <i>NeuroImage</i> , 2020, 208, 116438.	4.2	22
66	Neural correlates of executive attention in adults born very preterm. <i>NeuroImage: Clinical</i> , 2015, 9, 581-591.	2.7	21
67	Visual attention in preterm born adults: Specifically impaired attentional sub-mechanisms that link with altered intrinsic brain networks in a compensation-like mode. <i>NeuroImage</i> , 2015, 107, 95-106.	4.2	21
68	Decoupling of Local Metabolic Activity and Functional Connectivity Links to Amyloid in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2018, 64, 405-415.	2.6	21
69	Phasic alerting effects on visual processing speed are associated with intrinsic functional connectivity in the cingulo-opercular network. <i>NeuroImage</i> , 2019, 196, 216-226.	4.2	21
70	Asymmetric Loss of Parietal Activity Causes Spatial Bias in Prodromal and Mild Alzheimer's Disease. <i>Biological Psychiatry</i> , 2012, 71, 798-804.	1.3	20
71	Predicting effective connectivity from resting-state networks in healthy elderly and patients with prodromal Alzheimer's disease. <i>Human Brain Mapping</i> , 2014, 35, 954-963.	3.6	20
72	More Consistently Altered Connectivity Patterns for Cerebellum and Medial Temporal Lobes than for Amygdala and Striatum in Schizophrenia. <i>Frontiers in Human Neuroscience</i> , 2016, 10, 55.	2.0	19

#	ARTICLE	IF	CITATIONS
73	Phasic alertness cues modulate visual processing speed in healthy aging. <i>Neurobiology of Aging</i> , 2018, 70, 30-39.	3.1	19
74	Simultaneous object perception deficits are related to reduced visual processing speed in amnesic mild cognitive impairment. <i>Neurobiology of Aging</i> , 2017, 55, 132-142.	3.1	18
75	A machine learning investigation of volumetric and functional MRI abnormalities in adults born preterm. <i>Human Brain Mapping</i> , 2019, 40, 4239-4252.	3.6	18
76	Small Vessel Disease, but Neither Amyloid Load nor Metabolic Deficit, Is Dependent on Age at Onset in Alzheimer's Disease. <i>Biological Psychiatry</i> , 2015, 77, 704-710.	1.3	17
77	Lower cholinergic basal forebrain volumes link with cognitive difficulties in schizophrenia. <i>Neuropsychopharmacology</i> , 2021, 46, 2320-2329.	5.4	17
78	Cognitive emotion regulation enhances aversive prediction error activity while reducing emotional responses. <i>NeuroImage</i> , 2015, 123, 138-148.	4.2	16
79	Progressively Disrupted Intrinsic Functional Connectivity of Basolateral Amygdala in Very Early Alzheimer's Disease. <i>Frontiers in Neurology</i> , 2016, 7, 132.	2.4	16
80	Increased Intrinsic Activity of Medial-Temporal Lobe Subregions is Associated with Decreased Cortical Thickness of Medial-Parietal Areas in Patients with Alzheimer's Disease Dementia. <i>Journal of Alzheimer's Disease</i> , 2016, 51, 313-326.	2.6	16
81	Distinctive Correspondence Between Separable Visual Attention Functions and Intrinsic Brain Networks. <i>Frontiers in Human Neuroscience</i> , 2018, 12, 89.	2.0	16
82	Human subsystems of medial temporal lobes extend locally to amygdala nuclei and globally to an allostatic-interoceptive system. <i>NeuroImage</i> , 2020, 207, 116404.	4.2	16
83	Hippocampal subfield volumes are nonspecifically reduced in premature-born adults. <i>Human Brain Mapping</i> , 2020, 41, 5215-5227.	3.6	16
84	Decreased cortical thickness mediates the relationship between premature birth and cognitive performance in adulthood. <i>Human Brain Mapping</i> , 2020, 41, 4952-4963.	3.6	16
85	Decreased amygdala volume in adults after premature birth. <i>Scientific Reports</i> , 2021, 11, 5403.	3.3	16
86	LRP-1 polymorphism is associated with global and regional amyloid load in Alzheimer's disease in humans in-vivo. <i>NeuroImage: Clinical</i> , 2014, 4, 411-416.	2.7	15
87	Modeling the impact of neurovascular coupling impairments on BOLD-based functional connectivity at rest. <i>NeuroImage</i> , 2020, 218, 116871.	4.2	15
88	Increased Brain Age Gap Estimate (BrainAGE) in Young Adults After Premature Birth. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 653365.	3.4	15
89	The complex link between amyloid and neuronal dysfunction in Alzheimer's disease. <i>Brain</i> , 2015, 138, 3472-3475.	7.6	14
90	Frequency-Dependent Spatial Distribution of Functional Hubs in the Human Brain and Alterations in Major Depressive Disorder. <i>Frontiers in Human Neuroscience</i> , 2019, 13, 146.	2.0	14

#	ARTICLE	IF	CITATIONS
91	Degradation in intrinsic connectivity networks across the Alzheimer's disease spectrum. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2016, 5, 35-42.	2.4	13
92	Behavioral responses to noxious stimuli shape the perception of pain. <i>Scientific Reports</i> , 2017, 7, 44083.	3.3	13
93	Grading of Frequency Spectral Centroid Across Resting-State Networks. <i>Frontiers in Human Neuroscience</i> , 2018, 12, 436.	2.0	13
94	Reduced apparent fiber density in the white matter of premature-born adults. <i>Scientific Reports</i> , 2020, 10, 17214.	3.3	12
95	Increased Global Interaction Across Functional Brain Modules During Cognitive Emotion Regulation. <i>Cerebral Cortex</i> , 2018, 28, 3082-3094.	2.9	11
96	Ongoing Slow Fluctuations in V1 Impact on Visual Perception. <i>Frontiers in Human Neuroscience</i> , 2016, 10, 411.	2.0	10
97	Impaired structural connectivity between dorsal attention network and pulvinar mediates the impact of premature birth on adult visual spatial abilities. <i>Human Brain Mapping</i> , 2019, 40, 4058-4071.	3.6	10
98	The Default Mode Network Mediates the Impact of Infant Regulatory Problems on Adult Avoidant Personality Traits. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 333-342.	1.5	10
99	Aberrant cortico-thalamic structural connectivity in premature-born adults. <i>Cortex</i> , 2021, 141, 347-362.	2.4	10
100	Decreased BOLD fluctuations in lateral temporal cortices of premature born adults. <i>Human Brain Mapping</i> , 2018, 39, 4903-4912.	3.6	9
101	Fronto-insular Connectivity during Pain Distraction Is Impaired in Patients with Somatoform Pain. <i>Journal of Neuroimaging</i> , 2018, 28, 621-628.	2.0	9
102	Linking the impact of aging on visual short-term memory capacity with changes in the structural connectivity of posterior thalamus to occipital cortices. <i>NeuroImage</i> , 2020, 208, 116440.	4.2	8
103	Visual imagery and functional connectivity in blindness: a single-case study. <i>Brain Structure and Function</i> , 2016, 221, 2367-2374.	2.3	7
104	Associations of Neprilysin Activity in CSF with Biomarkers for Alzheimer's Disease. <i>Neurodegenerative Diseases</i> , 2019, 19, 43-50.	1.4	7
105	Mining Interaction Patterns among Brain Regions by Clustering. <i>IEEE Transactions on Knowledge and Data Engineering</i> , 2014, 26, 2237-2249.	5.7	6
106	Cognitive emotion regulation modulates the balance of competing influences on ventral striatal aversive prediction error signals. <i>NeuroImage</i> , 2017, 147, 650-657.	4.2	6
107	Theory of visual attention thalamic model for visual short-term memory capacity and top-down control: Evidence from a thalamo-cortical structural connectivity analysis. <i>NeuroImage</i> , 2019, 195, 67-77.	4.2	6
108	Within amygdala: Basolateral parts are selectively impaired in premature-born adults. <i>NeuroImage: Clinical</i> , 2021, 31, 102780.	2.7	6

#	ARTICLE	IF	CITATIONS
109	The temporal evolution of pre-stimulus slow cortical potentials is associated with an upcoming stimulus access to visual consciousness. <i>Consciousness and Cognition</i> , 2020, 84, 102993.	1.5	5
110	Editorial: Utilization of Hybrid PET/MR in Neuroimaging. <i>Basic and Clinical Neuroscience</i> , 2015, 6, 143-5.	0.6	5
111	Homogeneity-based feature extraction for classification of early-stage alzheimer's disease from functional magnetic resonance images. , 2011, , .		4
112	Discovering Aberrant Patterns of Human Connectome in Alzheimer's Disease via Subgraph Mining. , 2012, , .		4
113	Perspectives on How Human Simultaneous Multi-Modal Imaging Adds Directionality to Spread Models of Alzheimer's Disease. <i>Frontiers in Neurology</i> , 2018, 9, 26.	2.4	4
114	<p>Decreased Vascular Pulsatility in Alzheimer's Disease Dementia Measured by Transcranial Color-Coded Duplex Sonography<p>. <i>Neuropsychiatric Disease and Treatment</i> , 2019, Volume 15, 3487-3499.	2.2	4
115	Aberrant Claustrum Microstructure in Humans after Premature Birth. <i>Cerebral Cortex</i> , 2021, 31, 5549-5559.	2.9	4
116	Grey and White Matter Volume Changes after Preterm Birth: A Meta-Analytic Approach. <i>Journal of Personalized Medicine</i> , 2021, 11, 868.	2.5	4
117	Decoupling of regional neural activity and inter-regional functional connectivity in Alzheimer's disease: A simultaneous PET/MR study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 3173-3185.	6.4	4
118	Spinal cord atrophy in early Huntington's disease. <i>Annals of Clinical and Translational Neurology</i> , 2014, 1, 302-306.	3.7	3
119	The Role of Brain Connectome Imaging in the Estimation of Depressive Relapse Risk. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2018, 190, 1036-1043.	1.3	3
120	Resting-state BOLD functional connectivity depends on the heterogeneity of capillary transit times in the human brain A combined lesion and simulation study about the influence of blood flow response timing. <i>NeuroImage</i> , 2022, 255, 119208.	4.2	3
121	Intrinsic Brain Activity of Cognitively Normal Older Persons Resembles More That of Patients Both with and at Risk for Alzheimer's Disease Than That of Healthy Younger Persons. <i>Brain Connectivity</i> , 2014, 4, 323-336.	1.7	2
122	Insight into Disrupted Spatial Patterns of Human Connectome in Alzheimer's Disease via Subgraph Mining. <i>International Journal of Knowledge Discovery in Bioinformatics</i> , 2012, 3, 23-38.	0.8	2
123	Altered Gray Matter Cortical and Subcortical T1-Weighted/T2-Weighted Ratio in Premature-Born Adults. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2023, 8, 495-504.	1.5	2
124	F2-02-01: WITHIN-PATIENT CORRESPONDENCE OF AMYLOID-B AND INTRINSIC NETWORK CONNECTIVITY IN ALZHEIMER'S DISEASE. , 2014, 10, P158-P159.		0
125	IC-P-045: Functional Connectivity in Alzheimer's Dementia and Mild Cognitive Impairment: A Large-Scale Multicenter Resting-State FMRI Study. , 2016, 12, P38-P38.		0
126	P3-167: Transcranial Doppler Ultrasound: A Promising Non-Invasive Biomarker for the Diagnosis of Alzheimer's Disease. , 2016, 12, P883-P883.		0

#	ARTICLE	IF	CITATIONS
127	ICâ€Pâ€010: Increased Sensitivity of AV45â€Pet for The Detection of Early Stage Amyloidosis After Correction of White Matter Spillâ€n Effects. Alzheimer's and Dementia, 2016, 12, P19.	0.8	0
128	IClâ€03â€01: Controversy Debate: Single Brain Network Disorder. Alzheimer's and Dementia, 2016, 12, P12.	0.8	0
129	P3â€281: Altered Functional Connectivity of the Default Mode Network in Alzheimerâ€™s Dementia and Mild Cognitive Impairment: Results From a Largeâ€Scale Multicenter Restingâ€State Fmri Study. Alzheimer's and Dementia, 2016, 12, P945.	0.8	0
130	F3-04-03: Amyloid Pathology Decouples Local Mean Synaptic Activity from its Inter-Regional Functional Connectivity. , 2016, 12, P275-P275.		0
131	O3-08-05: Global and Local Interactions between Amyloid-B Pathology and Intrinsic Connectivity along the Spectrum of Alzheimer's Disease. , 2016, 12, P306-P306.		0
132	P1â€024: Increased Sensitivity of AV45â€PET for the Detection of Early Stage Amyloidosis After Correction of White Matter Spillâ€n Effects. Alzheimer's and Dementia, 2016, 12, P409.	0.8	0
133	Phasic alerting effects on visual processing speed are associated with intrinsic functional connectivity in the cingulo-opercular network. Journal of Vision, 2019, 19, 320a.	0.3	0