Wah Chin Boon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10622713/publications.pdf

Version: 2024-02-01

50 papers	2,630 citations	279798 23 h-index	223800 46 g-index
50	50	50	3634
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Aromatase—A Brief Overview. Annual Review of Physiology, 2002, 64, 93-127.	13.1	640
2	Postnatal Development of an Estradiol-Kisspeptin Positive Feedback Mechanism Implicated in Puberty Onset. Endocrinology, 2009, 150, 3214-3220.	2.8	199
3	Of mice and men: the evolving phenotype of aromatase deficiency. Trends in Endocrinology and Metabolism, 2006, 17, 55-64.	7.1	171
4	Recognizing rare disorders: aromatase deficiency. Nature Clinical Practice Endocrinology and Metabolism, 2007, 3, 414-421.	2.8	134
5	The Multiple Roles of Estrogens and the Enzyme Aromatase. Progress in Brain Research, 2010, 181, 209-232.	1.4	134
6	Cellular and Molecular Characterization of the Adipose Phenotype of the Aromatase-Deficient Mouse. Endocrinology, 2003, 144, 1474-1480.	2.8	131
7	Characterization of Aromatase Expression in the Adult Male and Female Mouse Brain. I. Coexistence with Oestrogen Receptors $\hat{l}\pm$ and \hat{l}^2 , and Androgen Receptors. PLoS ONE, 2014, 9, e90451.	2.5	92
8	Fatty acids and their therapeutic potential in neurological disorders. Neurochemistry International, 2016, 95, 75-84.	3.8	91
9	Estrogen Deficient Male Mice Develop Compulsive Behavior. Biological Psychiatry, 2007, 61, 359-366.	1.3	89
10	Adipose aromatase gene expression is greater in older women and is unaffected by postmenopausal estrogen therapy. Menopause, 2005, 12, 210-215.	2.0	66
11	Differential expression of factors involved in fat metabolism with age and the menopause transition. Maturitas, 2005, 51, 299-306.	2.4	62
12	The Aromatase Knockout Mouse Presents with a Sexually Dimorphic Disruption to Cholesterol Homeostasis. Endocrinology, 2003, 144, 3895-3903.	2.8	60
13	A selective estrogen receptor \hat{l}_{\pm} agonist ameliorates hepatic steatosis in the male aromatase knockout mouse. Journal of Endocrinology, 2011, 210, 323-334.	2.6	60
14	The Aromatase Gene CYP19A1: Several Genetic and Functional Lines of Evidence Supporting a Role in Reading, Speech and Language. Behavior Genetics, 2012, 42, 509-527.	2.1	60
15	Estrogen deficiency leads to apoptosis in dopaminergic neurons in the medial preoptic area and arcuate nucleus of male mice. Molecular and Cellular Neurosciences, 2004, 27, 466-476.	2.2	59
16	Sex-dependent changes in neuronal morphology and psychosocial behaviors after pediatric brain injury. Behavioural Brain Research, 2017, 319, 48-62.	2.2	45
17	Estrogen deficiency results in apoptosis in the frontal cortex of adult female aromatase knockout mice. Molecular and Cellular Neurosciences, 2009, 41, 1-7.	2.2	38
18	Estrogens, Brain, and Behavior: Lessons from Knockout Mouse Models. Seminars in Reproductive Medicine, 2009, 27, 218-228.	1.1	37

#	Article	IF	CITATIONS
19	Alternative 5′-untranslated first exons of the mouse Cyp19A1 (aromatase) gene. Journal of Steroid Biochemistry and Molecular Biology, 2009, 115, 115-125.	2.5	32
20	Hippocampal NMDA receptor subunit expression and watermaze learning in estrogen deficient female mice. Molecular Brain Research, 2005, 140, 127-132.	2.3	31
21	Estrogen, a fundamental player in energy homeostasis. Journal of Steroid Biochemistry and Molecular Biology, 2005, 95, 3-8.	2.5	29
22	Relaxin and Castration in Male Mice Protect from, but Testosterone Exacerbates, Age-Related Cardiac and Renal Fibrosis, Whereas Estrogens Are an Independent Determinant of Organ Size. Endocrinology, 2012, 153, 188-199.	2.8	27
23	Pericardial adipose and aromatase: A new translational target for aging, obesity and arrhythmogenesis?. Journal of Molecular and Cellular Cardiology, 2017, 111, 96-101.	1.9	25
24	Testosterone-induced adult neurosphere growth is mediated by sexually-dimorphic aromatase expression. Frontiers in Cellular Neuroscience, 2015, 9, 253.	3.7	22
25	Effects of Estrogens on Adipokines and Glucose Homeostasis in Female Aromatase Knockout Mice. PLoS ONE, 2015, 10, e0136143.	2.5	22
26	SCA-1 Labels a Subset of Estrogen-Responsive Bipotential Repopulating Cells within the CD24 + CD49f hi Mammary Stem Cell-Enriched Compartment. Stem Cell Reports, 2017, 8, 417-431.	4.8	22
27	Hepatic Glucose Intolerance Precedes Hepatic Steatosis in the Male Aromatase Knockout (ArKO) Mouse. PLoS ONE, 2014, 9, e87230.	2.5	21
28	Aromatase transgenic upregulation modulates basal cardiac performance and the response to ischemic stress in male mice. American Journal of Physiology - Heart and Circulatory Physiology, 2014, 306, H1265-H1274.	3.2	21
29	THE RENIN-ANGIOTENSIN SYSTEM AND THE DEVELOPMENT OF THE KIDNEY AND ADRENAL IN SHEEP. Clinical and Experimental Pharmacology and Physiology, 1998, 25, S97-S100.	1.9	20
30	Fatty acids and beyond: Age and Alzheimer's disease related changes in lipids reveal the neuro-nutraceutical potential of lipids in cognition. Neurochemistry International, 2021, 149, 105143.	3.8	20
31	Sexual dimorphism in the glucose homeostasis phenotype of the Aromatase Knockout (ArKO) mice. Journal of Steroid Biochemistry and Molecular Biology, 2017, 170, 39-48.	2.5	18
32	Impact of Estrogens on the Regulation of White, Beige, and Brown Adipose Tissue Depots., 2019, 9, 457-475.		18
33	Estrogens do not protect, but androgens exacerbate, collagen accumulation in the female mouse kidney after ureteric obstruction. Life Sciences, 2016, 158, 130-136.	4.3	17
34	Cloning and expression analysis of a cytochrome P-45011 \hat{l}^2 cDNA in sheep. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 1995, 1260, 109-112.	2.4	16
35	Fas/FasL-mediated apoptosis in the arcuate nucleus and medial preoptic area of male ArKO mice is ameliorated by selective estrogen receptor alpha and estrogen receptor beta agonist treatment, respectively. Molecular and Cellular Neurosciences, 2007, 36, 146-157.	2.2	15
36	Behavioural phenotype of APPC100.V717F transgenic mice over-expressing a mutant \hat{A}^2 -bearing fragment is associated with reduced NMDA receptor density. Behavioural Brain Research, 2010, 209, 27-35.	2.2	12

3

#	Article	IF	Citations
37	Myocardial and Cardiomyocyte Stress Resilience Is Enhanced in Aromatase-Deficient Female Mouse Hearts Through CaMKIIÎ Activation. Endocrinology, 2015, 156, 1429-1440.	2.8	12
38	Acoustic microstreaming increases the efficiency of reverse transcription reactions comprising single-cell quantities of RNA. BioTechniques, 2011, 50, 116-119.	1.8	10
39	LATE STEPS OF ALDOSTERONE BIOSYNTHESIS: SHEEP ARE NOT RATS. Clinical and Experimental Pharmacology and Physiology, 1998, 25, S21-S27.	1.9	9
40	HYPOTHESIS: ALDOSTERONE IS SYNTHESIZED BY AN ALTERNATIVE PATHWAY DURING SEVERE SODIUM DEPLETION. 'A NEW WINE IN AN OLD BOTTLE'. Clinical and Experimental Pharmacology and Physiology, 1998, 25, 369-378.	1.9	8
41	Increasing cDNA Yields from Single-cell Quantities of mRNA in Standard Laboratory Reverse Transcriptase Reactions using Acoustic Microstreaming. Journal of Visualized Experiments, 2011, , e3144.	0.3	7
42	Aromatase and its inhibition in behaviour, obsessive compulsive disorder and parkinsonism. Steroids, 2011, 76, 816-819.	1.8	6
43	The myocardium and sex steroid hormone influences. Current Opinion in Physiology, 2018, 6, 1-9.	1.8	6
44	Differential effect of amphetamine on c-fos expression in female aromatase knockout (ArKO) mice compared to wildtype controls. Psychoneuroendocrinology, 2011, 36, 761-768.	2.7	4
45	The estrogenic component of tibolone reduces adiposity in female aromatase knockout mice. Menopause, 2009, 16, 582-588.	2.0	3
46	A doxycycline-inducible, tissue-specific aromatase-expressing transgenic mouse. Transgenic Research, 2012, 21, 415-428.	2.4	3
47	Mapping Motor Neuron Vulnerability in the Neuraxis of Male SOD1G93A Mice Reveals Widespread Loss of Androgen Receptor Occurring Early in Spinal Motor Neurons. Frontiers in Endocrinology, 2022, 13, 808479.	3.5	3
48	Neuroendocrine Inherited or Induced Aromatase Enzyme Deficits. , 2012, , 723-737.		2
49	Modulatory effects of estrogens on grooming and related behaviors. , 0, , 108-130.		1
50	Estrogen-Deficient Mouse Models in the Study of Brain Injury and Disease. Neuromethods, 2010, , 113-136.	0.3	0