
## Steven R Hahn

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10644380/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The difficult patient. Journal of General Internal Medicine, 1996, 11, 1-8.	2.6	338
2	Doctor–Patient Communication, Health-Related Beliefs, and Adherence in Glaucoma. Ophthalmology, 2008, 115, 1320-1327.e3.	5.2	251
3	Using Pharmacy Claims Data to Study Adherence to Glaucoma Medications: Methodology and Findings of the Glaucoma Adherence and Persistency Study (GAPS). , 2007, 48, 5052.		238
4	The difficult doctor-patient relationship: Somatization, personality and psychopathology. Journal of Clinical Epidemiology, 1994, 47, 647-657.	5.0	229
5	Hypoactive Sexual Desire Disorder: A Review of Epidemiology, Biopsychology, Diagnosis, and Treatment. Sexual Medicine Reviews, 2016, 4, 103-120.	2.9	167
6	Evaluation of Practice Patterns for the Care of Open-angle Glaucoma Compared with Claims Data. Ophthalmology, 2007, 114, 1599-1606.	5.2	137
7	Development of the ASK-20 Adherence Barrier Survey. Current Medical Research and Opinion, 2008, 24, 2127-2138.	1.9	91
8	Identifying Patients With Depression in the Primary Care Setting. Archives of Internal Medicine, 1998, 158, 2469.	3.8	90
9	The Impact of Ocular Adverse Effects in Patients Treated With Topical Prostaglandin Analogs: Changes in Prescription Patterns and Patient Persistence. Journal of Ocular Pharmacology and Therapeutics, 2009, 25, 145-152.	1.4	77
10	Pharmacological Approaches to Managing Migraine and Associated Comorbidities—Clinical Considerations for Monotherapy Versus Polytherapy. Headache, 2007, 47, 585-599.	3.9	75
11	Patient-Centered Communication to Assess and Enhance Patient Adherence to Glaucoma Medication. Ophthalmology, 2009, 116, S37-S42.	5.2	66
12	The International Society for the Study of Women's Sexual Health Process of Care for the Identification of Sexual Concerns and Problems in Women. Mayo Clinic Proceedings, 2019, 94, 842-856.	3.0	64
13	In-office Discussions of Migraine: Results from the American Migraine Communication Study. Journal of General Internal Medicine, 2008, 23, 1145-1151.	2.6	57
14	Recommendations for the medical management of chronic venous disease: The role of Micronized Purified Flavanoid Fraction (MPFF). Phlebology, 2017, 32, 3-19.	1.2	55
15	Healthcare provider–patient communication and migraine assessment: results of the American Migraine Communication Study, phase II. Current Medical Research and Opinion, 2008, 24, 1711-1718.	1.9	47
16	Doctor–Patient Communication in Glaucoma Care. Ophthalmology, 2009, 116, 2277-2285.e3.	5.2	46
17	Effect of Patient-Centered Communication Training on Discussion and Detection of Nonadherence in Glaucoma. Ophthalmology, 2010, 117, 1339-1347.e6.	5.2	40
18	Physician Beliefs and Behaviors Related to Glaucoma Treatment Adherence. Journal of Glaucoma, 2008, 17, 690-698.	1.6	21

Steven R Hahn

#	Article	IF	CITATIONS
19	The Doctor-Patient-Family Relationship: A Compensatory Alliance. Annals of Internal Medicine, 1988, 109, 884.	3.9	17
20	Physicians' treatment decisions, patient persistence, and interruptions in the continuous use of prostaglandin therapy in glaucoma. Current Medical Research and Opinion, 2010, 26, 957-963.	1.9	12
21	A method for teaching human values in clinical clerkships through group discussion. Teaching and Learning in Medicine, 1991, 3, 143-150.	2.1	6
22	Adherence to Antidepressant Medication: <i>Patient-Centered Shared Decision Making Communication to Improve Adherence</i> . CNS Spectrums, 2009, 14, 6-9.	1.2	6
23	Physician-patient communication about overactive bladder: Results of an observational sociolinguistic study. PLoS ONE, 2017, 12, e0186122.	2.5	6
24	Primary care and mental illness. Journal of General Internal Medicine, 1996, 11, 441-442.	2.6	2
25	Depressive Symptom Assessment in Medically III Patients. JAMA - Journal of the American Medical Association, 2021, 326, 1748.	7.4	0