
Yasuko Manabe

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10648147/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effect of chronic muscle contraction on expression of contractile and metabolic proteins in mouse primary cultured myotubes. The Journal of Physical Fitness and Sports Medicine, 2022, 11, 51-56.	0.3	0
2	Mass spectrometry imaging reveals local metabolic changes in skeletal muscle due to chronic training. Bioscience, Biotechnology and Biochemistry, 2022, , .	1.3	2
3	Effect of antioxidant supplementation on skeletal muscle and metabolic profile in aging mice. Food and Function, 2021, 12, 825-833.	4.6	14
4	Excess Glucose Impedes the Proliferation of Skeletal Muscle Satellite Cells Under Adherent Culture Conditions. Frontiers in Cell and Developmental Biology, 2021, 9, 640399.	3.7	29
5	Trans-omic Analysis Reveals ROS-Dependent Pentose Phosphate Pathway Activation after High-Frequency Electrical Stimulation in C2C12 Myotubes. IScience, 2020, 23, 101558.	4.1	16
6	Single-Cell Information Analysis Reveals That Skeletal Muscles Incorporate Cell-to-Cell Variability as Information Not Noise. Cell Reports, 2020, 32, 108051.	6.4	12
7	Effect of treatment with conditioned media derived from C2C12 myotube on adipogenesis and lipolysis in 3T3-L1 adipocytes. PLoS ONE, 2020, 15, e0237095.	2.5	11
8	Monitoring and mathematical modeling of mitochondrial ATP in myotubes at singleâ€cell level reveals two distinct population with different kinetics. Quantitative Biology, 2020, 8, 228-237.	0.5	4
9	R3hdml regulates satellite cell proliferation and differentiation. EMBO Reports, 2019, 20, e47957.	4.5	9
10	A new in vitro muscle contraction model and its application for analysis of mTORC1 signaling in combination with contraction and beta-hydroxy-beta-methylbutyrate administration. Bioscience, Biotechnology and Biochemistry, 2019, 83, 1851-1857.	1.3	5
11	Evidence for acute contraction-induced myokine secretion by C2C12 myotubes. PLoS ONE, 2018, 13, e0206146.	2.5	42
12	Effect of Chronic Muscle Contraction on Endurance Training Associated Protein Expression in Mouse Primary Cultured Myotubes. Juntendo Medical Journal, 2018, 64, 83-84.	0.1	0
13	Betaâ€hydroxyâ€betaâ€methylbutyrate (HMB) augments muscle contractionâ€induced protein synthesis via mTORC1 signaling in cultured L6 myotubes. FASEB Journal, 2018, 32, 768.1.	0.5	0
14	Dammarane-type triterpene extracts of Panax notoginseng root ameliorates hyperglycemia and insulin sensitivity by enhancing glucose uptake in skeletal muscle. Bioscience, Biotechnology and Biochemistry, 2017, 81, 335-342.	1.3	17
15	Role of satellite cells in skeletal muscle plasticity: Beyond muscle regeneration. The Journal of Physical Fitness and Sports Medicine, 2017, 6, 89-93.	0.3	1
16	Experimental research models for skeletal muscle contraction. The Journal of Physical Fitness and Sports Medicine, 2016, 5, 373-377.	0.3	3
17	An improved glucose transport assay system for isolated mouse skeletal muscle tissues. Bioscience, Biotechnology and Biochemistry, 2016, 80, 2224-2230.	1.3	6
18	A fragmented form of annexin A1 is secreted from C2C12 myotubes by electric pulse-induced contraction. Molecular and Cellular Biochemistry, 2016, 411, 173-180.	3.1	6

ΥΑSUKO ΜΑΝΑΒΕ

#	Article	IF	CITATIONS
19	Evaluation of an inÂvitro muscle contraction model in mouse primary cultured myotubes. Analytical Biochemistry, 2016, 497, 36-38.	2.4	15
20	Early pathogenesis of Duchenne muscular dystrophy modelled in patient-derived human induced pluripotent stem cells. Scientific Reports, 2015, 5, 12831.	3.3	99
21	Mechanisms underlying alterations in glucose metabolism due to exercise. The Journal of Physical Fitness and Sports Medicine, 2014, 3, 423-427.	0.3	1
22	Behavioral palatability of dietary fatty acids correlates with the intracellular calcium ion levels induced by the fatty acids in GPR120-expressing cells. Biomedical Research, 2014, 35, 357-367.	0.9	11
23	Redox proteins are constitutively secreted by skeletal muscle. Journal of Physiological Sciences, 2014, 64, 401-409.	2.1	32
24	Macrophage migration inhibitory factor diminishes muscle glucose transport induced by insulin and AICAR in a muscle type-dependent manner. Biochemical and Biophysical Research Communications, 2014, 444, 496-501.	2.1	17
25	Imaging mass spectrometry reveals fiber-specific distribution of acetylcarnitine and contraction-induced carnitine dynamics in rat skeletal muscles. Biochimica Et Biophysica Acta - Bioenergetics, 2014, 1837, 1699-1706.	1.0	24
26	Exercise trainingâ€induced adaptations associated with increases in skeletal muscle glycogen content. FEBS Journal, 2013, 280, 916-926.	4.7	29
27	Chronic exercise enhances insulin secretion ability of pancreatic islets without change in insulin content in non-diabetic rats. Biochemical and Biophysical Research Communications, 2013, 430, 676-682.	2.1	16
28	Lipidomics analysis revealed the phospholipid compositional changes in muscle by chronic exercise and high-fat diet. Scientific Reports, 2013, 3, 3267.	3.3	77
29	Efficient and Reproducible Myogenic Differentiation from Human iPS Cells: Prospects for Modeling Miyoshi Myopathy In Vitro. PLoS ONE, 2013, 8, e61540.	2.5	188
30	Characterization of an Acute Muscle Contraction Model Using Cultured C2C12 Myotubes. PLoS ONE, 2012, 7, e52592.	2.5	87
31	Myokines: Do they really exist?. The Journal of Physical Fitness and Sports Medicine, 2012, 1, 51-58.	0.3	9
32	Visualization of dynamic change in contraction-induced lipid composition in mouse skeletal muscle by matrix-assisted laser desorption/ionization imaging mass spectrometry. Analytical and Bioanalytical Chemistry, 2012, 403, 1863-1871.	3.7	43
33	Effects of <i>Sake</i> Components on Physiological Preference and Blood Glucose Level Coinciding with <i>Sake</i> Intake in Mice. Journal of the Brewing Society of Japan, 2011, 106, 675-686.	0.3	Ο
34	Increased Systemic Clucose Tolerance with Increased Muscle Glucose Uptake in Transgenic Mice Overexpressing RXRÎ ³ in Skeletal Muscle. PLoS ONE, 2011, 6, e20467.	2.5	10
35	Intragastric infusion of glucose enhances the rewarding effect of sorbitol fatty acid ester ingestion as measured by conditioned place preference in mice. Physiology and Behavior, 2010, 99, 509-514.	2.1	16
36	Assessing palatability of long-chain fatty acids from the licking behavior of BALB/c mice. Physiology and Behavior, 2009, 96, 735-741.	2.1	12

ΥΑSUKO ΜΑΝΑΒΕ

#	Article	IF	CITATIONS
37	Preference for dietary fat induced by release of beta-endorphin in rats. Life Sciences, 2009, 84, 760-765.	4.3	25
38	Contribution of gustation to the palatability of linoleic acid. Physiology and Behavior, 2009, 96, 142-148.	2.1	17
39	Diet and exercise signals regulate SIRT3 and activate AMPK and PGC-1α in skeletal muscle. Aging, 2009, 1, 771-783.	3.1	428
40	Preference for High-Fat Food in Animals. Frontiers in Neuroscience, 2009, , 243-264.	0.0	4
41	Ablation of AMP-Activated Protein Kinase α2 Activity Exacerbates Insulin Resistance Induced by High-Fat Feeding of Mice. Diabetes, 2008, 57, 2958-2966.	0.6	102
42	Mercaptoacetate inhibition of fatty acid β-oxidation attenuates the oral acceptance of fat in BALB/c mice. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2008, 295, R82-R91.	1.8	22
43	Adrenaline is a critical mediator of acute exercise-induced AMP-activated protein kinase activation in adipocytes. Biochemical Journal, 2007, 403, 473-481.	3.7	103
44	The palatability of corn oil and linoleic acid to mice as measured by short-term two-bottle choice and licking tests. Physiology and Behavior, 2007, 91, 304-309.	2.1	42
45	Reinforcing effect for corn oil stimulus was concentration dependent in an operant task in mice. Life Sciences, 2007, 81, 1585-1592.	4.3	24
46	S-Adenosylmethionine (SAM)-Accumulating Sake Yeast Suppresses Acute Alcohol-Induced Liver Injury in Mice. Bioscience, Biotechnology and Biochemistry, 2006, 70, 2982-2989.	1.3	30
47	Sake Yeast Suppresses Acute Alcohol-Induced Liver Injury in Mice. Bioscience, Biotechnology and Biochemistry, 2006, 70, 2488-2493.	1.3	14
48	Relationship between the Preference for Sake (Japanese rice wine) and the Movements of Metabolic Parameters Coinciding with Sake Intake. Bioscience, Biotechnology and Biochemistry, 2004, 68, 796-802.	1.3	10
49	Increase in Spontaneous Locomotive Activity in Rats Fed Diets Containing Sake Lees or Sake Yeast. Food Science and Technology Research, 2004, 10, 300-302.	0.6	10
50	Aversive Sensation in the Brain after Eating Unpalatable Food Journal of Nutritional Science and Vitaminology, 2002, 48, 81-88.	0.6	4
51	Effect of diazepam binding inhibitor (DBI) on the fluid intake, preference and the taste reactivity in mice. Behavioural Brain Research, 2001, 126, 197-204.	2.2	17
52	Long-term optional ingestion of corn oil induces excessive caloric intake and obesity in mice. Nutrition, 2001, 17, 117-120.	2.4	32
53	Diazepam-binding Inhibitor-like Activity in Rat Cerebrospinal Fluid after Stimulation by an Aversive Quinine Taste. Chemical Senses, 2000, 25, 739-746.	2.0	7
54	Hydra biological detection of biologically active peptides in rat cerebrospinal fluid. Brain Research Protocols, 2000, 5, 312-317.	1.6	9

#	Article	IF	CITATIONS
55	Transforming growth factor-beta activated during exercise in brain depresses spontaneous motor activity of animals. Relevance to central fatigue. Brain Research, 1999, 846, 145-153.	2.2	53
56	Release of a Substance that Suppresses Spontaneous Motor Activity in the Brain by Physical Exercise. Physiology and Behavior, 1998, 64, 185-190.	2.1	15