Kenji Nakahigashi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10655826/publications.pdf

Version: 2024-02-01

32 papers

3,386 citations

304743 22 h-index 454955 30 g-index

32 all docs 32 docs citations

32 times ranked 4304 citing authors

#	Article	IF	CITATIONS
1	Multiple High-Throughput Analyses Monitor the Response of E. coli to Perturbations. Science, 2007, 316, 593-597.	12.6	694
2	Large-scale identification of protein–protein interaction of <i>Escherichia coli</i> K-12. Genome Research, 2006, 16, 686-691.	5.5	368
3	Epigenetic maintenance of the vernalized state in Arabidopsis thaliana requires LIKE HETEROCHROMATIN PROTEIN 1. Nature Genetics, 2006, 38, 706-710.	21.4	309
4	Update on the Keio collection of <i>Escherichia coli</i> singleâ€gene deletion mutants. Molecular Systems Biology, 2009, 5, 335.	7. 2	226
5	Regulation of the heat-shock response. Current Opinion in Microbiology, 1999, 2, 153-158.	5.1	217
6	Arabidopsis TERMINAL FLOWER 2 Gene Encodes a Heterochromatin Protein 1 Homolog and Represses both FLOWERING LOCUS T to Regulate Flowering Time and Several Floral Homeotic Genes. Plant and Cell Physiology, 2003, 44, 555-564.	3.1	214
7	A systematic survey of in vivo obligate chaperonin-dependent substrates. EMBO Journal, 2010, 29, 1552-1564.	7.8	156
8	Systematic phenome analysis of <i>Escherichia coli</i> multipleâ€knockout mutants reveals hidden reactions in central carbon metabolism. Molecular Systems Biology, 2009, 5, 306.	7.2	143
9	Isolation and characterization of visible light-sensitive mutants of Escherichia coli K12. Journal of Molecular Biology, 1991, 219, 393-398.	4.2	119
10	Regulatory Region C of the E. coliHeat Shock Transcription Factor, $\ddot{l}f32$, Constitutes a DnaK Binding Site and is Conserved Among Eubacteria. Journal of Molecular Biology, 1996, 256, 829-837.	4.2	118
11	HemK, a class of protein methyl transferase with similarity to DNA methyl transferases, methylates polypeptide chain release factors, and hemK knockout induces defects in translational termination. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 1473-1478.	7.1	110
12	The Arabidopsis HETEROCHROMATIN PROTEIN1 Homolog (TERMINAL FLOWER2) Silences Genes Within the Euchromatic Region but not Genes Positioned in Heterochromatin. Plant and Cell Physiology, 2005, 46, 1747-1756.	3.1	98
13	¹³ Câ€metabolic flux analysis for batch culture of <i>Escherichia coli</i> and its <i>pyk</i> and <i>pgi</i> gene knockout mutants based on mass isotopomer distribution of intracellular metabolites. Biotechnology Progress, 2010, 26, 975-992.	2.6	92
14	Comprehensive identification of translation start sites by tetracycline-inhibited ribosome profiling. DNA Research, 2016, 23, 193-201.	3.4	83
15	Catabolic regulation analysis of Escherichia coli and its crp, mlc, mgsA, pgi and ptsG mutants. Microbial Cell Factories, 2011, 10, 67.	4.0	79
16	Effect of codon adaptation on codon-level and gene-level translation efficiency in vivo. BMC Genomics, 2014, 15, 1115.	2.8	48
17	Differential and Independent Roles of a Ï, ³² Homolog (RpoH) and an HrcA Repressor in the Heat Shock Response of <i>Agrobacterium tumefaciens</i>). Journal of Bacteriology, 1999, 181, 7509-7515.	2.2	48
18	Heat Shock Proteome of Agrobacterium tumefaciens: Evidence for New Control Systems. Journal of Bacteriology, 2002, 184, 1772-1778.	2.2	40

#	Article	IF	CITATIONS
19	Metabolic regulation analysis of wild-type and arcA mutant Escherichia coli under nitrate conditions using different levels of omics data. Molecular BioSystems, 2012, 8, 2593.	2.9	39
20	Metabolomic study of Chilean biomining bacteria Acidithiobacillus ferrooxidans strain Wenelen and Acidithiobacillus thiooxidans strain Licanantay. Metabolomics, 2013, 9, 247-257.	3.0	39
21	Regulatory Conservation and Divergence of Ï, 32 Homologs from Gram-Negative Bacteria: Serratia marcescens, Proteus mirabilis, Pseudomonas aeruginosa, and Agrobacterium tumefaciens. Journal of Bacteriology, 1998, 180, 2402-2408.	2.2	35
22	Glycogen is the primary source of glucose during the lag phase of E. coli proliferation. Biochimica Et Biophysica Acta - Proteins and Proteomics, 2012, 1824, 1442-1448.	2.3	31
23	GenoBase: comprehensive resource database of Escherichia coli K-12. Nucleic Acids Research, 2015, 43, D606-D617.	14.5	29
24	DnaK Chaperone-Mediated Control of Activity of a Ï, 32 Homolog (RpoH) Plays a Major Role in the Heat Shock Response of Agrobacterium tumefaciens. Journal of Bacteriology, 2001, 183, 5302-5310.	2.2	20
25	Alteration of fatty acid chain length of <i>Chlamydomonas reinhardtii</i> by simultaneous expression of mediumâ€chainâ€specific thioesterase and acyl carrier protein. Phycological Research, 2017, 65, 94-99.	1.6	16
26	Viability of Escherichia coli cells under long-term cultivation in a rich nutrient medium Genes and Genetic Systems, 2001, 76, 271-278.	0.7	4
27	High-Light-Induced Stress Activates Lipid Deacylation at the <i>Sn</i> -2 Position in the Cyanobacterium <i>Synechocystis</i> Sp. PCC 6803. Plant and Cell Physiology, 2022, 63, 82-91.	3.1	4
28	Isolation and characterization of a cDNA from soybean and its homolog from Escherichia coli, which both complement the light sensitivity of Escherichia coli hemH mutant strain VS101 Genes and Genetic Systems, 2001, 76, 327-334.	0.7	3
29	An E. coli promoter that is sensitive to visible light Japanese Journal of Genetics, 1990, 65, 381-386.	1.0	2
30	Functional expression of the mutants of the chloroplast tRNALys gene from the liverwort, Marchantia polymorpha, in Escherichia coli. FEBS Letters, 1990, 265, 59-62.	2.8	2
31	Cloning and Sequencing a HemK -family Gene in Porphyromonas gingivalis. DNA Sequence, 2003, 14, 71-74.	0.7	0
32	Resources for Escherichia coli Systems Biology. , 2009, , 87-97.		0