
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10667328/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Plasma Kidney Injury Molecule 1 in CKD: Findings From the Boston Kidney Biopsy Cohort and CRIC Studies. American Journal of Kidney Diseases, 2022, 79, 231-243.e1. | 1.9 | 15 |
| 2 | Efficacy of Vedolizumab in a Nationwide Cohort of Elderly Inflammatory Bowel Disease Patients. Inflammatory Bowel Diseases, 2022, 28, 734-744. | 1.9 | 15 |
| 3 | Efficacy of Recombinant Zoster Vaccine in Patients With Inflammatory Bowel Disease. Clinical Gastroenterology and Hepatology, 2022, 20, 1570-1578.e1. | 4.4 | 13 |
| 4 | The Association Between Socioeconomic Factors and Incident Peripheral Artery Disease in the Chronic Renal Insufficiency Cohort (CRIC). Annals of Vascular Surgery, 2022, 80, 196-205. | 0.9 | 4 |
| 5 | The impact of IBD medications on risk of pneumonia and pneumoniaâ€related hospitalisation: a nationwide cohort study of 56Â410 IBD patients. Alimentary Pharmacology and Therapeutics, 2022, 55, 64-72. | 3.7 | 10 |
| 6 | High-Throughput Metabolomics and Diabetic Kidney Disease Progression: Evidence from the Chronic Renal Insufficiency (CRIC) Study. American Journal of Nephrology, 2022, 53, 215-225. | 3.1 | 14 |
| 7 | Socioeconomic characteristics of those with peripheral artery disease in the chronic renal insufficiency cohort. Vascular, 2022, , 170853812110534. | 0.9 | 1 |
| 8 | Clinical events and patient-reported outcome measures during CKD progression: findings from the Chronic Renal Insufficiency CohortÂStudy. Nephrology Dialysis Transplantation, 2021, 36, 1685-1693. | 0.7 | 14 |
| 9 | Annual Prevalence of Use of Potentially Inappropriate Medications for Treatment of Affective Disorders in Parkinson's Disease. American Journal of Geriatric Psychiatry, 2021, 29, 35-47. | 1.2 | 2 |
| 10 | Progression of retinopathy and incidence of cardiovascular disease: findings from the Chronic Renal Insufficiency Cohort Study. British Journal of Ophthalmology, 2021, 105, 246-252. | 3.9 | 9 |
| 11 | Subtyping CKD Patients by Consensus Clustering: The Chronic Renal Insufficiency Cohort (CRIC) Study. Journal of the American Society of Nephrology: JASN, 2021, 32, 639-653. | 6.1 | 41 |
| 12 | Incidence of Infections and Malignancy Among Elderly Male Patients with IBD Exposed to Vedolizumab, Prednisone, and 5-ASA Medications: A Nationwide Retrospective Cohort Study. Advances in Therapy, 2021, 38, 2586-2598. | 2.9 | 13 |
| 13 | The Efficacy and Safety of Switching From Originator Infliximab to Single or Double Switch Biosimilar Among a Nationwide Cohort of Inflammatory Bowel Disease Patients. Crohn's & Colitis 360, 2021, 3, . | 1.1 | 6 |
| 14 | Cardiovascular disease history and β-blocker prescription patterns among Japanese and American patients with CKD: a cross-sectional study of the CRIC and CKD-JAC studies. Hypertension Research, 2021, 44, 700-710. | 2.7 | 5 |
| 15 | Novel Risk Factors for Progression of Diabetic and Nondiabetic CKD: Findings From the Chronic Renal Insufficiency Cohort (CRIC) Study. American Journal of Kidney Diseases, 2021, 77, 56-73.e1. | 1.9 | 45 |
| 16 | Objective adherence to dental device versus positive airway pressure treatment in adults with obstructive sleep apnea. Journal of Sleep Research, 2021, 30, e13240. | 3.2 | 5 |
| 17 | Research-based versus clinical serum creatinine measurements and the association of acute kidney injury with subsequent kidney function: findings from the Chronic Renal Insufficiency Cohort study. CKJ: Clinical Kidney Journal, 2020, 13, 55-62. | 2.9 | 12 |
| 18 | Serial Fibroblast Growth Factor 23 Measurements and Risk of Requirement for Kidney Replacement Therapy: The CRIC (Chronic Renal Insufficiency Cohort) Study. American Journal of Kidney Diseases, 2020, 75, 908-918. | 1.9 | 13 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Slope of Kidney Function and Its Association with Longitudinal Mortality and Cardiovascular Disease among Individuals with CKD. Journal of the American Society of Nephrology: JASN, 2020, 31, 2912-2923. | 6.1 | 16 |
| 20 | Prognostic Significance of Ambulatory BP Monitoring in CKD: A Report from the Chronic Renal Insufficiency Cohort (CRIC) Study. Journal of the American Society of Nephrology: JASN, 2020, 31, 2609-2621. | 6.1 | 33 |
| 21 | Association between kidney function and the risk of cancer: Results from the China Health and Retirement longitudinal study (CHARLS). Journal of Cancer, 2020, 11, 6429-6436. | 2.5 | 16 |
| 22 | Repeated Occurrences of Basal Cell Cancer in Patients With Inflammatory Bowel Disease Treated With Immunosuppressive Medications. American Journal of Gastroenterology, 2020, 115, 1246-1252. | 0.4 | 11 |
| 23 | Impact of Anti-Tumor Necrosis Factor and Thiopurine Medications on the Development of COVID-19 in Patients With Inflammatory Bowel Disease: A Nationwide Veterans Administration Cohort Study. Gastroenterology, 2020, 159, 1545-1546.e1. | 1.3 | 56 |
| 24 | Adherence of Infusible Biologics During the Time of COVID-19 Among Patients With Inflammatory Bowel Disease: A Nationwide Veterans Affairs Cohort Study. Gastroenterology, 2020, 159, 1592-1594.e1. | 1.3 | 17 |
| 25 | Frequency of and risk factors for potentially inappropriate medication use in Parkinson's disease. Age and Ageing, 2020, 49, 786-792. | 1.6 | 9 |
| 26 | Association of Opioids and Nonsteroidal Anti-inflammatoryÂDrugs With Outcomes in CKD:ÂFindings From the CRIC (Chronic Renal Insufficiency Cohort) Study. American Journal of Kidney Diseases, 2020, 76, 184-193. | 1.9 | 35 |
| 27 | Apparent Treatment-Resistant Hypertension Assessed by Office and Ambulatory Blood Pressure in Chronic Kidney Disease—A Report from the Chronic Renal Insufficiency Cohort Study. Kidney360, 2020, 1, 810-818. | 2.1 | 2 |
| 28 | Incidence, Duration, and Management of Anemia: A Nationwide Comparison Between IBD and Non-IBD Populations. Inflammatory Bowel Diseases, 2020, 26, 934-940. | 1.9 | 6 |
| 29 | SP049INFLAMMATION AND APPARENT TREATMENT RESISTANT HYPERTENSION IN PATIENTS WITH CHRONIC KIDNEY DISEASE. Nephrology Dialysis Transplantation, 2019, 34, . | 0.7 | 0 |
| 30 | Reply. Clinical Gastroenterology and Hepatology, 2019, 17, 2824. | 4.4 | 0 |
| 31 | Vitamin D Metabolic Ratio and Risks of Death and CKD Progression. Kidney International Reports, 2019, 4, 1598-1607. | 0.8 | 19 |
| 32 | Small Area Estimation of Cancer Risk Factors and Screening Behaviors in US Counties by Combining Two Large National Health Surveys. Preventing Chronic Disease, 2019, 16, E119. | 3.4 | 12 |
| 33 | Lipids, Apolipoproteins, and Risk of Atherosclerotic Cardiovascular Disease in Persons With CKD. American Journal of Kidney Diseases, 2019, 73, 827-836. | 1.9 | 43 |
| 34 | Association Between Progression of Retinopathy and Concurrent Progression of Kidney Disease. JAMA Ophthalmology, 2019, 137, 767. | 2.5 | 28 |
| 35 | Mortality Associated With Development of Squamous Cell Cancer in Patients With Inflammatory Bowel Diseases Receiving Treatment With Thiopurines. Clinical Gastroenterology and Hepatology, 2019, 17, 2262-2268. | 4.4 | 7 |
| 36 | Association of Urinary Oxalate Excretion With the Risk of Chronic Kidney Disease Progression. JAMA Internal Medicine, 2019, 179, 542. | 5.1 | 78 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Predictors of Net Acid Excretion in the Chronic Renal Insufficiency Cohort (CRIC) Study. American Journal of Kidney Diseases, 2019, 74, 203-212. | 1.9 | 6 |
| 38 | Association Between Financial Incentives and Participant Deception About Study Eligibility. JAMA Network Open, 2019, 2, e187355. | 5.9 | 35 |
| 39 | Inflammation and Apparent Treatment-Resistant Hypertension in Patients With Chronic Kidney Disease. Hypertension, 2019, 73, 785-793. | 2.7 | 34 |
| 40 | Patient Satisfaction and Perceived Quality of Care Among Younger Medicare Beneficiaries According to Activity Limitation Stages. Archives of Physical Medicine and Rehabilitation, 2019, 100, 289-299. | 0.9 | 10 |
| 41 | Use of Measures of Inflammation and Kidney Function for Prediction of Atherosclerotic Vascular Disease Events and Death in Patients With CKD: Findings From the CRIC Study. American Journal of Kidney Diseases, 2019, 73, 344-353. | 1.9 | 84 |
| 42 | Cognitive Impairment in Non–Dialysis-Dependent CKD and the Transition to Dialysis: Findings From the Chronic Renal Insufficiency Cohort (CRIC) Study. American Journal of Kidney Diseases, 2018, 72, 499-508. | 1.9 | 43 |
| 43 | Characteristics Associated With Preferences for Parent-Centered Decision Making in Neonatal Intensive Care. JAMA Pediatrics, 2018, 172, 461. | 6.2 | 37 |
| 44 | Premorbid Activity Limitation Stages Are Associated With Posthospitalization Discharge Disposition. American Journal of Physical Medicine and Rehabilitation, 2018, 97, 440-449. | 1.4 | 4 |
| 45 | Identifiable Characteristics and Potentially Malleable Beliefs Predict Stigmatizing Attributions Toward Persons With Alzheimer's Disease Dementia: Results of a Survey of the U.S. General Public. Health Communication, 2018, 33, 264-273. | 3.1 | 35 |
| 46 | Longitudinal FGF23 Trajectories and Mortality in Patients with CKD. Journal of the American Society of Nephrology: JASN, 2018, 29, 579-590. | 6.1 | 114 |
| 47 | Longitudinal Weight Change During CKD Progression and Its Association With Subsequent Mortality. American Journal of Kidney Diseases, 2018, 71, 657-665. | 1.9 | 59 |
| 48 | Cardiovascular Events after New-Onset Atrial Fibrillation in Adults with CKD: Results from the Chronic Renal Insufficiency Cohort (CRIC) Study. Journal of the American Society of Nephrology: JASN, 2018, 29, 2859-2869. | 6.1 | 42 |
| 49 | Functional Impairments Associated With Patient Activation Among Community-Dwelling Older Adults. American Journal of Physical Medicine and Rehabilitation, 2018, 97, 839-847. | 1.4 | 2 |
| 50 | Preventable hospitalizations, barriers to care, and disability. Medicine (United States), 2018, 97, e0691. | 1.0 | 15 |
| 51 | Sleep debt at the community level: impact of age, sex, race/ethnicity and health. Sleep Health, 2018, 4, 317-324. | 2.5 | 24 |
| 52 | Variations in 24-Hour BP Profiles in Cohorts of Patients with Kidney Disease around the World. Clinical Journal of the American Society of Nephrology: CJASN, 2018, 13, 1348-1357. | 4.5 | 30 |
| 53 | A Risk Scoring System for the Prediction of Functional Deterioration, Institutionalization, and Mortality Among Medicare Beneficiaries. American Journal of Physical Medicine and Rehabilitation, 2018, 97, 698-707. | 1.4 | 3 |
| 54 | Self-Reported Tobacco, Alcohol, and Illicit Drug Use and Progression of Chronic Kidney Disease. Clinical Journal of the American Society of Nephrology: CJASN, 2018, 13, 993-1001. | 4.5 | 50 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Potentially Avoidable Hospitalizations among People at Different Activity of Daily Living Limitation Stages. Health Services Research, 2017, 52, 132-155. | 2.0 | 18 |
| 56 | Joint Modeling of Repeated Measures and Competing Failure Events in a Study of Chronic Kidney Disease. Statistics in Biosciences, 2017, 9, 504-524. | 1.2 | 4 |
| 57 | Statistical Methods for Cohort Studies of CKD: Survival Analysis in the Setting of Competing Risks. Clinical Journal of the American Society of Nephrology: CJASN, 2017, 12, 1181-1189. | 4.5 | 51 |
| 58 | Urine Kidney Injury Biomarkers and Risks of Cardiovascular Disease Events and All-Cause Death: The CRIC Study. Clinical Journal of the American Society of Nephrology: CJASN, 2017, 12, 761-771. | 4.5 | 53 |
| 59 | The relationship between pay day and violent death in Guatemala: a time series analysis. Injury Prevention, 2017, 23, 102-108. | 2.4 | 2 |
| 60 | Predictive Indices for Functional Improvement and Deterioration, Institutionalization, and Death Among Elderly Medicare Beneficiaries. PM and R, 2017, 9, 1065-1076. | 1.6 | 9 |
| 61 | Perceived barriers to healthcare and receipt of recommended medical care among elderly Medicare beneficiaries. Archives of Gerontology and Geriatrics, 2017, 72, 45-51. | 3.0 | 20 |
| 62 | Disability Stages and Trouble Getting Needed Health Care Among Medicare Beneficiaries. American Journal of Physical Medicine and Rehabilitation, 2017, 96, 408-416. | 1.4 | 8 |
| 63 | Inflammation and elevated levels of fibroblast growth factor 23 are independent risk factors forÂdeath in chronic kidney disease. Kidney International, 2017, 91, 711-719. | 5.2 | 91 |
| 64 | Lipoprotein(a) and Risk of Myocardial Infarction and Death in Chronic Kidney Disease. Arteriosclerosis, Thrombosis, and Vascular Biology, 2017, 37, 1971-1978. | 2.4 | 44 |
| 65 | Statistical Methods for Modeling Time-Updated Exposures in Cohort Studies of Chronic Kidney Disease. Clinical Journal of the American Society of Nephrology: CJASN, 2017, 12, 1892-1899. | 4.5 | 34 |
| 66 | Predicting 3-year mortality and admission to acute-care hospitals, skilled nursing facilities, and long-term care facilities in Medicare beneficiaries. Archives of Gerontology and Geriatrics, 2017, 73, 248-256. | 3.0 | 15 |
| 67 | Statistical Methods for Recurrent Event Analysis in Cohort Studies of CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2017, 12, 2066-2073. | 4.5 | 35 |
| 68 | Analytic Considerations for Repeated Measures of eGFR in Cohort Studies of CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2017, 12, 1357-1365. | 4.5 | 39 |
| 69 | Patterns of NSAIDs Use and Their Association with Other Analgesic Use in CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2017, 12, 1778-1786. | 4.5 | 28 |
| 70 | Presence of Vision Impairment and Risk of Hospitalization among Elderly Medicare Beneficiaries. Ophthalmic Epidemiology, 2017, 24, 364-370. | 1.7 | 14 |
| 71 | The Association Between Activity Limitation Stages and Admission to Facilities Providing Long-term Care Among Older Medicare Beneficiaries. American Journal of Physical Medicine and Rehabilitation, 2017, 96, 464-472. | 1.4 | 16 |
| 72 | Blood Pressure and Risk of Cardiovascular Events in Patients on Chronic Hemodialysis. Hypertension, 2017, 70, 435-443. | 2.7 | 47 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Disparities in receipt of recommended care among younger versus older medicare beneficiaries: a cohort study. BMC Health Services Research, 2017, 17, 241. | 2.2 | 10 |
| 74 | Urine biomarkers of tubular injury do not improveÂon the clinical model predicting chronicÂkidney disease progression. Kidney International, 2017, 91, 196-203. | 5.2 | 85 |
| 75 | Filtration Markers as Predictors of ESRD and Mortality: Individual Participant Data Meta-Analysis. Clinical Journal of the American Society of Nephrology: CJASN, 2017, 12, 69-78. | 4.5 | 24 |
| 76 | Statistical Methods for Cohort Studies of CKD: Prediction Modeling. Clinical Journal of the American Society of Nephrology: CJASN, 2017, 12, 1010-1017. | 4.5 | 21 |
| 77 | Disability stage and receipt of recommended care among elderly medicare beneficiaries. Disability and Health Journal, 2017, 10, 48-57. | 2.8 | 15 |
| 78 | Activity Limitation Stages Are Associated With Risk of Hospitalization Among Medicare Beneficiaries. PM and R, 2017, 9, 433-443. | 1.6 | 18 |
| 79 | Genome-Wide Association of CKD Progression: The Chronic Renal Insufficiency Cohort Study. Journal of the American Society of Nephrology: JASN, 2017, 28, 923-934. | 6.1 | 55 |
| 80 | Patient Satisfaction and Prognosis for Functional Improvement and Deterioration, Institutionalization, and Death Among Medicare Beneficiaries Over 2 Years. Archives of Physical Medicine and Rehabilitation, 2017, 98, 1-10. | 0.9 | 12 |
| 81 | Children with lower respiratory tract infections and serum 25â€hydroxyvitamin D ₃ levels: A case–control study. Pediatric Pulmonology, 2016, 51, 1080-1087. | 2.0 | 7 |
| 82 | Serum β-Trace Protein and β2-Microglobulin as Predictors of ESRD, Mortality, and Cardiovascular Disease in Adults With CKD in the Chronic Renal Insufficiency Cohort (CRIC) Study. American Journal of Kidney Diseases, 2016, 68, 68-76. | 1.9 | 61 |
| 83 | Atrial Fibrillation and Risk of ESRD in Adults with CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2016, 11, 1189-1196. | 4.5 | 73 |
| 84 | Lipidomic Signature of Progression of Chronic Kidney Disease in the Chronic Renal Insufficiency Cohort. Kidney International Reports, 2016, 1, 256-268. | 0.8 | 69 |
| 85 | Different components of blood pressure are associated with increased risk of atherosclerotic cardiovascular disease versus heart failure in advanced chronic kidney disease. Kidney International, 2016, 90, 1348-1356. | 5.2 | 22 |
| 86 | Relationship of proximal tubular injury to chronic kidney disease as assessed by urinary kidney injury molecule-1 in five cohort studies. Nephrology Dialysis Transplantation, 2016, 31, 1460-1470. | 0.7 | 45 |
| 87 | Identifying neuropsychiatric disorders in the Medicare Current Beneficiary Survey: the benefits of combining health survey and claims data. BMC Health Services Research, 2016, 16, 537. | 2.2 | 12 |
| 88 | Predictors and Outcomes of Health–Related Quality of Life in Adults with CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2016, 11, 1154-1162. | 4.5 | 110 |
| 89 | Understanding non-performance reports for instrumental activity of daily living items in population analyses: a cross sectional study. BMC Geriatrics, 2016, 16, 64. | 2.7 | 2 |
| 90 | Sex Differences in the Incidence of Peripheral Artery Disease in the Chronic Renal Insufficiency Cohort. Circulation: Cardiovascular Quality and Outcomes, 2016, 9, S86-93. | 2.2 | 30 |

DAWEI XIE

| # | Article | IF | CITATIONS |
|-----|---|-------------------|-------------|
| 91 | Ankle Brachial Index and Subsequent Cardiovascular Disease Risk in Patients With Chronic Kidney Disease. Journal of the American Heart Association, 2016, 5, . | 3.7 | 24 |
| 92 | The Associations between Peripheral Artery Disease and Physical Outcome Measures in Men and Women with Chronic Kidney Disease. Annals of Vascular Surgery, 2016, 35, 111-120. | 0.9 | 2 |
| 93 | Cognitive Impairment and Progression of CKD. American Journal of Kidney Diseases, 2016, 68, 77-83. | 1.9 | 53 |
| 94 | Comparison of predictive value of activity limitation staging systems based on dichotomous versus trichotomous responses in the Medicare Current Beneficiary Survey. Disability and Health Journal, 2016, 9, 64-73. | 2.8 | 9 |
| 95 | Masked Hypertension and Elevated Nighttime Blood Pressure in CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2016, 11, 642-652. | 4.5 | 157 |
| 96 | Prevalence and Prognostic Significance of Apparent Treatment Resistant Hypertension in Chronic Kidney Disease. Hypertension, 2016, 67, 387-396. | 2.7 | 134 |
| 97 | Traditional and non-traditional risk factors for incident peripheral arterial disease among patients with chronic kidney disease. Nephrology Dialysis Transplantation, 2016, 31, 1145-1151. | 0.7 | 41 |
| 98 | Change in Measured GFR Versus eGFR and CKD Outcomes. Journal of the American Society of Nephrology: JASN, 2016, 27, 2196-2204. | 6.1 | 38 |
| 99 | Disability Stage is an Independent Risk Factor for Mortality in Medicare Beneficiaries Aged 65 Years and Older. PM and R, 2015, 7, 1215-1225. | 1.6 | 71 |
| 100 | The association of antidepressant medications and diabetic retinopathy among people with diabetes. Journal of Diabetes and Its Complications, 2015, 29, 1077-1084. | 2.3 | 15 |
| 101 | Patient Satisfaction and Perceived Quality of Care Among Older Adults According to Activity Limitation Stages. Archives of Physical Medicine and Rehabilitation, 2015, 96, 1810-1819. | 0.9 | 21 |
| 102 | The role of renin–angiotensin–aldosterone system genes in the progression of chronic kidney disease: findings from the Chronic Renal Insufficiency Cohort (CRIC) study. Nephrology Dialysis Transplantation, 2015, 30, 1711-1718. | 0.7 | 22 |
| 103 | Development and Validation of Prognostic Indices for Recovery of Physical Functioning Following Stroke: Part 1. PM and R, 2015, 7, 685-698. | 1.6 | 6 |
| 104 | Development and Validation of Prognostic Indices for Recovery of Physical Functioning Following Stroke: Part 2. PM and R, 2015, 7, 699-710. | 1.6 | 9 |
| 105 | Serum Fractalkine (CX3CL1) and Cardiovascular Outcomes and Diabetes: Findings From the Chronic Renal Insufficiency Cohort (CRIC) Study. American Journal of Kidney Diseases, 2015, 66, 266-273. | 1.9 | 42 |
| 106 | Retinopathy and the Risk of Cardiovascular Disease in Patients With Chronic Kidney Disease (from the) Tj ETQq0 | 0 0 rgBT / 1.6 | Overlock 10 |
| 107 | Blood Pressure and Risk of All-Cause Mortality in Advanced Chronic Kidney Disease and Hemodialysis. Hypertension, 2015, 65, 93-100. | 2.7 | 122 |

| 108 | Association of urinary KIM-1, L-FABP, NAG and NGAL with incident end-stage renal disease and mortality in American Indians with type 2 diabetes mellitus. Diabetologia, 2015, 58, 188-198. | 6.3 | 80 |
|-----|---|-----|----|

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Effects of prosthetic limb prescription on 3-year mortality among Veterans with lower-limb amputation. Journal of Rehabilitation Research and Development, 2015, 52, 385-396. | 1.6 | 10 |
| 110 | Association Between Chronic Kidney Disease Progression and Cardiovascular Disease: Results from the CRIC Study. American Journal of Nephrology, 2014, 40, 399-407. | 3.1 | 56 |
| 111 | Urinary Creatinine Excretion, Bioelectrical Impedance Analysis, and Clinical Outcomes in Patients with CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2014, 9, 2095-2103. | 4.5 | 59 |
| 112 | Race modifies the association between adiposity and inflammation in patients with chronic kidney disease: Findings from the chronic renal insufficiency cohort study. Obesity, 2014, 22, 1359-1366. | 3.0 | 11 |
| 113 | Peripheral arterial disease, prevalence and cumulative risk factor profile analysis. European Journal of Preventive Cardiology, 2014, 21, 704-711. | 1.8 | 112 |
| 114 | Instrumental Activities of Daily Living Staging asÂa Possible Clinical Tool for Falls Risk Assessment in Physical Medicine and Rehabilitation. PM and R, 2014, 6, 316-323. | 1.6 | 22 |
| 115 | One‥ear Allâ€Cause Mortality After Stroke: A Prediction Model. PM and R, 2014, 6, 473-483. | 1.6 | 21 |
| 116 | Activity Limitation Stages Empirically Derived for Activities of Daily Living (ADL) and Instrumental ADL in the U.S. Adult Communityâ€Đwelling Medicare Population. PM and R, 2014, 6, 976-987. | 1.6 | 45 |
| 117 | Association of Kidney Disease Outcomes With Risk Factors forÂCKD: Findings From the Chronic Renal Insufficiency CohortÂ(CRIC) Study. American Journal of Kidney Diseases, 2014, 63, 236-243. | 1.9 | 100 |
| 118 | Adverse Childhood Experiences and Disability in U.S. Adults. PM and R, 2014, 6, 670-680. | 1.6 | 89 |
| 119 | Factors Associated With Home Discharge Among Veterans With Stroke. Archives of Physical Medicine and Rehabilitation, 2014, 95, 1277-1282.e3. | 0.9 | 11 |
| 120 | Retinopathy and Progression of CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2014, 9, 1217-1224. | 4.5 | 25 |
| 121 | Heart Rate Variability Is a Predictor of Mortality in Chronic Kidney Disease: A Report from the CRIC Study. American Journal of Nephrology, 2013, 38, 517-528. | 3.1 | 71 |
| 122 | Factors Influencing Receipt of Early Rehabilitation After Stroke. Archives of Physical Medicine and Rehabilitation, 2013, 94, 2349-2356. | 0.9 | 7 |
| 123 | A new "Comparative Effectiveness―assessment strategy using the THIN database: comparison of the cardiac complications of pioglitazone and rosiglitazone. Pharmacoepidemiology and Drug Safety, 2013, 22, 86-97. | 1.9 | 20 |
| 124 | Comparison of Complex Versus Simple Activity of Daily Living Staging: Validation of Simple Stages. Archives of Physical Medicine and Rehabilitation, 2013, 94, 1320-1327. | 0.9 | 3 |
| 125 | Initial Physical Grades and Cognitive Stages After Acute Stroke: Who Receives Comprehensive Rehabilitation Services?. PM and R, 2013, 5, 1007-1018. | 1.6 | 4 |
| 126 | Retinopathy and Cognitive Impairment in Adults With CKD. American Journal of Kidney Diseases, 2013, 61, 219-227. | 1.9 | 23 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | Prognosis for Functional Deterioration and Functional Improvement in Late Life Among Communityâ€Đwelling Persons. PM and R, 2013, 5, 360-371. | 1.6 | 18 |
| 128 | Fibroblast growth factor 23 is not associated with and does not induce arterial calcification. Kidney International, 2013, 83, 1159-1168. | 5.2 | 291 |
| 129 | <i>APOL1</i> Risk Variants, Race, and Progression of Chronic Kidney Disease. New England Journal of Medicine, 2013, 369, 2183-2196. | 27.0 | 654 |
| 130 | A Longitudinal Study of Left Ventricular Function and Structure from CKD to ESRD. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 355-362. | 4.5 | 97 |
| 131 | Validation of the Kidney Disease Quality of Life Short Form 36 (KDQOL-36) US Spanish and English versions in a cohort of Hispanics with chronic kidney disease. Ethnicity and Disease, 2013, 23, 202-9. | 2.3 | 51 |
| 132 | Fibroblast Growth Factor 23 and Inflammation in CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2012, 7, 1155-1162. | 4.5 | 217 |
| 133 | Associations between Kidney Function and Subclinical Cardiac Abnormalities in CKD. Journal of the American Society of Nephrology: JASN, 2012, 23, 1725-1734. | 6.1 | 245 |
| 134 | Retinopathy and Chronic Kidney Disease in the Chronic Renal Insufficiency Cohort (CRIC) Study. JAMA Ophthalmology, 2012, 130, 1136. | 2.4 | 117 |
| 135 | Age and Sleep Disturbances Among American Men And Women: Data From the U.S. Behavioral Risk Factor Surveillance System. Sleep, 2012, 35, 395-406. | 1.1 | 138 |
| 136 | Do Elderly People at More Severe Activity of Daily Living Limitation Stages Fall More?. American Journal of Physical Medicine and Rehabilitation, 2012, 91, 601-610. | 1.4 | 29 |
| 137 | Staging Activity Limitation and Participation Restriction in Elderly Community-Dwelling Persons According to Difficulties in Self-Care and Domestic Life Functioning. American Journal of Physical Medicine and Rehabilitation, 2012, 91, 126-140. | 1.4 | 27 |
| 138 | Estimating GFR Among Participants in the Chronic Renal Insufficiency Cohort (CRIC) Study. American Journal of Kidney Diseases, 2012, 60, 250-261. | 1.9 | 207 |
| 139 | Recruitment of Hispanics into an observational study of chronic kidney disease: The Hispanic Chronic Renal Insufficiency Cohort Study experience. Contemporary Clinical Trials, 2012, 33, 1238-1244. | 1.8 | 12 |
| 140 | Home Accessibility, Living Circumstances, Stage of Activity Limitation, and Nursing Home Use. Archives of Physical Medicine and Rehabilitation, 2012, 93, 1609-1616. | 0.9 | 32 |
| 141 | Prior event rate ratio adjustment: numerical studies of a statistical method to address unrecognized confounding in observational studies. Pharmacoepidemiology and Drug Safety, 2012, 21, 60-68. | 1.9 | 28 |
| 142 | Mortality Predictive Indexes for the Community-Dwelling Elderly US Population. Journal of General Internal Medicine, 2012, 27, 901-910. | 2.6 | 24 |
| 143 | Risk Factors for Peripheral Arterial Disease Among Patients With Chronic Kidney Disease. American Journal of Cardiology, 2012, 110, 136-141. | 1.6 | 53 |
| 144 | Association Between Retinopathy and Cardiovascular Disease in Patients With Chronic Kidney Disease (from the Chronic Renal Insufficiency Cohort [CRIC] Study). American Journal of Cardiology, 2012, 110, 246-253. | 1.6 | 45 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Factors Associated With Depressive Symptoms and Use of Antidepressant Medications Among Participants in the Chronic Renal Insufficiency Cohort (CRIC) and Hispanic-CRIC Studies. American Journal of Kidney Diseases, 2012, 60, 27-38. | 1.9 | 50 |
| 146 | Allâ€Cause 1â€; 5â€; and 10‥ear Mortality in Elderly People According to Activities of Daily Living Stage. Journal of the American Geriatrics Society, 2012, 60, 485-492. | 2.6 | 113 |
| 147 | Factors Associated with Late Specialized Rehabilitation Among Veterans with Lower Extremity Amputation Who Underwent Immediate Postoperative Rehabilitation. American Journal of Physical Medicine and Rehabilitation, 2011, 90, 387-398. | 1.4 | 3 |
| 148 | Activity of Daily Living Staging, Chronic Health Conditions, and Perceived Lack of Home Accessibility Features for Elderly People Living in the Community. Journal of the American Geriatrics Society, 2011, 59, 454-462. | 2.6 | 47 |
| 149 | CKD in Hispanics: Baseline Characteristics From the CRIC (Chronic Renal Insufficiency Cohort) and Hispanic-CRIC Studies. American Journal of Kidney Diseases, 2011, 58, 214-227. | 1.9 | 106 |
| 150 | Obesity, diabetes, and exercise associated with sleep-related complaints in the American population. Zeitschrift Fur Gesundheitswissenschaften, 2011, 19, 463-474. | 1.6 | 38 |
| 151 | Diuretics, calciuria and secondary hyperparathyroidism in the Chronic Renal Insufficiency Cohort. Nephrology Dialysis Transplantation, 2011, 26, 1258-1265. | 0.7 | 39 |
| 152 | Fibroblast Growth Factor 23 and Risks of Mortality and End-Stage Renal Disease in Patients With Chronic Kidney Disease. JAMA - Journal of the American Medical Association, 2011, 305, 2432. | 7.4 | 890 |
| 153 | Vascular Risk Factors and Cognitive Impairment in Chronic Kidney Disease. Clinical Journal of the American Society of Nephrology: CJASN, 2011, 6, 248-256. | 4.5 | 127 |
| 154 | Metabolic Syndrome, Components, and Cardiovascular Disease Prevalence in Chronic Kidney Disease: Findings from the Chronic Renal Insufficiency Cohort (CRIC) Study. American Journal of Nephrology, 2011, 33, 477-484. | 3.1 | 29 |
| 155 | Measured GFR Does Not Outperform Estimated GFR in Predicting CKD-related Complications. Journal of the American Society of Nephrology: JASN, 2011, 22, 1931-1937. | 6.1 | 58 |
| 156 | "Sleep disparity" in the population: poor sleep quality is strongly associated with poverty and ethnicity. BMC Public Health, 2010, 10, 475. | 2.9 | 290 |
| 157 | State-Based Estimates of Mammography Screening Rates Based on Information from Two Health Surveys. Public Health Reports, 2010, 125, 567-578. | 2.5 | 18 |
| 158 | Previous Antimicrobial Exposure Is Associated With Drug-Resistant Urinary Tract Infections in Children. Pediatrics, 2010, 125, 664-672. | 2.1 | 80 |
| 159 | Prognostic Differences for Functional Recovery After Major Lower Limb Amputation: Effects of the Timing and Type of Inpatient Rehabilitation Services in the Veterans Health Administration. PM and R, 2010, 2, 232-243. | 1.6 | 40 |
| 160 | Who gets the best sleep? Ethnic and socioeconomic factors related to sleep complaints. Sleep Medicine, 2010, 11, 470-478. | 1.6 | 423 |
| 161 | Chronic kidney disease and prevalent atrial fibrillation: The Chronic Renal Insufficiency Cohort (CRIC). American Heart Journal, 2010, 159, 1102-1107. | 2.7 | 386 |
| 162 | Mean platelet volume and prevalence of peripheral artery disease, the National Health and Nutrition Examination Survey, 1999–2004. Atherosclerosis, 2010, 213, 586-591. | 0.8 | 107 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Use of primary care electronic medical record database in drug efficacy research on cardiovascular outcomes: comparison of database and randomised controlled trial findings. BMJ: British Medical Journal, 2009, 338, b81-b81. | 2.3 | 117 |
| 164 | Chronic Renal Insufficiency Cohort (CRIC) Study. Clinical Journal of the American Society of Nephrology: CJASN, 2009, 4, 1302-1311. | 4.5 | 497 |
| 165 | Factors Influencing Decisions to Admit Patients to Veterans Affairs Specialized Rehabilitation Units After Lower-Extremity Amputation. Archives of Physical Medicine and Rehabilitation, 2009, 90, 2012-2018. | 0.9 | 10 |
| 166 | Replicated studies of two randomized trials of angiotensin―converting enzyme inhibitors: further empiric validation of the †prior event rate ratio' to adjust for unmeasured confounding by indication. Pharmacoepidemiology and Drug Safety, 2008, 17, 671-685. | 1.9 | 36 |
| 167 | Replication of the Scandinavian Simvastatin Survival Study using a primary care medical record database prompted exploration of a new method to address unmeasured confounding. Pharmacoepidemiology and Drug Safety, 2008, 17, 661-670. | 1.9 | 38 |
| 168 | Perspectives on hormone replacement therapy: the Women's Health Initiative and new observational studies sampling the overall population. Fertility and Sterility, 2008, 90, 258-264. | 1.0 | 19 |
| 169 | A Comparison of Change in Measured and Estimated Glomerular Filtration Rate in Patients with Nondiabetic Kidney Disease. Clinical Journal of the American Society of Nephrology: CJASN, 2008, 3, 1332-1338. | 4.5 | 61 |
| 170 | Hormone therapy and coronary heart disease in young women. Menopause, 2008, 15, 86-93. | 2.0 | 24 |
| 171 | Combining Information From Two Surveys to Estimate County-Level Prevalence Rates of Cancer Risk Factors and Screening. Journal of the American Statistical Association, 2007, 102, 474-486. | 3.1 | 96 |
| 172 | Estrogen affects post-menopausal women differently than estrogen plus progestin replacement therapy. Human Reproduction, 2007, 22, 1769-1777. | 0.9 | 48 |
| 173 | A simulation using data from a primary care practice database closely replicated the women's health initiative trial. Journal of Clinical Epidemiology, 2007, 60, 686-695. | 5.0 | 46 |
| 174 | Estimation of the proportion of overweight individuals in small areas—a robust extension of the Fay–Herriot model. Statistics in Medicine, 2007, 26, 2699-2715. | 1.6 | 17 |