

Yongfang Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1066961/publications.pdf>

Version: 2024-02-01

513
papers

58,561
citations

1172

111
h-index

1254

226
g-index

521
all docs

521
docs citations

521
times ranked

23008
citing authors

#	ARTICLE	IF	CITATIONS
1	18.55% Efficiency Polymer Solar Cells Based on a Small Molecule Acceptor with Alkylthienyl Outer Side Chains and a Low-Cost Polymer Donor PTQ10. <i>CCS Chemistry</i> , 2023, 5, 841-850.	7.8	45
2	Optimizing side chains on different nitrogen aromatic rings achieving 17% efficiency for organic photovoltaics. <i>Journal of Energy Chemistry</i> , 2022, 65, 173-178.	12.9	22
3	Quinoxaline-Based D-A Copolymers for the Applications as Polymer Donor and Hole Transport Material in Polymer/Perovskite Solar Cells. <i>Advanced Materials</i> , 2022, 34, e2104161.	21.0	35
4	Surface Reconstruction for Stable Monolithic All-Inorganic Perovskite/Organic Tandem Solar Cells with over 21% Efficiency. <i>Advanced Functional Materials</i> , 2022, 32, .	14.9	47
5	Annealing- and doping-free hole transport material for p-i-n perovskite solar cells with efficiency achieving over 21%. <i>Chemical Engineering Journal</i> , 2022, 433, 133265.	12.7	11
6	Introducing Low-Cost Pyrazine Unit into Terpolymer Enables High-Performance Polymer Solar Cells with Efficiency of 18.23%. <i>Advanced Functional Materials</i> , 2022, 32, 2109271.	14.9	49
7	Nanoporous Polymer Reflectors for Organic Solar Cells. <i>Energy Technology</i> , 2022, 10, 2100676.	3.8	5
8	Conjugated Mesopolymer Achieving 15% Efficiency Single-Junction Organic Solar Cells. <i>Advanced Science</i> , 2022, 9, e2105430.	11.2	20
9	Constructing Monolithic Perovskite/Organic Tandem Solar Cell with Efficiency of 22.0% via Reduced Open-Circuit Voltage Loss and Broadened Absorption Spectra. <i>Advanced Materials</i> , 2022, 34, e2108829.	21.0	56
10	Influence of altering chlorine substitution positions on the photovoltaic properties of small molecule donors in all-small-molecule organic solar cells. <i>Journal of Materials Chemistry C</i> , 2022, 10, 2017-2025.	5.5	12
11	High-Polarizability Organic Ferroelectric Materials Doping for Enhancing the Built-In Electric Field of Perovskite Solar Cells Realizing Efficiency over 24%. <i>Advanced Materials</i> , 2022, 34, e2110482.	21.0	65
12	The effect of alkyl substitution position of thienyl outer side chains on photovoltaic performance of D-A type acceptors. <i>Energy and Environmental Science</i> , 2022, 15, 2011-2020.	30.8	73
13	Perylene-diimide-based cathode interlayer materials for high performance organic solar cells. <i>SusMat</i> , 2022, 2, 243-263.	14.9	38
14	15.71% Efficiency All-Small-Molecule Organic Solar Cells Based on Low-Cost Synthesized Donor Molecules. <i>Advanced Functional Materials</i> , 2022, 32, .	14.9	34
15	Recent progress in organic solar cells (Part I material science). <i>Science China Chemistry</i> , 2022, 65, 224-268.	8.2	349
16	Realizing 17.5% Efficiency Flexible Organic Solar Cells via Atomic-Level Chemical Welding of Silver Nanowire Electrodes. <i>Journal of the American Chemical Society</i> , 2022, 144, 8658-8668.	13.7	116
17	2'- and 3'-Ribose Modifications of Nucleotide Analogues Establish the Structural Basis to Inhibit the Viral Replication of SARS-CoV-2. <i>Journal of Physical Chemistry Letters</i> , 2022, 13, 4111-4118.	4.6	11
18	Reinforced concrete-like flexible transparent electrode for organic solar cells with high efficiency and mechanical robustness. <i>Science China Chemistry</i> , 2022, 65, 1164-1172.	8.2	23

#	ARTICLE	IF	CITATIONS
19	Fluid Mechanics Inspired Sequential Bladeâ€Coating for Highâ€Performance Largeâ€Area Organic Solar Modules. <i>Advanced Functional Materials</i> , 2022, 32, .	14.9	36
20	Effect of Isomerization of Linking Units on the Photovoltaic Performance of PSMA-Type Polymer Acceptors in All-Polymer Solar Cells. <i>Macromolecules</i> , 2022, 55, 4420-4428.	4.8	11
21	A-Ï€-A structured non-fullerene acceptors for stable organic solar cells with efficiency over 17%. <i>Science China Chemistry</i> , 2022, 65, 1374-1382.	8.2	53
22	High-efficiency single-junction organic solar cells enabled by double-fibril network morphology. <i>Science Bulletin</i> , 2022, 67, 1310-1312.	9.0	5
23	Recent progress in organic solar cells (Part II device engineering). <i>Science China Chemistry</i> , 2022, 65, 1457-1497.	8.2	157
24	Fluorinated Peryleneâ€Diimides: Cathode Interlayers Facilitating Carrier Collection for Highâ€Performance Organic Solar Cells. <i>Advanced Materials</i> , 2022, 34, .	21.0	62
25	Effects of Oxygen Position in the Alkoxy Substituents on the Photovoltaic Performance of A-DAâ€ ² -A Type Pentacyclic Small Molecule Acceptors. <i>ACS Energy Letters</i> , 2022, 7, 2373-2381.	17.4	19
26	Low-cost synthesis of small molecule acceptors makes polymer solar cells commercially viable. <i>Nature Communications</i> , 2022, 13, .	12.8	38
27	Highly Efficient Layerâ€byâ€Layer Processed Quaternary Organic Solar Cells with Improved Charge Transport and Reduced Energy Loss. <i>Solar Rrl</i> , 2022, 6, .	5.8	10
28	3D surfactant-dispersed graphenes as cathode interfacial materials for organic solar cells. <i>Science China Materials</i> , 2021, 64, 277-287.	6.3	13
29	Optimized Active Layer Morphologies via Ternary Copolymerization of Polymer Donors for 17.6â€% Efficiency Organic Solar Cells with Enhanced Fill Factor. <i>Angewandte Chemie</i> , 2021, 133, 2352-2359.	2.0	21
30	Device Performance of Emerging Photovoltaic Materials (Version 1). <i>Advanced Energy Materials</i> , 2021, 11, 2002774.	19.5	93
31	Benzotriazole Based 2D-conjugated Polymer Donors for High Performance Polymer Solar Cells. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2021, 39, 1-13.	3.8	74
32	High electron mobility fluorinated indacenodithiophene small molecule acceptors for organic solar cells. <i>Chinese Chemical Letters</i> , 2021, 32, 1257-1262.	9.0	15
33	Polymerized Smallâ€Molecule Acceptors for Highâ€Performance Allâ€Polymer Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 4422-4433.	13.8	318
34	Polymerized Smallâ€Molecule Acceptors for Highâ€Performance Allâ€Polymer Solar Cells. <i>Angewandte Chemie</i> , 2021, 133, 4470-4481.	2.0	22
35	High performance tandem organic solar cells via a strongly infrared-absorbing narrow bandgap acceptor. <i>Nature Communications</i> , 2021, 12, 178.	12.8	122
36	High-performance all-small-molecule organic solar cells without interlayers. <i>Energy and Environmental Science</i> , 2021, 14, 3174-3183.	30.8	43

#	ARTICLE	IF	CITATIONS
37	Solution-Processed Transparent Conducting Electrodes for Flexible Organic Solar Cells with 16.61% Efficiency. Nano-Micro Letters, 2021, 13, 44.	27.0	71
38	Highly efficient fused ring electron acceptors based on a new undecacyclic core. Materials Chemistry Frontiers, 2021, 5, 2001-2006.	5.9	3
39	Precise fluorination of polymeric donors towards efficient non-fullerene organic solar cells with balanced open circuit voltage, short circuit current and fill factor. Journal of Materials Chemistry A, 2021, 9, 14752-14757.	10.3	17
40	Low-temperature-processed metal oxide electron transport layers for efficient planar perovskite solar cells. Rare Metals, 2021, 40, 2730-2746.	7.1	34
41	Reducing Energy Disorder of Hole Transport Layer by Charge Transfer Complex for High Performance p-i-n Perovskite Solar Cells. Advanced Materials, 2021, 33, e2006753.	21.0	69
42	Fluorinating Dopant-Free Small-Molecule Hole-Transport Material to Enhance the Photovoltaic Property. ACS Applied Materials & Interfaces, 2021, 13, 7705-7713.	8.0	25
43	Morphology optimization of photoactive layers in organic solar cells. Aggregate, 2021, 2, e31.	9.9	63
44	Single-wall carbon nanotube-containing cathode interfacial materials for high performance organic solar cells. Science China Chemistry, 2021, 64, 565-575.	8.2	5
45	Nonradiative Triplet Loss Suppressed in Organic Photovoltaic Blends with Fluorinated Nonfullerene Acceptors. Journal of the American Chemical Society, 2021, 143, 4359-4366.	13.7	60
46	One-Source Strategy Boosting Dopant-Free Hole Transporting Layers for Highly Efficient and Stable CsPbI ₂ Br Perovskite Solar Cells. Advanced Functional Materials, 2021, 31, 21010696.	14.9	50
47	A Quinoxaline-Based D-A Copolymer Donor Achieving 17.62% Efficiency of Organic Solar Cells. Advanced Materials, 2021, 33, e2100474.	21.0	155
48	A Large-Bandgap Guest Material Enabling Improved Efficiency and Reduced Energy Loss for Ternary Polymer Solar Cells. Solar Rrl, 2021, 5, 2100013.	5.8	5
49	Non-equivalent D-A copolymerization strategy towards highly efficient polymer donor for polymer solar cells. Science China Chemistry, 2021, 64, 1031-1038.	8.2	25
50	Non-Halogenated Solvent Processed and Additive-Free Tandem Organic Solar Cell with Efficiency Reaching 16.67%. Advanced Functional Materials, 2021, 31, 2102361.	14.9	40
51	Molecular Properties and Aggregation Behavior of Small-Molecule Acceptors Calculated by Molecular Simulation. ACS Omega, 2021, 6, 14467-14475.	3.5	5
52	A unified description of non-radiative voltage losses in organic solar cells. Nature Energy, 2021, 6, 799-806.	39.5	235
53	Anthracene-Assisted Morphology Optimization in Photoactive Layer for High-Efficiency Polymer Solar Cells. Advanced Functional Materials, 2021, 31, 2103944.	14.9	51
54	Fine-Tuning Miscibility and π - π Stacking by Alkylthio Side Chains of Donor Molecules Enables High-Performance All-Small-Molecule Organic Solar Cells. ACS Applied Materials & Interfaces, 2021, 13, 36033-36043.	8.0	27

#	ARTICLE	IF	CITATIONS
55	Compatibility between Solubility and Enhanced Crystallinity of Benzotriazole-Based Small Molecular Acceptors with Less Bulky Alkyl Chains for Organic Solar Cells. ACS Applied Materials & Interfaces, 2021, 13, 36053-36061.	8.0	23
56	Silicon Naphthalocyanine Tetraimides: Cathode Interlayer Materials for Highly Efficient Organic Solar Cells. Angewandte Chemie - International Edition, 2021, 60, 19053-19057.	13.8	43
57	Silicon Naphthalocyanine Tetraimides: Cathode Interlayer Materials for Highly Efficient Organic Solar Cells. Angewandte Chemie, 2021, 133, 19201-19205.	2.0	2
58	Flexible and Air-Stable Near-Infrared Sensors Based on Solution-Processed Inorganic-Organic Hybrid Phototransistors. Advanced Functional Materials, 2021, 31, 2105887.	14.9	47
59	Stabilization of formamidinium lead iodide perovskite precursor solution for blade-coating efficient carbon electrode perovskite solar cells*. Chinese Physics B, 2021, 30, 088803.	1.4	6
60	Elastic Lattice and Excess Charge Carrier Manipulation in 1D-3D Perovskite Solar Cells for Exceptionally Long-Term Operational Stability. Advanced Materials, 2021, 33, e2105170.	21.0	78
61	Polymerized small molecular acceptor based all-polymer solar cells with an efficiency of 16.16% via tuning polymer blend morphology by molecular design. Nature Communications, 2021, 12, 5264.	12.8	170
62	PEDOT:PSS-Free Polymer Non-Fullerene Polymer Solar Cells with Efficiency up to 18.60% Employing a Binary-Solvent-Chlorinated ITO Anode. Advanced Functional Materials, 2021, 31, 2106846.	14.9	40
63	Effects of the Center Units of Small-Molecule Donors on the Morphology, Photovoltaic Performance, and Device Stability of All-Small-Molecule Organic Solar Cells. Solar Rrl, 2021, 5, 2100515.	5.8	10
64	Fused-ring acceptors based on quinoxaline unit for highly efficient single-junction organic solar cells with low charge recombination. Organic Electronics, 2021, 98, 106282.	2.6	4
65	Medium band-gap non-fullerene acceptors based on a benzothiophene donor moiety enabling high-performance indoor organic photovoltaics. Energy and Environmental Science, 2021, 14, 4555-4563.	30.8	43
66	A small molecule acceptor with a heptacyclic benzodi(thienocyclopentafuran) central unit achieving 13.4% efficiency in polymer solar cells with low energy loss. Journal of Materials Chemistry C, 2021, 9, 2744-2751.	5.5	10
67	Low-Bandgap Non-fullerene Acceptors Enabling High-Performance Organic Solar Cells. ACS Energy Letters, 2021, 6, 598-608.	17.4	175
68	Introducing Electron-Withdrawing Linking Units and Thiophene Bridges into Polymerized Small Molecule Acceptors for High-Efficiency All-Polymer Solar Cells. Chemistry of Materials, 2021, 33, 8212-8222.	6.7	17
69	Multifunctional Polymer Framework Modified SnO ₂ Enabling a Photostable FAPbI ₃ Perovskite Solar Cell with Efficiency Exceeding 23%. ACS Energy Letters, 2021, 6, 3824-3830.	17.4	93
70	Modulating Crystal Packing, Film Morphology, and Photovoltaic Performance of Selenophene-Containing Acceptors through a Combination of Skeleton Isomeric and Regioisomeric Strategies. ACS Applied Materials & Interfaces, 2021, 13, 50163-50175.	8.0	13
71	Stable perovskite solar cells with efficiency of 22.6% via quinoxaline-based polymeric hole transport material. Science China Chemistry, 2021, 64, 2035-2044.	8.2	28
72	A guest-assisted molecular-organization approach for >17% efficiency organic solar cells using environmentally friendly solvents. Nature Energy, 2021, 6, 1045-1053.	39.5	230

#	ARTICLE	IF	CITATIONS
73	Large-area flexible organic solar cells. <i>Npj Flexible Electronics</i> , 2021, 5, .	10.7	69
74	Effects of Alkyl Side Chains of Small Molecule Donors on Morphology and the Photovoltaic Property of All-Small-Molecule Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 54237-54245.	8.0	13
75	Device Performance of Emerging Photovoltaic Materials (Version 2). <i>Advanced Energy Materials</i> , 2021, 11, .	19.5	66
76	A Cost-Effective Alpha-Fluorinated Bithienyl Benzodithiophene Unit for High-Performance Polymer Donor Material. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 55403-55411.	8.0	5
77	Hot-Casting and Anti-solvent Free Fabrication of Efficient and Stable Two-Dimensional Ruddlesden-Popper Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 61039-61046.	8.0	8
78	Effects of Short-Chain Alkoxy Substituents on Molecular Self-Assembly and Photovoltaic Performance of Indacenodithiophene-Based Acceptors. <i>Advanced Functional Materials</i> , 2020, 30, 1906855.	14.9	50
79	Hydrophilic Fullerene Derivative Doping in Active Layer and Electron Transport Layer for Enhancing Oxygen Stability of Perovskite Solar Cells. <i>Solar Rrl</i> , 2020, 4, 1900249.	5.8	11
80	Dibenzo[b,d]thiophene-Cored Hole-Transport Material with Passivation Effect Enabling the High-Efficiency Planar Perovskite Solar Cells with 83% Fill Factor. <i>Solar Rrl</i> , 2020, 4, 1900421.	5.8	47
81	Challenges to the Stability of Active Layer Materials in Organic Solar Cells. <i>Macromolecular Rapid Communications</i> , 2020, 41, e1900437.	3.9	55
82	A Layer-by-Layer Architecture for Printable Organic Solar Cells Overcoming the Scaling Lag of Module Efficiency. <i>Joule</i> , 2020, 4, 407-419.	24.0	272
83	High Efficiency Polymer Solar Cells with Efficient Hole Transfer at Zero Highest Occupied Molecular Orbital Offset between Methylated Polymer Donor and Brominated Acceptor. <i>Journal of the American Chemical Society</i> , 2020, 142, 1465-1474.	13.7	344
84	High-efficiency planar p-i-n perovskite solar cells based on dopant-free dibenzo[b,d]furan-centred linear hole transporting material. <i>Journal of Power Sources</i> , 2020, 449, 227488.	7.8	18
85	Impact of Isomer Design on Physicochemical Properties and Performance in High-Efficiency All-Polymer Solar Cells. <i>Macromolecules</i> , 2020, 53, 9026-9033.	4.8	25
86	Effect of the chlorine substitution position of the end-group on intermolecular interactions and photovoltaic performance of small molecule acceptors. <i>Energy and Environmental Science</i> , 2020, 13, 5028-5038.	30.8	56
87	Silicon and oxygen synergistic effects for the discovery of new high-performance nonfullerene acceptors. <i>Nature Communications</i> , 2020, 11, 5814.	12.8	29
88	Fine-tuning HOMO energy levels between PM6 and PBDB-T polymer donors via ternary copolymerization. <i>Science China Chemistry</i> , 2020, 63, 1256-1261.	8.2	38
89	In-situ stabilization strategy for CsPbX ₃ -Silicone resin composite with enhanced luminescence and stability. <i>Nano Energy</i> , 2020, 78, 105150.	16.0	18
90	Spatial Distribution Recast for Organic Bulk Heterojunctions for High-Performance All-Inorganic Perovskite/Organic Integrated Solar Cells. <i>Advanced Energy Materials</i> , 2020, 10, 2000851.	19.5	34

#	ARTICLE	IF	CITATIONS
91	Precise Control of Phase Separation Enables 12% Efficiency in All Small Molecule Solar Cells. <i>Advanced Energy Materials</i> , 2020, 10, 2001589.	19.5	33
92	Efficient As-Cast Polymer Solar Cells with High and Stabilized Fill Factor. <i>Solar Rrl</i> , 2020, 4, 2000275.	5.8	7
93	A low boiling-point and low-cost fluorinated additive improves the efficiency and stability of organic solar cells. <i>Journal of Materials Chemistry C</i> , 2020, 8, 15296-15302.	5.5	10
94	Utilizing an electron-deficient thieno[3,4- <i>c</i>]pyrrole-4,6-dione (TPD) unit as a π -bridge to improve the photovoltaic performance of A-B type acceptors. <i>Journal of Materials Chemistry C</i> , 2020, 8, 15981-15984.	5.5	24
95	Interfacial Dipole in Organic and Perovskite Solar Cells. <i>Journal of the American Chemical Society</i> , 2020, 142, 18281-18292.	13.7	182
96	Transparent Hole-Transporting Frameworks: A Unique Strategy to Design High-Performance Semitransparent Organic Photovoltaics. <i>Advanced Materials</i> , 2020, 32, e2003891.	21.0	60
97	A review: crystal growth for high-performance all-inorganic perovskite solar cells. <i>Energy and Environmental Science</i> , 2020, 13, 1971-1996.	30.8	156
98	Printable SnO ₂ cathode interlayer with up to 500 nm thickness-tolerance for high-performance and large-area organic solar cells. <i>Science China Chemistry</i> , 2020, 63, 957-965.	8.2	38
99	High-Performance All-Polymer Solar Cells: Synthesis of Polymer Acceptor by a Random Ternary Copolymerization Strategy. <i>Angewandte Chemie</i> , 2020, 132, 15293-15297.	2.0	18
100	Dopant-free hole transporting materials with supramolecular interactions and reverse diffusion for efficient and modular p-i-n perovskite solar cells. <i>Science China Chemistry</i> , 2020, 63, 987-996.	8.2	42
101	Cathode engineering with perylene-diimide interlayer enabling over 17% efficiency single-junction organic solar cells. <i>Nature Communications</i> , 2020, 11, 2726.	12.8	467
102	Tuning the electron-deficient core of a non-fullerene acceptor to achieve over 17% efficiency in a single-junction organic solar cell. <i>Energy and Environmental Science</i> , 2020, 13, 2459-2466.	30.8	324
103	Rapidly sequence-controlled electrosynthesis of organometallic polymers. <i>Nature Communications</i> , 2020, 11, 2530.	12.8	30
104	Volatilizable and cost-effective quinone-based solid additives for improving photovoltaic performance and morphological stability in non-fullerene polymer solar cells. <i>Journal of Materials Chemistry A</i> , 2020, 8, 13049-13058.	10.3	41
105	A π -Hole-Containing Volatile Solid Additive Enabling 16.5% Efficiency Organic Solar Cells. <i>IScience</i> , 2020, 23, 100965.	4.1	61
106	A Non-Fullerene Acceptor with Chlorinated Thienyl Conjugated Side Chains for High-Performance Polymer Solar Cells via Toluene Processing. <i>Chinese Journal of Chemistry</i> , 2020, 38, 697-702.	4.9	20
107	Two-Dimension Conjugated Acceptors Based on Benzodi(cyclopentadithiophene) Core with Thiophene-Fused Ending Group for Efficient Polymer Solar Cells. <i>Solar Rrl</i> , 2020, 4, 2000071.	5.8	12
108	D-A Copolymer Donor Based on Bithienyl Benzodithiophene D-Unit and Monoalkoxy Bifluoroquinoxaline A-Unit for High-Performance Polymer Solar Cells. <i>Chemistry of Materials</i> , 2020, 32, 3254-3261.	6.7	43

#	ARTICLE	IF	CITATIONS
109	Metal-µstructure based flexible transparent electrodes and their applications in electronic devices. Nano Select, 2020, 1, 169-182.	3.7	20
110	An intermeshing electron transporting layer for efficient and stable CsPbI ₂ Br perovskite solar cells with open circuit voltage over 1.3 V. Journal of Materials Chemistry A, 2020, 8, 14555-14565.	10.3	24
111	High-performance all-polymer solar cells with only 0.47 eV energy loss. Science China Chemistry, 2020, 63, 1449-1460.	8.2	62
112	Organic N-type Molecule: Managing the Electronic States of Bulk Perovskite for High-Performance Photovoltaics. Advanced Functional Materials, 2020, 30, 2001788.	14.9	49
113	Realizing Ultrahigh Mechanical Flexibility and >15% Efficiency of Flexible Organic Solar Cells via a "Welding"-Flexible Transparent Electrode. Advanced Materials, 2020, 32, e1908478.	21.0	216
114	Mechanically Robust All-Polymer Solar Cells from Narrow Band Gap Acceptors with Hetero-Bridging Atoms. Joule, 2020, 4, 658-672.	24.0	279
115	Understanding the Effect of the Third Component PC ₇₁ BM on Nanoscale Morphology and Photovoltaic Properties of Ternary Organic Solar Cells. Solar Rrl, 2020, 4, 1900540.	5.8	37
116	Benzodithiophenedione-based polymers: recent advances in organic photovoltaics. NPG Asia Materials, 2020, 12, .	7.9	96
117	Understanding the Morphology of High-Performance Solar Cells Based on a Low-Cost Polymer Donor. ACS Applied Materials & Interfaces, 2020, 12, 9537-9544.	8.0	17
118	Asymmetric Acceptors with Fluorine and Chlorine Substitution for Organic Solar Cells toward 16.83% Efficiency. Advanced Functional Materials, 2020, 30, 2000456.	14.9	164
119	Highly Efficient All-µMolecule Organic Solar Cells with Appropriate Active Layer Morphology by Side Chain Engineering of Donor Molecules and Thermal Annealing. Advanced Materials, 2020, 32, e1908373.	21.0	162
120	Ultrafast Hole Transfer and Carrier Transport Controlled by Nanoscale-Phase Morphology in Nonfullerene Organic Solar Cells. Journal of Physical Chemistry Letters, 2020, 11, 3226-3233.	4.6	94
121	Green solvent-processed organic solar cells based on a low cost polymer donor and a small molecule acceptor. Journal of Materials Chemistry C, 2020, 8, 7718-7724.	5.5	40
122	Understanding energetic disorder in electron-deficient-core-based non-fullerene solar cells. Science China Chemistry, 2020, 63, 1159-1168.	8.2	92
123	Spin-coated 10.46% and blade-coated 9.52% of ternary semitransparent organic solar cells with 26.56% average visible transmittance. Solar Energy, 2020, 204, 660-666.	6.1	31
124	Realizing high photovoltage for inverted planar heterojunction perovskite solar cells. Science China Chemistry, 2019, 62, 1-2.	8.2	19
125	Thioether Bond Modification Enables Boosted Photovoltaic Performance of Nonfullerene Polymer Solar Cells. ACS Applied Materials & Interfaces, 2019, 11, 32218-32224.	8.0	16
126	Achieving Fast Charge Separation and Low Nonradiative Recombination Loss by Rational Fluorination for High-Efficiency Polymer Solar Cells. Advanced Materials, 2019, 31, e1905480.	21.0	162

#	ARTICLE	IF	CITATIONS
127	Targeted Therapy for Interfacial Engineering Toward Stable and Efficient Perovskite Solar Cells. <i>Advanced Materials</i> , 2019, 31, e1903691.	21.0	125
128	Highly Efficient Semitransparent Organic Solar Cells with Color Rendering Index Approaching 100. <i>Advanced Materials</i> , 2019, 31, e1807159.	21.0	152
129	Realizing 8.6% Efficiency from Non-Halogenated Solvent Processed Additive Free All Polymer Solar Cells with a Quinoxaline Based Polymer. <i>Solar Rrl</i> , 2019, 3, 1800340.	5.8	20
130	Multi-length scale morphology of nonfullerene all-small molecule blends and its relation to device function in organic solar cells. <i>Materials Chemistry Frontiers</i> , 2019, 3, 137-144.	5.9	12
131	Highly Efficient Fullerene-Free Organic Solar Cells Operate at Near Zero Highest Occupied Molecular Orbital Offsets. <i>Journal of the American Chemical Society</i> , 2019, 141, 3073-3082.	13.7	362
132	Simplified synthetic routes for low cost and high photovoltaic performance n-type organic semiconductor acceptors. <i>Nature Communications</i> , 2019, 10, 519.	12.8	231
133	Solution-Processed Tin Oxide-PEDOT:PSS Interconnecting Layers for Efficient Inverted and Conventional Tandem Polymer Solar Cells. <i>Solar Rrl</i> , 2019, 3, 1800366.	5.8	22
134	Ultrafast hole transfer mediated by polaron pairs in all-polymer photovoltaic blends. <i>Nature Communications</i> , 2019, 10, 398.	12.8	56
135	A new dialkylthio-substituted naphtho[2,3- <i>c<i>c</i>/i>]thiophene-4,9-dione based polymer donor for high-performance polymer solar cells. <i>Energy and Environmental Science</i>, 2019, 12, 675-683.</i>	30.8	71
136	A universal layer-by-layer solution-processing approach for efficient non-fullerene organic solar cells. <i>Energy and Environmental Science</i> , 2019, 12, 384-395.	30.8	193
137	Synergistic Effects of Side-Chain Engineering and Fluorination on Small Molecule Acceptors to Simultaneously Broaden Spectral Response and Minimize Voltage Loss for 13.8% Efficiency Organic Solar Cells. <i>Solar Rrl</i> , 2019, 3, 1900169.	5.8	22
138	Effect of Replacing Thiophene by Selenophene on the Photovoltaic Performance of Wide Bandgap Copolymer Donors. <i>Macromolecules</i> , 2019, 52, 4776-4784.	4.8	26
139	Interfacial engineering and optical coupling for multicolored semitransparent inverted organic photovoltaics with a record efficiency of over 12%. <i>Journal of Materials Chemistry A</i> , 2019, 7, 15887-15894.	10.3	83
140	A wide-bandgap D-A copolymer donor based on a chlorine substituted acceptor unit for high performance polymer solar cells. <i>Journal of Materials Chemistry A</i> , 2019, 7, 14070-14078.	10.3	68
141	Efficient as-cast semi-transparent organic solar cells with efficiency over 9% and a high average visible transmittance of 27.6%. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 10660-10666.	2.8	29
142	Modulating morphology via side-chain engineering of fused ring electron acceptors for high performance organic solar cells. <i>Science China Chemistry</i> , 2019, 62, 790-796.	8.2	26
143	Breaking 12% efficiency in flexible organic solar cells by using a composite electrode. <i>Science China Chemistry</i> , 2019, 62, 851-858.	8.2	60
144	Synergetic Transparent Electrode Architecture for Efficient Non-Fullerene Flexible Organic Solar Cells with >12% Efficiency. <i>ACS Nano</i> , 2019, 13, 4686-4694.	14.6	86

#	ARTICLE	IF	CITATIONS
145	Ring-perfluorinated non-volatile additives with a high dielectric constant lead to highly efficient and stable organic solar cells. <i>Journal of Materials Chemistry C</i> , 2019, 7, 4716-4724.	5.5	29
146	Fluorinated heptacyclic carbazole-based ladder-type acceptors with aliphatic side chains for efficient fullerene-free organic solar cells. <i>Materials Chemistry Frontiers</i> , 2019, 3, 829-835.	5.9	21
147	Fused Benzothiadiazole: A Building Block for n-Type Organic Acceptor to Achieve High-Performance Organic Solar Cells. <i>Advanced Materials</i> , 2019, 31, e1807577.	21.0	297
148	11.2% Efficiency all-polymer solar cells with high open-circuit voltage. <i>Science China Chemistry</i> , 2019, 62, 845-850.	8.2	140
149	A Simple Approach to Prepare Chlorinated Polymer Donors with Low-Lying HOMO Level for High Performance Polymer Solar Cells. <i>Chemistry of Materials</i> , 2019, 31, 6558-6567.	6.7	50
150	High Efficiency Planar Perovskite Solar Cells Using Low-Cost Fluorene-Based Hole Transporting Material. <i>Advanced Functional Materials</i> , 2019, 29, 1900484.	14.9	59
151	Highly Efficient Flexible Polymer Solar Cells with Robust Mechanical Stability. <i>Advanced Science</i> , 2019, 6, 1801180.	11.2	49
152	Introducing an identical benzodithiophene donor unit for polymer donors and small-molecule acceptors to unveil the relationship between the molecular structure and photovoltaic performance of non-fullerene organic solar cells. <i>Journal of Materials Chemistry A</i> , 2019, 7, 26351-26357.	10.3	18
153	Polymer Solar Cells: Ternary Polymer Solar Cells Facilitating Improved Efficiency and Stability (Adv.) <i>Tj ETQq1 1 0.784314 rgBT /Overlo</i>	21.0	9
154	High-performance conjugated polymer donor materials for polymer solar cells with narrow-bandgap nonfullerene acceptors. <i>Energy and Environmental Science</i> , 2019, 12, 3225-3246.	30.8	236
155	Reconfiguration of interfacial energy band structure for high-performance inverted structure perovskite solar cells. <i>Nature Communications</i> , 2019, 10, 4593.	12.8	214
156	Solution-processable n-doped graphene-containing cathode interfacial materials for high-performance organic solar cells. <i>Energy and Environmental Science</i> , 2019, 12, 3400-3411.	30.8	129
157	Suppressing photo-oxidation of non-fullerene acceptors and their blends in organic solar cells by exploring material design and employing friendly stabilizers. <i>Journal of Materials Chemistry A</i> , 2019, 7, 25088-25101.	10.3	107
158	Unraveling Sunlight by Transparent Organic Semiconductors toward Photovoltaic and Photosynthesis. <i>ACS Nano</i> , 2019, 13, 1071-1077.	14.6	134
159	Precise Control of Crystal Growth for Highly Efficient CsPbI ₂ Br Perovskite Solar Cells. <i>Joule</i> , 2019, 3, 191-204.	24.0	398
160	Single-Junction Organic Solar Cell with over 15% Efficiency Using Fused-Ring Acceptor with Electron-Deficient Core. <i>Joule</i> , 2019, 3, 1140-1151.	24.0	4,052
161	Effects of DIO on the charge recombination behaviors of PTB7:PC71BM photovoltaics. <i>Organic Electronics</i> , 2019, 67, 50-56.	2.6	10
162	A low cost and high performance polymer donor material for polymer solar cells. <i>Nature Communications</i> , 2018, 9, 743.	12.8	635

#	ARTICLE	IF	CITATIONS
163	Dye-Incorporated Polynaphthalenediimide Acceptor for Additive-Free High-Performance All-Polymer Solar Cells. <i>Angewandte Chemie</i> , 2018, 130, 4670-4674.	2.0	10
164	Dye-Incorporated Polynaphthalenediimide Acceptor for Additive-Free High-Performance All-Polymer Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 4580-4584.	13.8	114
165	A new perspective for organic solar cells: triplet nonfullerene acceptors. <i>Science China Chemistry</i> , 2018, 61, 637-638.	8.2	3
166	High-efficiency organic solar cells based on a small-molecule donor and a low-bandgap polymer acceptor with strong absorption. <i>Journal of Materials Chemistry A</i> , 2018, 6, 9613-9622.	10.3	25
167	A Medium Bandgap D-A Copolymer Based on 4-Alkyl-3,5-difluorophenyl Substituted Quinoxaline Unit for High Performance Solar Cells. <i>Macromolecules</i> , 2018, 51, 2838-2846.	4.8	47
168	Flexible Solar Cells: Self-Doping Fullerene Electrolyte-Based Electron Transport Layer for All-Room-Temperature-Processed High-Performance Flexible Polymer Solar Cells (<i>Adv. Funct. Mater.</i>) Tj ETQq0.0 0 rgB2 /Overlock	10.0	17
169	A Semitransparent Inorganic Perovskite Film for Overcoming Ultraviolet Light Instability of Organic Solar Cells and Achieving 14.03% Efficiency. <i>Advanced Materials</i> , 2018, 30, e1800855.	21.0	243
170	Realizing Enhanced Efficiency in Nonhalogen Solvent Processed Ternary Polymer Solar Cells by Incorporating Compatible Polymer Donor. <i>Solar Rrl</i> , 2018, 2, 1800060.	5.8	27
171	Self-Doping Fullerene Electrolyte-Based Electron Transport Layer for All-Room-Temperature-Processed High-Performance Flexible Polymer Solar Cells. <i>Advanced Functional Materials</i> , 2018, 28, 1705847.	14.9	54
172	Enhanced power conversion efficiency in iridium complex-based terpolymers for polymer solar cells. <i>Npj Flexible Electronics</i> , 2018, 2, .	10.7	84
173	New Strategy for Two-Step Sequential Deposition: Incorporation of Hydrophilic Fullerene in Second Precursor for High-Performance p-i-n Planar Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2018, 8, 1703054.	19.5	124
174	Side-chain fluorination on the pyrido[3,4-b]pyrazine unit towards efficient photovoltaic polymers. <i>Science China Chemistry</i> , 2018, 61, 206-214.	8.2	13
175	Fine-Tuning of Molecular Packing and Energy Level through Methyl Substitution Enabling Excellent Small Molecule Acceptors for Nonfullerene Polymer Solar Cells with Efficiency up to 12.54%. <i>Advanced Materials</i> , 2018, 30, 1706124.	21.0	253
176	Optimizing the conjugated side chains of quinoxaline based polymers for nonfullerene solar cells with 10.5% efficiency. <i>Journal of Materials Chemistry A</i> , 2018, 6, 3074-3083.	10.3	61
177	Synergistic effect of fluorination on both donor and acceptor materials for high performance non-fullerene polymer solar cells with 13.5% efficiency. <i>Science China Chemistry</i> , 2018, 61, 531-537.	8.2	342
178	A universal nonfullerene electron acceptor matching with different band-gap polymer donors for high-performance polymer solar cells. <i>Journal of Materials Chemistry A</i> , 2018, 6, 6874-6881.	10.3	37
179	Cyclometalated Pt complex based random terpolymers as electron acceptors for all polymer solar cells. <i>Journal of Polymer Science Part A</i> , 2018, 56, 105-115.	2.3	14
180	Polymer Doping for High-Efficiency Perovskite Solar Cells with Improved Moisture Stability. <i>Advanced Energy Materials</i> , 2018, 8, 1701757.	19.5	293

#	ARTICLE	IF	CITATIONS
181	High-Performance As-Cast Nonfullerene Polymer Solar Cells with Thicker Active Layer and Large Area Exceeding 11% Power Conversion Efficiency. <i>Advanced Materials</i> , 2018, 30, 1704546.	21.0	233
182	Molecular design with silicon core: toward commercially available hole transport materials for high-performance planar perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2018, 6, 404-413.	10.3	60
183	Effect of Alkylsilyl Side-Chain Structure on Photovoltaic Properties of Conjugated Polymer Donors. <i>Advanced Energy Materials</i> , 2018, 8, 1702324.	19.5	102
184	A facile approach towards chemical modification of Ag nanowires by PEDOT as a transparent electrode for organic solar cells. <i>Journal of Materials Chemistry C</i> , 2018, 6, 312-319.	5.5	19
185	Simultaneously Achieved High Open-Circuit Voltage and Efficient Charge Generation by Fine-Tuning Charge-Transfer Driving Force in Nonfullerene Polymer Solar Cells. <i>Advanced Functional Materials</i> , 2018, 28, 1704507.	14.9	180
186	Feasible D1A-D2A Random Copolymers for Simultaneous High-Performance Fullerene and Nonfullerene Solar Cells. <i>Advanced Energy Materials</i> , 2018, 8, 1702166.	19.5	61
187	Flexible and Semitransparent Organic Solar Cells. <i>Advanced Energy Materials</i> , 2018, 8, 1701791.	19.5	556
188	Synthesis and photovoltaic properties of a non-fullerene acceptor with F-phenylalkoxy as a side chain. <i>New Journal of Chemistry</i> , 2018, 42, 19279-19284.	2.8	4
189	Tailored Phase Conversion under Conjugated Polymer Enables Thermally Stable Perovskite Solar Cells with Efficiency Exceeding 21%. <i>Journal of the American Chemical Society</i> , 2018, 140, 17255-17262.	13.7	235
190	Nonhalogenated Solvent-Processed All-Polymer Solar Cells over 7.4% Efficiency from Quinoxaline-Based Polymers. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 41318-41325.	8.0	30
191	Conjugated polymer donor with alkylthio-thiophene π -bridge for efficient polymer solar cells. <i>Organic Electronics</i> , 2018, 63, 289-295.	2.6	5
192	Organic Solar Cell Materials toward Commercialization. <i>Small</i> , 2018, 14, e1801793.	10.0	253
193	A Novel Strategy for Scalable High-Efficiency Planar Perovskite Solar Cells with New Precursors and Cation Displacement Approach. <i>Advanced Materials</i> , 2018, 30, e1804454.	21.0	25
194	A Fused Ring Electron Acceptor with Decacyclic Core Enables over 13.5% Efficiency for Organic Solar Cells. <i>Advanced Energy Materials</i> , 2018, 8, 1802050.	19.5	97
195	Effects of Alkoxy and Fluorine Atom Substitution of Donor Molecules on the Morphology and Photovoltaic Performance of All Small Molecule Organic Solar Cells. <i>Frontiers in Chemistry</i> , 2018, 6, 413.	3.6	19
196	Integrating Ultrathin Bulk-Heterojunction Organic Semiconductor Intermediary for High-Performance Low-Bandgap Perovskite Solar Cells with Low Energy Loss. <i>Advanced Functional Materials</i> , 2018, 28, 1804427.	14.9	111
197	High-Efficiency All-Small-Molecule Organic Solar Cells Based on an Organic Molecule Donor with Alkylsilyl-Thienyl Conjugated Side Chains. <i>Advanced Materials</i> , 2018, 30, e1706361.	21.0	154
198	Self-doped polymer with fluorinated phenylene as hole transport layer for efficient polymer solar cells. <i>Organic Electronics</i> , 2018, 61, 207-214.	2.6	14

#	ARTICLE	IF	CITATIONS
199	High-Efficiency All Polymer Solar Cell with a Low Voltage Loss of 0.56 V. ACS Applied Energy Materials, 2018, 1, 2350-2357.	5.1	9
200	Improving photovoltaic performance of n-OS acceptors via aryl substitution on its end groups. Science China Chemistry, 2018, 61, 1199-1200.	8.2	0
201	Short-axis substitution approach on ladder-type benzodithiophene-based electron acceptor toward highly efficient organic solar cells. Science China Chemistry, 2018, 61, 1405-1412.	8.2	16
202	A new polymer donor for efficient polymer solar cells: simultaneously realizing high short-circuit current density and transparency. Journal of Materials Chemistry A, 2018, 6, 14700-14708.	10.3	22
203	Organic Solar Cells. , 2018, , 567-597.		10
204	Ultrafast Channel II process induced by a 3-D texture with enhanced acceptor order ranges for high-performance non-fullerene polymer solar cells. Energy and Environmental Science, 2018, 11, 2569-2580.	30.8	72
205	Effects of fused-ring regiochemistry on the properties and photovoltaic performance of n-type organic semiconductor acceptors. Journal of Materials Chemistry A, 2018, 6, 15933-15941.	10.3	25
206	All-small molecule solar cells based on donor molecule optimization with highly enhanced efficiency and stability. Journal of Materials Chemistry A, 2018, 6, 15675-15683.	10.3	55
207	Mutual Composition Transformations Among 2D/3D Organolead Halide Perovskites and Mechanisms Behind. Solar Rrl, 2018, 2, 1800125.	5.8	17
208	An Ultrahigh Mobility in Isomorphic Fluorobenzo[<i>c</i>][1,2,5]thiadiazole-Based Polymers. Angewandte Chemie, 2018, 130, 13817-13822.	2.0	4
209	Highly Flexible and Efficient All-Polymer Solar Cells with High-Viscosity Processing Polymer Additive toward Potential of Stretchable Devices. Angewandte Chemie, 2018, 130, 13461-13466.	2.0	108
210	Highly Flexible and Efficient All-Polymer Solar Cells with High-Viscosity Processing Polymer Additive toward Potential of Stretchable Devices. Angewandte Chemie - International Edition, 2018, 57, 13277-13282.	13.8	166
211	An Ultrahigh Mobility in Isomorphic Fluorobenzo[<i>c</i>][1,2,5]thiadiazole-Based Polymers. Angewandte Chemie - International Edition, 2018, 57, 13629-13634.	13.8	43
212	Improvement of Photovoltaic Performance of Polymer Solar Cells by Rational Molecular Optimization of Organic Molecule Acceptors. Advanced Energy Materials, 2018, 8, 1800815.	19.5	36
213	Side-Chain Impact on Molecular Orientation of Organic Semiconductor Acceptors: High Performance Nonfullerene Polymer Solar Cells with Thick Active Layer over 400 nm. Advanced Energy Materials, 2018, 8, 1800856.	19.5	118
214	Nonfullerene Polymer Solar Cells based on a Perylene Monoimide Acceptor with a High Open-Circuit Voltage of 1.3 V. Advanced Functional Materials, 2017, 27, 1603892.	14.9	67
215	Development of Spiro[cyclopenta[1,2- <i>b</i> :5,4- <i>b'</i>]dithiophene-4,9-difluorene]-Based A- π -D- π -A Small Molecules with Different Acceptor Units for Efficient Organic Solar Cells. ACS Applied Materials & Interfaces, 2017, 9, 4614-4625.	8.0	49
216	Design of a thiophene-fused benzotriazole unit as an electron acceptor to build D-A copolymers for polymer solar cells. Journal of Materials Chemistry C, 2017, 5, 2951-2957.	5.5	21

#	ARTICLE	IF	CITATIONS
217	High Efficiency Ternary Nonfullerene Polymer Solar Cells with Two Polymer Donors and an Organic Semiconductor Acceptor. <i>Advanced Energy Materials</i> , 2017, 7, 1602215.	19.5	92
218	Combining Energy Transfer and Optimized Morphology for Highly Efficient Ternary Polymer Solar Cells. <i>Advanced Energy Materials</i> , 2017, 7, 1602552.	19.5	97
219	Synthesis and characterization of arylenevinylenearylene-naphthalene diimide copolymers as acceptor in all-polymer solar cells. <i>Journal of Polymer Science Part A</i> , 2017, 55, 1757-1764.	2.3	19
220	Effect of furan π -bridge on the photovoltaic performance of D-A copolymers based on bi(alkylthio-thienyl)benzodithiophene and fluorobenzotriazole. <i>Science China Chemistry</i> , 2017, 60, 537-544.	8.2	27
221	High-Performance Colorful Semitransparent Polymer Solar Cells with Ultrathin Hybrid-Metal Electrodes and Fine-Tuned Dielectric Mirrors. <i>Advanced Functional Materials</i> , 2017, 27, 1605908.	14.9	157
222	Evaluation of Electron Donor Materials for Solution-Processed Organic Solar Cells via a Novel Figure of Merit. <i>Advanced Energy Materials</i> , 2017, 7, 1700465.	19.5	114
223	Achieving over 10% efficiency in a new acceptor ITTC and its blends with hexafluoroquinoxaline based polymers. <i>Journal of Materials Chemistry A</i> , 2017, 5, 11286-11293.	10.3	102
224	Selenium-Containing Medium Bandgap Copolymer for Bulk Heterojunction Polymer Solar Cells with High Efficiency of 9.8%. <i>Chemistry of Materials</i> , 2017, 29, 4811-4818.	6.7	60
225	Incorporation of High-Mobility and Room-Temperature-Deposited Cu ₂ S as a Hole Transport Layer for Efficient and Stable Organo-Lead Halide Perovskite Solar Cells. <i>Solar Rrl</i> , 2017, 1, 1700038.	5.8	51
226	Exploring High-Performance n-Type Thermoelectric Composites Using Amino-Substituted Rylene Dimides and Carbon Nanotubes. <i>ACS Nano</i> , 2017, 11, 5746-5752.	14.6	129
227	Hexafluoroquinoxaline Based Polymer for Nonfullerene Solar Cells Reaching 9.4% Efficiency. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 18816-18825.	8.0	47
228	Energy-Down-Shift CsPbCl ₃ :Mn Quantum Dots for Boosting the Efficiency and Stability of Perovskite Solar Cells. <i>ACS Energy Letters</i> , 2017, 2, 1479-1486.	17.4	221
229	n-Type conjugated electrolytes cathode interlayer with thickness-insensitivity for highly efficient organic solar cells. <i>Journal of Materials Chemistry A</i> , 2017, 5, 13807-13816.	10.3	39
230	A near-infrared non-fullerene electron acceptor for high performance polymer solar cells. <i>Energy and Environmental Science</i> , 2017, 10, 1610-1620.	30.8	272
231	A new polymer acceptor containing naphthalene diimide and 1,3,4-thiadiazole for all-polymer solar cells. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2017, 55, 990-996.	2.1	15
232	High-Performance Non-Fullerene Polymer Solar Cells Based on Fluorine Substituted Wide Bandgap Copolymers Without Extra Treatments. <i>Solar Rrl</i> , 2017, 1, 1700020.	5.8	107
233	A new fluoropyrido[3,4-b]pyrazine based polymer for efficient photovoltaics. <i>Polymer Chemistry</i> , 2017, 8, 2227-2234.	3.9	4
234	9.73% Efficiency Nonfullerene All Organic Small Molecule Solar Cells with Absorption-Complementary Donor and Acceptor. <i>Journal of the American Chemical Society</i> , 2017, 139, 5085-5094.	13.7	303

#	ARTICLE	IF	CITATIONS
235	Low-temperature aqueous solution processed ZnO as an electron transporting layer for efficient perovskite solar cells. <i>Materials Chemistry Frontiers</i> , 2017, 1, 802-806.	5.9	25
236	Catechol derivatives as dopants in PEDOT:PSS to improve the performance of p-n perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2017, 5, 24275-24281.	10.3	37
237	Achieving over 9.8% Efficiency in Nonfullerene Polymer Solar Cells by Environmentally Friendly Solvent Processing. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 37078-37086.	8.0	32
238	Insertion of double bond π -bridges of A-D-A acceptors for high performance near-infrared polymer solar cells. <i>Journal of Materials Chemistry A</i> , 2017, 5, 22588-22597.	10.3	61
239	Thieno[3,2- <i>b</i>]pyrrolo-Fused Pentacyclic Benzotriazole-Based Acceptor for Efficient Organic Photovoltaics. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 31985-31992.	8.0	161
240	Cellular Architecture-Based All-Polymer Flexible Thin-Film Photodetectors with High Performance and Stability in Harsh Environment. <i>Advanced Materials Technologies</i> , 2017, 2, 1700185.	5.8	7
241	Constructing a Strongly Absorbing Low-Bandgap Polymer Acceptor for High-Performance All-Polymer Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 13503-13507.	13.8	468
242	Side Chain Engineering on Medium Bandgap Copolymers to Suppress Triplet Formation for High-Efficiency Polymer Solar Cells. <i>Advanced Materials</i> , 2017, 29, 1703344.	21.0	209
243	Constructing a Strongly Absorbing Low-Bandgap Polymer Acceptor for High-Performance All-Polymer Solar Cells. <i>Angewandte Chemie</i> , 2017, 129, 13688-13692.	2.0	51
244	Isomeric Effects of Solution Processed Ladder-Type Non-Fullerene Electron Acceptors. <i>Solar Rrl</i> , 2017, 1, 1700107.	5.8	44
245	Side-Chain Effects on Energy-Level Modulation and Device Performance of Organic Semiconductor Acceptors in Organic Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 34146-34152.	8.0	42
246	Crystalline Medium-Bandgap Light-Harvesting Donor Material Based on π^2 -Naphthalene Asymmetric-Modified Benzodithiophene Moiety toward Efficient Polymer Solar Cells. <i>Chemistry of Materials</i> , 2017, 29, 8249-8257.	6.7	35
247	Modulating the Molecular Packing and Nanophase Blending via a Random Terpolymerization Strategy toward 11% Efficiency Nonfullerene Polymer Solar Cells. <i>Advanced Energy Materials</i> , 2017, 7, 1701125.	19.5	98
248	Medium Bandgap Polymer Donor Based on Bi(trialkylsilyl)thienyl-benzo[1,2- <i>b</i> :4,5- <i>b'</i>]-difuran) for High Performance Nonfullerene Polymer Solar Cells. <i>Advanced Energy Materials</i> , 2017, 7, 1700746.	19.5	72
249	High-performance nonfullerene polymer solar cells with open-circuit voltage over 1 V and energy loss as low as 0.54 eV. <i>Nano Energy</i> , 2017, 40, 20-26.	16.0	70
250	All-Small-Molecule Nonfullerene Organic Solar Cells with High Fill Factor and High Efficiency over 10%. <i>Chemistry of Materials</i> , 2017, 29, 7543-7553.	6.7	184
251	High photovoltaic performance of as-cast devices based on new quinoxaline-based donor-acceptor copolymers. <i>Polymer Chemistry</i> , 2017, 8, 5688-5697.	3.9	13
252	Synthesis and Photovoltaic Properties of a Series of Narrow Bandgap Organic Semiconductor Acceptors with Their Absorption Edge Reaching 900 nm. <i>Chemistry of Materials</i> , 2017, 29, 10130-10138.	6.7	93

#	ARTICLE	IF	CITATIONS
253	Cyclometalated Pt complex-based random terpolymers for efficient polymer solar cells. <i>Polymer Chemistry</i> , 2017, 8, 4729-4737.	3.9	21
254	3D Structural Model of High-Performance Non-Fullerene Polymer Solar Cells as Revealed by High-Resolution AFM. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 24451-24455.	8.0	1
255	Mapping Polymer Donors toward High-Efficiency Fullerene Free Organic Solar Cells. <i>Advanced Materials</i> , 2017, 29, 1604155.	21.0	360
256	A Synergetic Effect of Molecular Weight and Fluorine in All-Polymer Solar Cells with Enhanced Performance. <i>Advanced Functional Materials</i> , 2017, 27, 1603564.	14.9	92
257	Fullerene Derivatives for the Applications as Acceptor and Cathode Buffer Layer Materials for Organic and Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2017, 7, 1601251.	19.5	152
258	Overcoming the Interface Losses in Planar Heterojunction Perovskite-Based Solar Cells. <i>Advanced Materials</i> , 2016, 28, 5112-5120.	21.0	188
259	Naphthalenediimide-Fused Thiophene D-A Copolymers for the Application as Acceptor in All-Polymer Solar Cells. <i>Chemistry - an Asian Journal</i> , 2016, 11, 2785-2791.	3.3	18
260	Broad Bandgap D-A Copolymer Based on Bithiazole Acceptor Unit for Application in High-Performance Polymer Solar Cells with Lower Fullerene Content. <i>Macromolecular Rapid Communications</i> , 2016, 37, 1066-1073.	3.9	10
261	Fully Solution-Processed Small Molecule Semitransparent Solar Cells: Optimization of Transparent Cathode Architecture and Four Absorbing Layers. <i>Advanced Functional Materials</i> , 2016, 26, 4543-4550.	14.9	73
262	Incorporation of Hexa-peri-hexabenzocoronene (HBC) into Carbazole-Benzo-2,1,3-thiadiazole Copolymers to Improve Hole Mobility and Photovoltaic Performance. <i>Chemistry - an Asian Journal</i> , 2016, 11, 766-774.	3.3	4
263	Self-Doped and Crown-Ether Functionalized Fullerene as Cathode Buffer Layer for Highly-Efficient Inverted Polymer Solar Cells. <i>Advanced Energy Materials</i> , 2016, 6, .	19.5	13
264	11.4% Efficiency non-fullerene polymer solar cells with trialkylsilyl substituted 2D-conjugated polymer as donor. <i>Nature Communications</i> , 2016, 7, 13651.	12.8	917
265	All polymer solar cells with diketopyrrolopyrrole-polymers as electron donor and a naphthalenediimide-polymer as electron acceptor. <i>RSC Advances</i> , 2016, 6, 35677-35683.	3.6	22
266	Perfluoroalkyl-substituted conjugated polymers as electron acceptors for all-polymer solar cells: the effect of diiodoperfluoroalkane additives. <i>Journal of Materials Chemistry A</i> , 2016, 4, 7736-7745.	10.3	31
267	New generation perovskite solar cells with solution-processed amino-substituted perylene diimide derivative as electron-transport layer. <i>Journal of Materials Chemistry A</i> , 2016, 4, 8724-8733.	10.3	109
268	End-Capping Effect of Quinoxalino[2,3-b ²]porphyrin on Donor-Acceptor Copolymer and Improved Performance of Polymer Solar Cells. <i>Macromolecules</i> , 2016, 49, 3723-3732.	4.8	27
269	Alkoxy substituted benzodithiophene-alt-fluorobenzotriazole copolymer as donor in non-fullerene polymer solar cells. <i>Science China Chemistry</i> , 2016, 59, 1317-1322.	8.2	26
270	A Strategy to Simplify the Preparation Process of Perovskite Solar Cells by Co-deposition of a Hole-Conductor and a Perovskite Layer. <i>Advanced Materials</i> , 2016, 28, 9648-9654.	21.0	150

#	ARTICLE	IF	CITATIONS
271	Self-doped n-type water/alcohol-soluble conjugated polymers ETL for high-performance polymer and perovskite solar cells. <i>Science China Chemistry</i> , 2016, 59, 1430-1431.	8.2	5
272	High-efficiency Nonfullerene Polymer Solar Cells with Medium Bandgap Polymer Donor and Narrow Bandgap Organic Semiconductor Acceptor. <i>Advanced Materials</i> , 2016, 28, 8288-8295.	21.0	247
273	Room-temperature water-vapor annealing for high-performance planar perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2016, 4, 17267-17273.	10.3	58
274	Insights into the working mechanism of cathode interlayers in polymer solar cells via [(C ₈ H ₁₇) ₄ N] ₄ [SiW ₁₂ O ₄₀]. <i>Journal of Materials Chemistry A</i> , 2016, 4, 19189-19196.	10.3	42
275	Side-Chain Isomerization on an n-type Organic Semiconductor ITIC Acceptor Makes 11.77% High Efficiency Polymer Solar Cells. <i>Journal of the American Chemical Society</i> , 2016, 138, 15011-15018.	13.7	826
276	Manipulating the photovoltaic properties of small-molecule donor materials by tailoring end-capped alkylthio substitution. <i>RSC Advances</i> , 2016, 6, 108908-108916.	3.6	7
277	Two new fluorinated copolymers based on thieno[2,3-f]benzofuran for efficient polymer solar cells. <i>RSC Advances</i> , 2016, 6, 62923-62933.	3.6	12
278	Non-fullerene polymer solar cells based on a selenophene-containing fused-ring acceptor with photovoltaic performance of 8.6%. <i>Energy and Environmental Science</i> , 2016, 9, 3429-3435.	30.8	170
279	Synthesis and Optoelectronic Properties of Benzo[1,2- <i>b</i> :4,5- <i>b'</i>]-dithiophene-Based Copolymers with Conjugated 2-(2-ethylhexyl)-3,4-dimethoxythiophene Side Chains. <i>Macromolecular Chemistry and Physics</i> , 2016, 217, 1586-1599.	2.2	9
280	All-Polymer Solar Cells Based on Absorption-Complementary Polymer Donor and Acceptor with High Power Conversion Efficiency of 8.27%. <i>Advanced Materials</i> , 2016, 28, 1884-1890.	21.0	670
281	A New Polythiophene Derivative for High Efficiency Polymer Solar Cells with PCE over 9%. <i>Advanced Energy Materials</i> , 2016, 6, 1600430.	19.5	84
282	Cross Self-n-Doping and Electron Transfer Model in a Stable and Highly Conductive Fullerene Ammonium Iodide: A Promising Cathode Interlayer in Organic Solar Cells. <i>Chemistry of Materials</i> , 2016, 28, 1227-1235.	6.7	42
283	High-performance polymer solar cells based on a 2D-conjugated polymer with an alkylthio side-chain. <i>Energy and Environmental Science</i> , 2016, 9, 885-891.	30.8	165
284	High Performance Nanostructured Silicon-Organic Quasi <i>p-n</i> Junction Solar Cells <i>via</i> Low-Temperature Deposited Hole and Electron Selective Layer. <i>ACS Nano</i> , 2016, 10, 704-712.	14.6	74
285	Random terpolymer with a cost-effective monomer and comparable efficiency to PTB7-Th for bulk-heterojunction polymer solar cells. <i>Polymer Chemistry</i> , 2016, 7, 926-932.	3.9	43
286	A simple strategy to the side chain functionalization on the quinoxaline unit for efficient polymer solar cells. <i>Chemical Communications</i> , 2016, 52, 6881-6884.	4.1	79
287	Non-Fullerene Polymer Solar Cells Based on Alkylthio and Fluorine Substituted 2D-Conjugated Polymers Reach 9.5% Efficiency. <i>Journal of the American Chemical Society</i> , 2016, 138, 4657-4664.	13.7	743
288	Indacenodithienothiophene-naphthalene diimide copolymer as an acceptor for all-polymer solar cells. <i>Journal of Materials Chemistry A</i> , 2016, 4, 5810-5816.	10.3	66

#	ARTICLE	IF	CITATIONS
289	All-small-molecule organic solar cells based on an electron donor incorporating binary electron-deficient units. <i>Journal of Materials Chemistry A</i> , 2016, 4, 6056-6063.	10.3	49
290	Toward high open-circuit voltage by smart chain engineering in 2D-conjugated polymer for polymer solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2016, 149, 162-169.	6.2	11
291	High-efficiency robust perovskite solar cells on ultrathin flexible substrates. <i>Nature Communications</i> , 2016, 7, 10214.	12.8	534
292	Management of the light distribution within the photoactive layer for high performance conventional and inverted polymer solar cells. <i>Journal of Materials Chemistry A</i> , 2016, 4, 1915-1922.	10.3	12
293	High-Performance Organic Solar Cells Based on a Small Molecule with Alkylthio- π -Conjugated Side Chains without Extra Treatments. <i>Advanced Materials</i> , 2015, 27, 7469-7475.	21.0	186
294	Quantitative analysis of the size effect of room temperature nanoimprinted P3HT nanopillar arrays on the photovoltaic performance. <i>Nanoscale</i> , 2015, 7, 11024-11032.	5.6	21
295	Impact of alkoxyl tail of fullerene dyad acceptor on crystalline microstructure for efficient external treatment-free polymer solar cells with poly(3-hexylthiophene) as donor. <i>Chemical Research in Chinese Universities</i> , 2015, 31, 865-872.	2.6	3
296	An Electron Acceptor Challenging Fullerenes for Efficient Polymer Solar Cells. <i>Advanced Materials</i> , 2015, 27, 1170-1174.	21.0	3,365
297	Advancements in all-solid-state hybrid solar cells based on organometal halide perovskites. <i>Materials Horizons</i> , 2015, 2, 378-405.	12.2	110
298	Polymer Solar Cells: Single-junction Polymer Solar Cells Exceeding 10% Power Conversion Efficiency (Adv. Mater. 6/2015). <i>Advanced Materials</i> , 2015, 27, 1132-1132.	21.0	15
299	Over 10% efficiencies achieved for the PSCs with thick active layer based on D-A copolymer donors and various fullerene acceptors. <i>Science China Chemistry</i> , 2015, 58, 188-188.	8.2	17
300	A Universal Interface Layer Based on an Amine-Functionalized Fullerene Derivative with Dual Functionality for Efficient Solution Processed Organic and Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2015, 5, 1401692.	19.5	144
301	Photovoltaic efficiency of solution-processable organic molecules reached near 10%. <i>Science China Chemistry</i> , 2015, 58, 191-191.	8.2	6
302	Improvement of the power conversion efficiency and long term stability of polymer solar cells by incorporation of amphiphilic Nafion doped PEDOT-PSS as a hole extraction layer. <i>Journal of Materials Chemistry A</i> , 2015, 3, 18727-18734.	10.3	46
303	Ambient stable large-area flexible organic solar cells using silver grid hybrid with vapor phase polymerized poly(3,4-Ethylenedioxythiophene) cathode. <i>Solar Energy Materials and Solar Cells</i> , 2015, 143, 354-359.	6.2	22
304	Cooperative assembly of an active layer utilizing the synergistic effect of a functional fullerene triad as an acceptor for efficient P3HT-based PSCs. <i>Journal of Materials Chemistry A</i> , 2015, 3, 17991-18000.	10.3	7
305	Quantitative operando visualization of the energy band depth profile in solar cells. <i>Nature Communications</i> , 2015, 6, 7745.	12.8	57
306	Diluting concentrated solution: a general, simple and effective approach to enhance efficiency of polymer solar cells. <i>Energy and Environmental Science</i> , 2015, 8, 2357-2364.	30.8	80

#	ARTICLE	IF	CITATIONS
307	Single crystalline indene-C ₆₀ bisadduct: isolation and application in polymer solar cells. <i>Journal of Materials Chemistry A</i> , 2015, 3, 14991-14995.	10.3	38
308	Incorporation of Fluorine onto Different Positions of Phenyl Substituted Benzo[1,2-b:4,5-b']dithiophene Unit: Influence on Photovoltaic Properties. <i>Macromolecules</i> , 2015, 48, 4347-4356.	4.8	50
309	Side-chain engineering of benzodithiophene-thiophene copolymers with conjugated side chains containing the electron-withdrawing ethylrhodanine group. <i>Journal of Materials Chemistry A</i> , 2015, 3, 12005-12015.	10.3	25
310	Effect of solvent additives and P3HT on PDTSTz/PCBM-based bulk heterojunction solar cells. <i>Journal of Photonics for Energy</i> , 2015, 5, 057209.	1.3	11
311	Effect of fluorination on the performance of poly(thieno[2,3-f]benzofuran-co-benzothiadiazole) derivatives. <i>RSC Advances</i> , 2015, 5, 30145-30152.	3.6	10
312	Enhanced efficiency of perovskite solar cells through improving active layer morphology by interfacial engineering. <i>Science China Chemistry</i> , 2015, 58, 830-830.	8.2	12
313	Effect of fluorine substitution on the photovoltaic performance of poly(thiophene-quinoxaline) copolymers. <i>Polymer Chemistry</i> , 2015, 6, 8203-8213.	3.9	14
314	Integrated molecular, morphological and interfacial engineering towards highly efficient and stable solution-processed small molecule solar cells. <i>Journal of Materials Chemistry A</i> , 2015, 3, 22695-22707.	10.3	26
315	Solution-Processable Organic Molecule for High-Performance Organic Solar Cells with Low Acceptor Content. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 24686-24693.	8.0	26
316	Enhancing the photovoltaic performance of quinoxalino[2,3-b]porphyrinatozinc-based donor-acceptor copolymers by using 4,4'-bipyridine as a linear bidentate ligand additive. <i>Journal of Materials Chemistry A</i> , 2015, 3, 21460-21470.	10.3	5
317	Effect of Fluorine Substitution on Photovoltaic Properties of Alkoxyphenyl Substituted Benzo[1,2-b:4,5-b']dithiophene-Based Small Molecules. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 25237-25246.	8.0	36
318	Multifunctional Fullerene Derivative for Interface Engineering in Perovskite Solar Cells. <i>Journal of the American Chemical Society</i> , 2015, 137, 15540-15547.	13.7	490
319	Solution-processable metal oxides/chelates as electrode buffer layers for efficient and stable polymer solar cells. <i>Energy and Environmental Science</i> , 2015, 8, 1059-1091.	30.8	265
320	Side-chain engineering of high-efficiency conjugated polymer photovoltaic materials. <i>Science China Chemistry</i> , 2015, 58, 192-209.	8.2	334
321	Interface Engineering of Perovskite Hybrid Solar Cells with Solution-Processed Perylene-Diimide Heterojunctions toward High Performance. <i>Chemistry of Materials</i> , 2015, 27, 227-234.	6.7	233
322	High-performance fullerene-free polymer solar cells with 6.31% efficiency. <i>Energy and Environmental Science</i> , 2015, 8, 610-616.	30.8	587
323	The role of conjugated side chains in high performance photovoltaic polymers. <i>Journal of Materials Chemistry A</i> , 2015, 3, 2802-2814.	10.3	41
324	Higher LUMO Level Endohedral Fullerene and Fullerene Bisadduct Acceptors for Polymer Solar Cells. , 2014, , 417-431.		0

#	ARTICLE	IF	CITATIONS
325	Synthesis and Photovoltaic Properties of a Dâ€“A Copolymer Based on the 2,3â€“Di(5â€“hexylthioâ€“phenâ€“yl)quinoxaline Acceptor Unit. <i>Macromolecular Chemistry and Physics</i> , 2014, 215, 597-603.	21.2	11
326	Solar Cells: A Starâ€“Shaped Perylene Diimide Electron Acceptor for Highâ€“Performance Organic Solar Cells (<i>Adv. Mater.</i> 30/2014). <i>Advanced Materials</i> , 2014, 26, 5224-5224.	21.0	3
327	Effects of fluorination on the properties of thieno[3,2-b]thiophene-bridged donorâ€“â€“acceptor polymer semiconductors. <i>Polymer Chemistry</i> , 2014, 5, 502-511.	3.9	55
328	Smallâ€“Molecule Solar Cells with Fill Factors up to 0.75 via a Layerâ€“byâ€“Layer Solution Process. <i>Advanced Energy Materials</i> , 2014, 4, 1300626.	19.5	90
329	Effects of Fullerene Bisadduct Regioisomers on Photovoltaic Performance. <i>Advanced Functional Materials</i> , 2014, 24, 158-163.	14.9	104
330	Synthesis and optoelectronic properties of new Dâ€“A copolymers based on fluorinated benzothiadiazole and benzoselenadiazole. <i>Polymer Chemistry</i> , 2014, 5, 567-577.	3.9	48
331	Solutionâ€“Processed Rhenium Oxide: A Versatile Anode Buffer Layer for High Performance Polymer Solar Cells with Enhanced Light Harvest. <i>Advanced Energy Materials</i> , 2014, 4, 1300884.	19.5	71
332	Layerâ€“byâ€“Layer Solutionâ€“Processed Lowâ€“Bandgap Polymerâ€“PC ₆₁ BM Solar Cells with High Efficiency. <i>Advanced Energy Materials</i> , 2014, 4, 1301349.	19.5	57
333	A Twisted Dimeric Perylene Diimide Electron Acceptor for Efficient Organic Solar Cells. <i>Advanced Energy Materials</i> , 2014, 4, 1400420.	19.5	126
334	Efficient polymer solar cells with a solution-processed and thermal annealing-free RuO ₂ anode buffer layer. <i>Journal of Materials Chemistry A</i> , 2014, 2, 1318-1324.	10.3	64
335	A bipolar small molecule based on indacenodithiophene and diketopyrrolopyrrole for solution processed organic solar cells. <i>Journal of Materials Chemistry A</i> , 2014, 2, 778-784.	10.3	87
336	Flexible silver grid/PEDOT:PSS hybrid electrodes for large area inverted polymer solar cells. <i>Nano Energy</i> , 2014, 10, 259-267.	16.0	111
337	Trapping Light with a Nanostructured CeO _x /Al Back Electrode for Highâ€“Performance Polymer Solar Cells. <i>Advanced Materials Interfaces</i> , 2014, 1, 1400197.	3.7	33
338	Perylene diimides: a thickness-insensitive cathode interlayer for high performance polymer solar cells. <i>Energy and Environmental Science</i> , 2014, 7, 1966.	30.8	672
339	High performance polymer solar cells based on a two dimensional conjugated polymer from alkylthienyl-substituted benzodifuran and benzothiadiazole. <i>Polymer Chemistry</i> , 2014, 5, 5002-5008.	3.9	27
340	Hole extraction layer utilizing well defined graphene oxide with multiple functionalities for high-performance bulk heterojunction solar cells. <i>Organic Electronics</i> , 2014, 15, 2868-2875.	2.6	23
341	Effects of donor unit and â€“bridge on photovoltaic properties of Dâ€“A copolymers based on benzo[1,2â€“b<i>:4,5â€“c<i>'<i>â€“dithiopheneâ€“4,8â€“dione acceptor unit. <i>Journal of Polymer Science Part A</i> , 2014, 52, 1929-1940.	2.3	28
342	Effect of additives on the photovoltaic properties of organic solar cells based on triphenylamine-containing amorphous molecules. <i>Science China Chemistry</i> , 2014, 57, 966-972.	8.2	15

#	ARTICLE	IF	CITATIONS
343	Interface Design to Improve the Performance and Stability of Solution-Processed Small-Molecule Conventional Solar Cells. <i>Advanced Energy Materials</i> , 2014, 4, 1400816.	19.5	76
344	Improvement of open-circuit voltage and photovoltaic properties of 2D-conjugated polymers by alkylthio substitution. <i>Energy and Environmental Science</i> , 2014, 7, 2276-2284.	30.8	493
345	Efficient ternary blend polymer solar cells with indene-C60 bisadduct as an electron-cascade acceptor. <i>Energy and Environmental Science</i> , 2014, 7, 2005.	30.8	275
346	Efficient Polymer Solar Cells Based on Poly(3-hexylthiophene) and Indene-C ₆₀ Bisadduct Fabricated with Non-halogenated Solvents. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 8190-8198.	8.0	86
347	High performance polymer solar cells with as-prepared zirconium acetylacetonate film as cathode buffer layer. <i>Scientific Reports</i> , 2014, 4, 4691.	3.3	165
348	Using water-soluble nickel acetate as hole collection layer for stable polymer solar cells. <i>Journal of Applied Polymer Science</i> , 2013, 128, 684-690.	2.6	6
349	[6,6]-Phenyl-C ₆₁ -Butyric Acid Dimethylamino Ester as a Cathode Buffer Layer for High-Performance Polymer Solar Cells. <i>Advanced Energy Materials</i> , 2013, 3, 1569-1574.	19.5	77
350	Fullerene-Bisadduct Acceptors for Polymer Solar Cells. <i>Chemistry - an Asian Journal</i> , 2013, 8, 2316-2328.	3.3	148
351	Amine group functionalized fullerene derivatives as cathode buffer layers for high performance polymer solar cells. <i>Journal of Materials Chemistry A</i> , 2013, 1, 9624.	10.3	69
352	New alkoxyphenyl substituted benzo[1,2-b:4,5-b'] dithiophene-based polymers: synthesis and application in solar cells. <i>Journal of Materials Chemistry A</i> , 2013, 1, 10639.	10.3	53
353	Synthesis and photovoltaic properties of a star-shaped molecule based on a triphenylamine core and branched terthiophene end groups. <i>Science China Chemistry</i> , 2013, 56, 997-1003.	8.2	14
354	Synthesis and Photovoltaic Properties of D-A Copolymers Based on 11,12-Difluorodibenzo[a,c]phenazine Acceptor Unit. <i>Macromolecular Chemistry and Physics</i> , 2013, 214, 1772-1779.	2.2	13
355	Synthesis and photovoltaic properties of a D-A copolymer of dithienosilole and fluorinated-benzotriazole. <i>Polymer Chemistry</i> , 2013, 4, 1467-1473.	3.9	35
356	Poly(ethylene glycol) modified [60]fullerene as electron buffer layer for high-performance polymer solar cells. <i>Applied Physics Letters</i> , 2013, 102, .	3.3	39
357	One, two and three-branched triphenylamine-oligothiophene hybrids for solution-processed solar cells. <i>Journal of Materials Chemistry A</i> , 2013, 1, 5128.	10.3	41
358	ITO-free photovoltaic cell utilizing a high-resolution silver grid current collecting layer. <i>Solar Energy Materials and Solar Cells</i> , 2013, 113, 85-89.	6.2	79
359	A star-shaped electron acceptor based on 5,5'-bibenzothiadiazole for solution processed solar cells. <i>Journal of Materials Chemistry A</i> , 2013, 1, 14627.	10.3	38
360	Alkyl substituted naphtho[1, 2-b: 5, 6-b']difuran as a new building block towards efficient polymer solar cells. <i>RSC Advances</i> , 2013, 3, 5366.	3.6	15

#	ARTICLE	IF	CITATIONS
361	Synthesis and photovoltaic properties of two-dimension-conjugated Dâ€‘A copolymers based on benzodithiophene or benzodifuran units. <i>Polymer Chemistry</i> , 2013, 4, 1474-1481.	3.9	55
362	Efficient polymer solar cells based on a broad bandgap Dâ€‘A copolymer of â€œzigzagâ€• naphthodithiophene and thieno[3,4-c]pyrrole-4,6-dione. <i>Journal of Materials Chemistry A</i> , 2013, 1, 1540-1543.	10.3	55
363	New alkylthienyl substituted benzo[1,2-b:4,5-bâ€™]dithiophene-based polymers for high performance solar cells. <i>Journal of Materials Chemistry A</i> , 2013, 1, 570-577.	10.3	54
364	Efficient and stable polymer solar cells with solution-processed molybdenum oxide interfacial layer. <i>Journal of Materials Chemistry A</i> , 2013, 1, 657-664.	10.3	126
365	A Solutionâ€‘Processable Electron Acceptor Based on Dibenzosilole and Diketopyrrolopyrrole for Organic Solar Cells. <i>Advanced Energy Materials</i> , 2013, 3, 724-728.	19.5	161
366	Synthesis and characterization of porphyrinâ€‘based Dâ€‘A conjugated polymers for polymer solar cells. <i>Journal of Polymer Science Part A</i> , 2013, 51, 2243-2251.	2.3	12
367	Significant improvement of photovoltaic performance by embedding thiophene in solution-processed star-shaped TPA-DPP backbone. <i>Journal of Materials Chemistry A</i> , 2013, 1, 5747.	10.3	69
368	A fullerene dyad with a tri(octyloxy)benzene moiety induced efficient nanoscale active layer for the poly(3-hexylthiophene)-based bulk heterojunction solar cell applications. <i>Chemical Communications</i> , 2013, 49, 4917.	4.1	16
369	Thieno[3,2- <i>b</i>]thiophene-Bridged Dâ€‘A Polymer Semiconductor Based on Benzo[1,2- <i>b</i> :4,5- <i>b</i> â€™]dithiophene and Benzoxadiazole. <i>Macromolecules</i> , 2013, 46, 4805-4812.	4.8	66
370	A Solutionâ€‘Processable Small Molecule Based on Benzodithiophene and Diketopyrrolopyrrole for Highâ€‘Performance Organic Solar Cells. <i>Advanced Energy Materials</i> , 2013, 3, 1166-1170.	19.5	203
371	Fluorine substituted benzothiazole-based low bandgap polymers for photovoltaic applications. <i>RSC Advances</i> , 2013, 3, 11869.	3.6	20
372	A benzo[1,2-b:4,5-bâ€™]difuran- and thieno-[3,4-b]thiophene-based low bandgap copolymer for photovoltaic applications. <i>Polymer Chemistry</i> , 2013, 4, 470-476.	3.9	35
373	Synthesis and electronic energyâ€‘level regulation of imideâ€‘fused poly(thienylene vinylene) derivatives. <i>Journal of Polymer Science Part A</i> , 2013, 51, 4975-4982.	2.3	8
374	Benzo[1,2- <i>b</i> :4,5- <i>b</i> â€™]dithiopheneâ€‘ <i>ter</i> thiophene Copolymers Containing Styrylâ€‘Triphenylamine Side Chains: Synthesis and Photovoltaic Performance Optimization with Fullerene Acceptors. <i>Macromolecular Chemistry and Physics</i> , 2013, 214, 1081-1088.	2.2	1
375	Tunable open-circuit voltage in ternary organic solar cells. <i>Applied Physics Letters</i> , 2012, 101, .	3.3	56
376	A new benzo[1,2-b:4,5-bâ€™]difuran-based copolymer for efficient polymer solar cells. <i>Journal of Materials Chemistry</i> , 2012, 22, 17724.	6.7	61
377	Synthesis and Photovoltaic Properties of a Donorâ€‘Acceptor Copolymer of Dithienosilole and 5,6â€‘Bis(octyloxy)benzo[1,2,5]thiadiazole. <i>Macromolecular Chemistry and Physics</i> , 2012, 213, 2529-2535.	2.2	2
378	Phenanthro[1,10,9,8- <i>cdefg</i>]carbazole-containing copolymer for high performance thin-film transistors and polymer solar cells. <i>Journal of Materials Chemistry</i> , 2012, 22, 3696.	6.7	26

#	ARTICLE	IF	CITATIONS
379	A conjugated polymer based on 5,5'-biphenyl-2,2'-bithiadiazole for high-performance solar cells. <i>Journal of Materials Chemistry</i> , 2012, 22, 3432.	6.7	19
380	Liquid Crystal Helps ZnO Nanoparticles Self-Assemble for Performance Improvement of Hybrid Solar Cells. <i>Journal of Physical Chemistry C</i> , 2012, 116, 6332-6339.	3.1	31
381	Synthesis and charge-transporting properties of electron-deficient CN2-fluorene based D-A copolymers. <i>Polymer Chemistry</i> , 2012, 3, 2170.	3.9	24
382	Effect of Branched Side Chains on the Physicochemical and Photovoltaic Properties of Poly(3-hexylthiophene) Isomers. <i>Macromolecular Chemistry and Physics</i> , 2012, 213, 2267-2274.	2.2	12
383	Dumb-belled PCBM derivative with better photovoltaic performance. <i>Journal of Materials Chemistry</i> , 2012, 22, 1758-1761.	6.7	32
384	Synthesis and photovoltaic properties of D-A copolymers of benzodithiophene and naphtho[2,3-c]thiophene-4,9-dione. <i>Polymer Chemistry</i> , 2012, 3, 99-104.	3.9	29
385	Tuning the photovoltaic parameters of thiophene-linked donor-acceptor liquid crystalline copolymers for organic photovoltaics. <i>Polymer Chemistry</i> , 2012, 3, 710.	3.9	9
386	Conjugated Side-Chain Isolated Polythiophene: Synthesis and Photovoltaic Application. <i>Macromolecules</i> , 2012, 45, 113-118.	4.8	53
387	Porphyrin-containing D-A conjugated polymer with absorption over the entire spectrum of visible light and its applications in solar cells. <i>Journal of Materials Chemistry</i> , 2012, 22, 11006.	6.7	33
388	Molecular energy level modulation by changing the position of electron-donating side groups. <i>Journal of Materials Chemistry</i> , 2012, 22, 5700.	6.7	63
389	Copolymers from naphtho[2,3-c]thiophene-4,9-dione derivatives and benzodithiophene: synthesis and photovoltaic applications. <i>RSC Advances</i> , 2012, 2, 7439.	3.6	21
390	Narrow band gap D-A copolymer of indacenodithiophene and diketopyrrolopyrrole with deep HOMO level: Synthesis and application in field-effect transistors and polymer solar cells. <i>Journal of Polymer Science Part A</i> , 2012, 50, 371-377.	2.3	35
391	Molecular Design of Photovoltaic Materials for Polymer Solar Cells: Toward Suitable Electronic Energy Levels and Broad Absorption. <i>Accounts of Chemical Research</i> , 2012, 45, 723-733.	15.6	2,584
392	Small molecule semiconductors for high-efficiency organic photovoltaics. <i>Chemical Society Reviews</i> , 2012, 41, 4245.	38.1	1,601
393	High efficiency polymer solar cells based on poly(3-hexylthiophene)/indene-C70 bisadduct with solvent additive. <i>Energy and Environmental Science</i> , 2012, 5, 7943.	30.8	400
394	Highly Emissive and Color-Tunable CuInS ₂ -Based Colloidal Semiconductor Nanocrystals: Off-Stoichiometry Effects and Improved Electroluminescence Performance. <i>Advanced Functional Materials</i> , 2012, 22, 2081-2088.	14.9	449
395	Highly Efficient and Thermally Stable Polymer Solar Cells with Dihydronaphthyl-Based [70]Fullerene Bisadduct Derivative as the Acceptor. <i>Advanced Functional Materials</i> , 2012, 22, 2187-2193.	14.9	104
396	Ultralong CdTe Nanowires: Catalyst-Free Synthesis and High-Yield Transformation into Core-Shell Heterostructures. <i>Advanced Functional Materials</i> , 2012, 22, 2402-2411.	14.9	31

#	ARTICLE	IF	CITATIONS
397	Improving the Ordering and Photovoltaic Properties by Extending π -Conjugated Area of Electron-Donating Units in Polymers with D-A Structure. <i>Advanced Materials</i> , 2012, 24, 3383-3389.	21.0	298
398	High-Efficiency Polymer Solar Cells Based on Poly(3-pentylthiophene) with Indene-7,9-Bisadduct as an Acceptor. <i>Advanced Energy Materials</i> , 2012, 2, 966-969.	19.5	24
399	Synthesis and photovoltaic properties of alternative copolymers of benzo[1,2-b:4,5-b']dithiophene and thiophene. <i>Polymer Bulletin</i> , 2012, 68, 2107-2119.	3.3	2
400	Effect of Device Fabrication Conditions on Photovoltaic Performance of Polymer Solar Cells Based on Poly(3-hexylthiophene) and Indene-7,9-Bisadduct. <i>Chinese Journal of Chemistry</i> , 2012, 30, 19-22.	4.9	12
401	Efficient Polymer Solar Cells Based on Poly(3-hexylthiophene):Indene-7,9-Bisadduct with a MoO ₃ Buffer Layer. <i>Advanced Functional Materials</i> , 2012, 22, 585-590.	14.9	88
402	A Solution Processable D-A-D Molecule based on Thiazolothiazole for High Performance Organic Solar Cells. <i>Advanced Energy Materials</i> , 2012, 2, 63-67.	19.5	121
403	Synthesis and characterizations of poly(4-alkylthiazole vinylene). <i>Journal of Applied Polymer Science</i> , 2012, 124, 847-854.	2.6	2
404	Surface modification and shape adjustment of polymer semiconductor nanowires. <i>Journal of Materials Chemistry</i> , 2011, 21, 9626.	6.7	7
405	A furan-bridged D-A copolymer with deep HOMO level: synthesis and application in polymer solar cells. <i>Polymer Chemistry</i> , 2011, 2, 2872.	3.9	71
406	Downwards tuning the HOMO level of polythiophene by carboxylate substitution for high open-circuit-voltage polymer solar cells. <i>Polymer Chemistry</i> , 2011, 2, 2900.	3.9	61
407	Synthesis and photovoltaic properties of copolymers of carbazole and thiophene with conjugated side chain containing acceptor end groups. <i>Polymer Chemistry</i> , 2011, 2, 1678.	3.9	37
408	A novel poly(thienylenevinylene) derivative for application in polymer solar cells. <i>Polymer Chemistry</i> , 2011, 2, 2102.	3.9	17
409	Synthesis and Photovoltaic Properties of D-A Copolymers Based on Alkyl-Substituted Indacenodithiophene Donor Unit. <i>Chemistry of Materials</i> , 2011, 23, 4264-4270.	6.7	193
410	A Copolymer of Benzodithiophene with TIPS Side Chains for Enhanced Photovoltaic Performance. <i>Macromolecules</i> , 2011, 44, 9173-9179.	4.8	61
411	PBDTTTz: A Broad Band Gap Conjugated Polymer with High Photovoltaic Performance in Polymer Solar Cells. <i>Macromolecules</i> , 2011, 44, 4035-4037.	4.8	159
412	New X-shaped oligothiophenes for solution-processed solar cells. <i>Journal of Materials Chemistry</i> , 2011, 21, 9667.	6.7	43
413	Triphenylamine-containing D-A-D molecules with (dicyanomethylene)pyran as an acceptor unit for bulk-heterojunction organic solar cells. <i>Journal of Materials Chemistry</i> , 2011, 21, 3768.	6.7	53
414	Synthesis and photovoltaic properties of two-dimensional D-A copolymers with conjugated side chains. <i>Journal of Polymer Science Part A</i> , 2011, 49, 3852-3862.	2.3	14

#	ARTICLE	IF	CITATIONS
415	Red-emission organic light-emitting diodes based on solution-processable molecules with triphenylamine core and benzothiadiazole-thiophene arms. <i>Science China Chemistry</i> , 2011, 54, 695-698.	8.2	17
416	Comparative study of the optical, electrochemical, electroluminescent, and photovoltaic properties of dendritic pendants modified poly(<i>p</i> -phenylene vinylene)s. <i>Polymers for Advanced Technologies</i> , 2011, 22, 2503-2508.	3.2	2
417	Copolymers of fluorene and thiophene with conjugated side chain for polymer solar cells: Effect of pendant acceptors. <i>Journal of Polymer Science Part A</i> , 2011, 49, 1462-1470.	2.3	33
418	Synthesis and photovoltaic properties of copolymers based on bithiophene and bithiazole. <i>Journal of Polymer Science Part A</i> , 2011, 49, 2746-2754.	2.3	20
419	Thiazolothiazole-containing polythiophenes with low HOMO level and high hole mobility for polymer solar cells. <i>Journal of Polymer Science Part A</i> , 2011, 49, 4875-4885.	2.3	25
420	Synthesis and Characterization of a Copolymer Based on Thiazolothiazole and Dithienosilole for Polymer Solar Cells. <i>Advanced Energy Materials</i> , 2011, 1, 557-560.	19.5	110
421	Efficiency Enhancement of Polymer Solar Cells Based on Poly(3-hexylthiophene)/Indene ₇₀ Bisadduct via Methylthiophene Additive. <i>Advanced Energy Materials</i> , 2011, 1, 1058-1061.	19.5	80
422	Synthesis and photovoltaic properties of dithienyl benzotriazole based poly(phenylene vinylene)s. <i>Journal of Applied Polymer Science</i> , 2011, 120, 2534-2542.	2.6	10
423	Performance improvement of polymer solar cells by using a solvent-treated poly(3,4-ethylenedioxythiophene):poly(styrenesulfonate) buffer layer. <i>Applied Physics Letters</i> , 2011, 98, .	3.3	61
424	Two thieno[3,4b]pyrazine-containing copolymers: synthesis, characterization, and application in mercury ions detection. <i>Polymers for Advanced Technologies</i> , 2010, 21, 256-262.	3.2	1
425	High-Yield Synthesis and Electrochemical and Photovoltaic Properties of Indene ₇₀ Bisadduct. <i>Advanced Functional Materials</i> , 2010, 20, 3383-3389.	14.9	294
426	6.5% Efficiency of Polymer Solar Cells Based on poly(3-hexylthiophene) and Indene ₆₀ Bisadduct by Device Optimization. <i>Advanced Materials</i> , 2010, 22, 4355-4358.	21.0	876
427	Synthesis and properties of partially conjugated hyperbranched light-emitting polymers. <i>Journal of Applied Polymer Science</i> , 2010, 117, 517-523.	2.6	4
428	Synthesis and photovoltaic properties of polythiophene derivatives with side chains containing C ₆₀ end group. <i>Journal of Applied Polymer Science</i> , 2010, 115, 532-539.	2.6	11
429	Conjugated copolymers of cyanosubstituted poly(<i>p</i> -phenylene vinylene) with phenylene ethynylene and thienylene vinylene moieties: Synthesis, optical, and electrochemical properties. <i>Journal of Applied Polymer Science</i> , 2010, 115, 1480-1488.	2.6	7
430	Poly(4,8-bis(2-ethylhexyloxy)benzo[1,2- <i>b</i> :4,5- <i>b'</i> ²]dithiophene vinylene): Synthesis, optical and photovoltaic properties. <i>Journal of Polymer Science Part A</i> , 2010, 48, 1822-1829.	2.3	31
431	Template-free solution growth of highly regular, crystal orientation-ordered C ₆₀ nanorod bundles. <i>Journal of Materials Chemistry</i> , 2010, 20, 953-956.	6.7	21
432	Efficiency enhancement in small molecule bulk heterojunction organic solar cells via additive. <i>Applied Physics Letters</i> , 2010, 97, .	3.3	59

#	ARTICLE	IF	CITATIONS
433	Indene-C ₆₀ Bisadduct: A New Acceptor for High-Performance Polymer Solar Cells. Journal of the American Chemical Society, 2010, 132, 1377-1382.	13.7	1,151
434	Copolymers from benzodithiophene and benzotriazole: synthesis and photovoltaic applications. Polymer Chemistry, 2010, 1, 1441.	3.9	92
435	Combination of Indene-C ₆₀ Bis-Adduct and Cross-Linked Fullerene Interlayer Leading to Highly Efficient Inverted Polymer Solar Cells. Journal of the American Chemical Society, 2010, 132, 17381-17383.	13.7	307
436	All-polymer solar cells based on a blend of poly[3-(10-n-octyl-3-phenothiazine-vinylene)thiophene-co-2,5-thiophene] and poly[1,4-dioctyloxyl-p-2,5-dicyanophenylenevinylene]. Applied Physics Letters, 2009, 94, 193302.	3.3	40
437	Silicon nanorods / P3HT hybrid solar cells. , 2009, , .		2
438	Electroluminescent fluorene-based alternating polymers bearing triarylamine or carbazole moieties in the main chain: Synthesis and properties. Journal of Applied Polymer Science, 2009, 111, 978-987.	2.6	6
439	A polythiophene derivative with dioctyloxyltriphenylamine-vinylene conjugated side chain: Synthesis, hole mobility, and photovoltaic property. Journal of Applied Polymer Science, 2009, 113, 1415-1421.	2.6	7
440	New cyano-substituted copolymers containing biphenylenevinylene and bithienylenevinylene units: synthesis, optical, and electrochemical properties. Journal of Materials Science, 2009, 44, 4174-4180.	3.7	5
441	Fluorescence and sensitization performance of phenylene-vinylene-substituted polythiophene. Science Bulletin, 2009, 54, 1669-1676.	9.0	10
442	Soluble dithienothiophene polymers: Effect of link pattern. Journal of Polymer Science Part A, 2009, 47, 2843-2852.	2.3	43
443	Poly(thienylenevinylene-thienylene) with cyano substituent: Synthesis and application in field-effect transistor and polymer solar cell. Journal of Polymer Science Part A, 2009, 47, 4028-4036.	2.3	26
444	High performance polymer field-effect transistors based on polythiophene derivative with conjugated side chain. Journal of Polymer Science Part A, 2009, 47, 5304-5312.	2.3	14
445	Low bandgap π -conjugated copolymers based on fused thiophenes and benzothiadiazole: Synthesis and structure-property relationship study. Journal of Polymer Science Part A, 2009, 47, 5498-5508.	2.3	100
446	Improvement of Photoluminescent and Photovoltaic Properties of Poly(thienylene vinylene) by Carboxylate Substitution. Macromolecules, 2009, 42, 4377-4380.	4.8	85
447	Copolymers of perylene diimide with dithienothiophene and dithienopyrrole as electron-transport materials for all-polymer solar cells and field-effect transistors. Journal of Materials Chemistry, 2009, 19, 5794.	6.7	165
448	Incorporation of Thienylenevinylene and Triphenylamine Moieties into Polythiophene Side Chains for All-Polymer Photovoltaic Applications. Journal of Physical Chemistry C, 2009, 113, 5879-5885.	3.1	27
449	Energy Level and Molecular Structure Engineering of Conjugated Donor-Acceptor Copolymers for Photovoltaic Applications. Macromolecules, 2009, 42, 4491-4499.	4.8	118
450	Novel two-dimensional donor-acceptor conjugated polymers containing quinoxaline units: Synthesis, characterization, and photovoltaic properties. Journal of Polymer Science Part A, 2008, 46, 4038-4049.	2.3	69

#	ARTICLE	IF	CITATIONS
451	A phenylenevinylene- θ -thiophene- θ -phenyleneethynylene copolymer: synthesis, characterization, and photovoltaic properties. <i>Polymers for Advanced Technologies</i> , 2008, 19, 865-871.	3.2	8
452	Copolymers of Thiophene and Cyano- θ -Substituted Phenylene: Facile Tuning of Electronic Energy Levels and their Photovoltaic Application. <i>Macromolecular Chemistry and Physics</i> , 2008, 209, 431-438.	2.2	8
453	Synthesis, Electrochemical and Photovoltaic Properties of Multi- θ -Armed Polythiophenes with Triphenylamine Trivinylene as Conjugated Linker. <i>Macromolecular Chemistry and Physics</i> , 2008, 209, 1454-1462.	2.2	13
454	Synthesis and Absorption Spectra of θ -Type Conjugated Polymers Based on Perylene Diimide. <i>Macromolecular Rapid Communications</i> , 2008, 29, 1444-1448.	3.9	43
455	Electroluminescence and photovoltaic properties of poly(θ -phenylene vinylene) derivatives with dendritic pendants. <i>Journal of Applied Polymer Science</i> , 2008, 107, 514-521.	2.6	25
456	Branched poly(θ -phenylenevinylene): Synthesis, optical and electrochemical properties. <i>Journal of Applied Polymer Science</i> , 2008, 110, 1002-1008.	2.6	4
457	Binaphthyl- θ -Containing Green- θ and Red- θ -Emitting Molecules for Solution- θ -Processable Organic Light- θ -Emitting Diodes. <i>Advanced Functional Materials</i> , 2008, 18, 3299-3306.	14.9	108
458	Two Polythiophene Derivatives Containing Phenothiazine Units: Synthesis and Photovoltaic Properties. <i>Journal of Physical Chemistry C</i> , 2008, 112, 12058-12064.	3.1	51
459	Controlled Synthesis and Optical Properties of Colloidal Ternary Chalcogenide CuInS_2 Nanocrystals. <i>Chemistry of Materials</i> , 2008, 20, 6434-6443.	6.7	519
460	Improving the efficiency of solution processable organic photovoltaic devices by a star-shaped molecular geometry. <i>Journal of Materials Chemistry</i> , 2008, 18, 4085.	6.7	160
461	Efficient all-polymer solar cells based on blend of tris(thienylenevinylene)-substituted polythiophene and poly[perylene diimide- θ -bis(dithienothiophene)]. <i>Applied Physics Letters</i> , 2008, 93, .	3.3	123
462	Developing bright and color-saturated quantum dot light emitting diodes towards next generation displays and solid state lighting. , 2008, , .		0
463	Polymer Light-Emitting Electrochemical Cells for High-Efficiency Low-Voltage Electroluminescent Devices. <i>Journal of Display Technology</i> , 2007, 3, 211-224.	1.2	131
464	Synthesis and Photovoltaic Properties of a Donor- θ -Acceptor Double-Cable Polythiophene with High Content of C60Pendant. <i>Macromolecules</i> , 2007, 40, 1868-1873.	4.8	92
465	Synthesis and Cathodoluminescence of Morphology-Tunable SiO_2 Nanotubes and ZnS/SiO_2 Core- θ -Shell Structures Using CdSe Nanocrystals as the Seeds. <i>Journal of Physical Chemistry C</i> , 2007, 111, 11604-11611.	3.1	38
466	Design and Fabrication of Rocketlike Tetrapodal CdS Nanorods by Seed-Epitaxial Metal- θ -Organic Chemical Vapor Deposition. <i>Crystal Growth and Design</i> , 2007, 7, 488-491.	3.0	63
467	A High-Mobility Electron-Transport Polymer with Broad Absorption and Its Use in Field-Effect Transistors and All-Polymer Solar Cells. <i>Journal of the American Chemical Society</i> , 2007, 129, 7246-7247.	13.7	1,110
468	Poly(quinoxaline vinylene) With Conjugated Phenylenevinylene Side Chain: A Potential Polymer Acceptor With Broad Absorption Band. <i>Macromolecular Chemistry and Physics</i> , 2007, 208, 1294-1300.	2.2	13

#	ARTICLE	IF	CITATIONS
469	Synthesis, characterization, and electroluminescence of new conjugated PPV derivatives bearing triphenylamine side-chain through a vinylene bridge. <i>Polymers for Advanced Technologies</i> , 2007, 18, 963-970.	3.2	5
470	Synthesis, hole mobility, and photovoltaic properties of two alternating poly[3-(hex-1-enyl)thiophene-co-thiophene]s. <i>Journal of Polymer Science Part A</i> , 2007, 45, 629-638.	2.3	33
471	Alternating copolymers of electron-rich arylamine and electron-deficient 2,1,3-benzothiadiazole: Synthesis, characterization and photovoltaic properties. <i>Journal of Polymer Science Part A</i> , 2007, 45, 3861-3871.	2.3	66
472	Bright, multicoloured light-emitting diodes based on quantum dots. <i>Nature Photonics</i> , 2007, 1, 717-722.	31.4	1,042
473	Synthesis and light-emitting properties of poly[9-(4-tert-butyl-phenylenemethene)-fluorene-co-9,9-dioctylfluorene]. <i>Journal of Materials Science</i> , 2007, 42, 1325-1329.	3.7	3
474	Electrodeposition and electrocatalytic properties of platinum nanoparticles on multi-walled carbon nanotubes: effect of the deposition conditions. <i>Mikrochimica Acta</i> , 2007, 158, 327-334.	5.0	19
475	Electroluminescent properties of a partially-conjugated hyperbranched poly(p-phenylene vinylene). <i>Polymers for Advanced Technologies</i> , 2006, 17, 145-149.	3.2	26
476	Thinner-film plastic photovoltaic cells based on different C60 derivatives. <i>Polymers for Advanced Technologies</i> , 2006, 17, 500-505.	3.2	11
477	Effect of side-chain end groups on the optical, electrochemical, and photovoltaic properties of side-chain conjugated polythiophenes. <i>Journal of Polymer Science Part A</i> , 2006, 44, 4916-4922.	2.3	70
478	Poly(alkylthio-p-phenylenevinylene): Synthesis and electroluminescent and photovoltaic properties. <i>Journal of Polymer Science Part A</i> , 2006, 44, 1279-1290.	2.3	40
479	Synthesis and properties of polythiophenes with conjugated side-chains containing carbon-carbon double and triple bonds. <i>Journal of Polymer Science Part A</i> , 2006, 44, 2206-2214.	2.3	46
480	Synthesis and characterization of photo-crosslinkable polyfluorene with acrylate side-chains. <i>Journal of Applied Polymer Science</i> , 2006, 100, 2336-2342.	2.6	16
481	Synthesis, characterization, and optoelectronic properties of two new polyfluorenes/poly(p-phenylenevinylene)s copolymers. <i>Journal of Applied Polymer Science</i> , 2006, 102, 3955-3962.	2.6	7
482	Linking Polythiophene Chains Through Conjugated Bridges: A Way to Improve Charge Transport in Polymer Solar Cells. <i>Macromolecular Rapid Communications</i> , 2006, 27, 793-798.	3.9	59
483	Electroluminescent and Photovoltaic Properties of the Crosslinkable Poly(phenylene vinylene) Derivative with Side Chains Containing Vinyl Groups. <i>Macromolecular Chemistry and Physics</i> , 2005, 206, 1311-1318.	2.2	24
484	White organic light-emitting devices using Zn(BTZ)2 doped with Rubrene as emitting layer. <i>Science Bulletin</i> , 2005, 50, 509-513.	1.7	5
485	Light-emitting copolymers based on fluorene and selenophene?Comparative studies with its sulfur analogue: Poly(fluorene-co-thiophene). <i>Journal of Polymer Science Part A</i> , 2005, 43, 823-836.	2.3	41
486	Synthesis, Spectroscopy, and Electrochemistry of Metallophthalocyanines Substituted by Propylenedithiotetrathiafulvalene Derivatives. <i>Monatshefte für Chemie</i> , 2004, 135, 1167.	1.8	7

#	ARTICLE	IF	CITATIONS
487	Polymer light-emitting electrochemical cell based on a novel poly(aryleneethynylene) consisting of ethynylfluorene and tetraphenyldiaminobiphenyl units. <i>Polymers for Advanced Technologies</i> , 2004, 15, 70-74.	3.2	7
488	Hyperbranched conjugated polymers for photovoltaic applications. <i>Journal of Applied Polymer Science</i> , 2004, 92, 1459-1466.	2.6	20
489	Synthesis, optical spectroscopy and electrochemistry of a D- π -A compound derived from magnesium phthalocyanine. <i>Journal of Porphyrins and Phthalocyanines</i> , 2004, 08, 1042-1046.	0.8	4
490	Conducting polyaniline nanofiber networks prepared by the doping induction of camphor sulfonic acid. <i>Journal of Applied Polymer Science</i> , 2003, 87, 1537-1540.	2.6	45
491	Electrochemical copolymerization of pyrrole and propylene oxide. <i>Journal of Applied Polymer Science</i> , 2003, 89, 2624-2627.	2.6	9
492	Synthesis and electroluminescent properties of a novel copolymer with short alternating conjugated and non-conjugated blocks. <i>Polymer International</i> , 2003, 52, 343-346.	3.1	6
493	Synthesis and electroluminescence of novel copolymers containing crown ether spacers. <i>Journal of Materials Chemistry</i> , 2003, 13, 800-806.	6.7	485
494	Controlled synthesis of CdS nanorods and hexagonal nanocrystals. <i>Journal of Materials Chemistry</i> , 2003, 13, 2641.	6.7	131
495	Preparation of gold, platinum, palladium and silver nanoparticles by the reduction of their salts with a weak reductant—potassium bitartrate. <i>Journal of Materials Chemistry</i> , 2003, 13, 1069-1075.	6.7	210
496	Effect of dissolved CO ₂ on the conductivity of the ionic liquid [bmim][PF ₆]. <i>New Journal of Chemistry</i> , 2003, 27, 333-336.	2.8	49
497	High efficient light-emitting diodes using polystyrene as matrix. <i>Science Bulletin</i> , 2003, 48, 853-855.	9.0	0
498	Synthesis, spectroscopy and electrochemistry of a new phthalonitrile derivative with substituted PDT-TTF unit. <i>Journal of Porphyrins and Phthalocyanines</i> , 2003, 07, 191-198.	0.8	0
499	Electrochemistry of the films of a novel class C60 covalently linked PPV derivative: Electrochemical quartz crystal microbalance study in acetonitrile solutions of tetra-n-butylammonium cations. <i>Journal of Applied Polymer Science</i> , 2002, 86, 2737-2741.	2.6	4
500	Polymer light-emitting electrochemical cell based on a block copolymer containing tri(ethyleneoxide) spacers. <i>Polymers for Advanced Technologies</i> , 2002, 13, 663-669.	3.2	11
501	Two reduction processes of conducting polypyrrole tosylate film in aqueous solutions. <i>Journal of Applied Polymer Science</i> , 2001, 79, 350-355.	2.6	8
502	Synthesis and properties of alkyl-substituted poly(1,4-phenylenevinylene) derivatives. <i>Journal of Applied Polymer Science</i> , 2001, 80, 1299-1304.	2.6	1
503	Luminescent Block Copolymer Containing PEO-Like Segments for Polymer Light-Emitting Devices. <i>Molecular Crystals and Liquid Crystals</i> , 1999, 337, 473-476.	0.3	14
504	Synthesis and electrochemical characterization of soluble poly(p-phenylene vinylene) derivatives containing olefinic bonds at the side chain. <i>Journal of Applied Polymer Science</i> , 1999, 73, 2535-2539.	2.6	5

#	ARTICLE	IF	CITATIONS
505	Electrochemical properties of luminescent polymers and polymer light-emitting electrochemical cells. Synthetic Metals, 1999, 99, 243-248.	3.9	809
506	Effect of Substituents on the Redox Potentials of C ₆₀ Derivatives. Fullerenes, Nanotubes, and Carbon Nanostructures, 1998, 6, 963-980.	0.6	4
507	Effect of Solvents and Supporting Electrolytes on the Electrochemical Properties of C ₇₀ and its Comparison with C ₆₀ . Fullerenes, Nanotubes, and Carbon Nanostructures, 1997, 5, 1563-1577.	0.6	3
508	Effect of electrolyte concentration on the properties of the electropolymerized polypyrrole films. Journal of Applied Polymer Science, 1997, 65, 2739-2744.	2.6	29
509	Protonic Acid Doping Form in Poly(N-methylpyrrole). Polymer Journal, 1996, 28, 742-746.	2.7	10
510	Influence of the doped counteranions on the penetration of H ⁺ cations through poly(N-methylpyrrole). Journal of Applied Polymer Science, 1996, 59, 1827-1832.	2.6	10
511	Anion dominated electrochemical process of poly(N-methylpyrrole). Journal of Applied Polymer Science, 1996, 61, 1487-1491.	2.6	2
512	Behavior of the High Temperature Conductivity of Polypyrrole Nitrate Films. Polymer Journal, 1994, 26, 535-538.	2.7	14
513	All-in-one strategy: overcome the challenges in the device enlargement of perovskite solar cells. Science China Chemistry, 0, , 1.	8.2	0