

Masanori Izumi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/106746/publications.pdf>

Version: 2024-02-01

65
papers

29,011
citations

87843

38
h-index

110317

64
g-index

66
all docs

66
docs citations

66
times ranked

37018
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Development of 1,8-naphthalimide dyes for rapid imaging of subcellular compartments in plants. <i>Chemical Communications</i> , 2022, 58, 1685-1688. | 2.2 | 5 |
| 2 | Chloroplast proteotoxic stress-induced autophagy is involved in the degradation of chloroplast proteins in <i>Chlamydomonas reinhardtii</i> . <i>Plant and Cell Physiology</i> , 2021, 62, e1-e31. | 1.5 | 1 |
| 3 | GFS9 Affects Piecemeal Autophagy of Plastids in Young Seedlings of <i>Arabidopsis thaliana</i> . <i>Plant and Cell Physiology</i> , 2021, 62, 1372-1386. | 1.5 | 3 |
| 4 | Mitophagy in plants. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2021, 1865, 129916. | 1.1 | 17 |
| 5 | Autophagy Contributes to the Quality Control of Leaf Mitochondria. <i>Plant and Cell Physiology</i> , 2021, 62, 229-247. | 1.5 | 37 |
| 6 | Chlorophagy does not require PLANT U-BOX4-mediated ubiquitination. <i>Plant Signaling and Behavior</i> , 2021, 16, 1861769. | 1.2 | 5 |
| 7 | RCB-mediated chlorophagy caused by oversupply of nitrogen suppresses phosphate-starvation stress in plants. <i>Plant Physiology</i> , 2021, 185, 318-330. | 2.3 | 12 |
| 8 | Development of potent inhibitors for strigolactone receptor DWARF 14. <i>Chemical Communications</i> , 2020, 56, 14917-14919. | 2.2 | 3 |
| 9 | Editorial: Organelle Autophagy in Plant Development. <i>Frontiers in Plant Science</i> , 2020, 11, 502. | 1.7 | 1 |
| 10 | Chloroplast Autophagy and Ubiquitination Combine to Manage Oxidative Damage and Starvation Responses. <i>Plant Physiology</i> , 2020, 183, 1531-1544. | 2.3 | 38 |
| 11 | Autophagy mitigates high-temperature injury in pollen development of <i>Arabidopsis thaliana</i> . <i>Developmental Biology</i> , 2019, 456, 190-200. | 0.9 | 26 |
| 12 | Roles of the Clock in Controlling Starch Metabolism. <i>Plant Physiology</i> , 2019, 179, 1441-1443. | 2.3 | 7 |
| 13 | Mitochondrial Dynamics for Pollen Development. <i>Plant Physiology</i> , 2019, 180, 686-687. | 2.3 | 1 |
| 14 | Autophagic Turnover of Chloroplasts: Its Roles and Regulatory Mechanisms in Response to Sugar Starvation. <i>Frontiers in Plant Science</i> , 2019, 10, 280. | 1.7 | 35 |
| 15 | How To Identify Autophagy Modulators. <i>Plant Physiology</i> , 2019, 181, 853-854. | 2.3 | 1 |
| 16 | Heat Shock Proteins Support Refolding and Shredding of Misfolded Proteins. <i>Plant Physiology</i> , 2019, 180, 1777-1778. | 2.3 | 13 |
| 17 | Chlorophagy is <i>ATG</i> gene-dependent microautophagy process. <i>Plant Signaling and Behavior</i> , 2019, 14, 1554469. | 1.2 | 21 |
| 18 | An additional role for chloroplast proteins as an amino acid reservoir for energy production during sugar starvation. <i>Plant Signaling and Behavior</i> , 2019, 14, 1552057. | 1.2 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Vacuolar Protein Degradation via Autophagy Provides Substrates to Amino Acid Catabolic Pathways as an Adaptive Response to Sugar Starvation in <i>Arabidopsis thaliana</i> . <i>Plant and Cell Physiology</i> , 2018, 59, 1363-1376. | 1.5 | 49 |
| 20 | The CCR4-NOT deadenylase complex controls Atg7-dependent cell death and heart function. <i>Science Signaling</i> , 2018, 11, . | 1.6 | 51 |
| 21 | <i>Atg9a</i> deficiency causes axon-specific lesions including neuronal circuit dysgenesis. <i>Autophagy</i> , 2018, 14, 764-777. | 4.3 | 82 |
| 22 | Discovery of Mitochondrial Endonucleases. <i>Plant Physiology</i> , 2018, 178, 1428-1429. | 2.3 | 0 |
| 23 | Deletion of exons encoding carboxypeptidase domain of <i>Nna1</i> results in Purkinje cell degeneration (<i>pcd</i>) phenotype. <i>Journal of Neurochemistry</i> , 2018, 147, 557-572. | 2.1 | 20 |
| 24 | Regulation of Chlorophagy during Photoinhibition and Senescence: Lessons from Mitophagy. <i>Plant and Cell Physiology</i> , 2018, 59, 1135-1143. | 1.5 | 50 |
| 25 | Selective Elimination of Membrane-Damaged Chloroplasts via Microautophagy. <i>Plant Physiology</i> , 2018, 177, 1007-1026. | 2.3 | 91 |
| 26 | Chloroplast Protein Turnover: The Influence of Extrplastidic Processes, Including Autophagy. <i>International Journal of Molecular Sciences</i> , 2018, 19, 828. | 1.8 | 51 |
| 27 | Entire Photodamaged Chloroplasts Are Transported to the Central Vacuole by Autophagy. <i>Plant Cell</i> , 2017, 29, 377-394. | 3.1 | 209 |
| 28 | Vacuolar digestion of entire damaged chloroplasts in <i>Arabidopsis thaliana</i> is accomplished by chlorophagy. <i>Autophagy</i> , 2017, 13, 1239-1240. | 4.3 | 15 |
| 29 | Partial or entire: Distinct responses of two types of chloroplast autophagy. <i>Plant Signaling and Behavior</i> , 2017, 12, e1393137. | 1.2 | 6 |
| 30 | L-leucine and SPNS1 coordinately ameliorate dysfunction of autophagy in mouse and human Niemann-Pick type C disease. <i>Scientific Reports</i> , 2017, 7, 15944. | 1.6 | 19 |
| 31 | Sequestosome 1/p62 Protein Is Associated with Autophagic Removal of Excess Hepatic Endoplasmic Reticulum in Mice. <i>Journal of Biological Chemistry</i> , 2016, 291, 18663-18674. | 1.6 | 65 |
| 32 | Structural and Functional Analysis of a Novel Interaction Motif within UFM1-activating Enzyme 5 (UBA5) Required for Binding to Ubiquitin-like Proteins and Ufmylation. <i>Journal of Biological Chemistry</i> , 2016, 291, 9025-9041. | 1.6 | 69 |
| 33 | Synthesis of Keap1-phosphorylated p62 and Keap1-Nrf2 protein-protein interaction inhibitors and their inhibitory activity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016, 26, 5956-5959. | 1.0 | 39 |
| 34 | Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222. | 4.3 | 4,701 |
| 35 | The unexpected role of polyubiquitin chains in the formation of fibrillar aggregates. <i>Nature Communications</i> , 2015, 6, 6116. | 5.8 | 75 |
| 36 | Autophagy Protects against Colitis by the Maintenance of Normal Gut Microflora and Secretion of Mucus. <i>Journal of Biological Chemistry</i> , 2015, 290, 20511-20526. | 1.6 | 85 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Proteotoxic Stress Induces Phosphorylation of p62/SQSTM1 by ULK1 to Regulate Selective Autophagic Clearance of Protein Aggregates. <i>PLoS Genetics</i> , 2015, 11, e1004987. | 1.5 | 250 |
| 38 | Establishment of Monitoring Methods for Autophagy in Rice Reveals Autophagic Recycling of Chloroplasts and Root Plastids during Energy Limitation. <i>Plant Physiology</i> , 2015, 167, 1307-1320. | 2.3 | 97 |
| 39 | Autophagy Supports Biomass Production and Nitrogen Use Efficiency at the Vegetative Stage in Rice. <i>Plant Physiology</i> , 2015, 168, 60-73. | 2.3 | 130 |
| 40 | From Arabidopsis to cereal crops: Conservation of chloroplast protein degradation by autophagy indicates its fundamental role in plant productivity. <i>Plant Signaling and Behavior</i> , 2015, 10, e1101199. | 1.2 | 10 |
| 41 | Transport of rice cyclobutane pyrimidine dimer photolyase into mitochondria relies on a targeting sequence located in its C-terminal internal region. <i>Plant Journal</i> , 2014, 79, 951-963. | 2.8 | 11 |
| 42 | Roles of autophagy in chloroplast recycling. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2014, 1837, 512-521. | 0.5 | 110 |
| 43 | LC3B is indispensable for selective autophagy of p62 but not basal autophagy. <i>Biochemical and Biophysical Research Communications</i> , 2014, 446, 309-315. | 1.0 | 52 |
| 44 | Proteasome Dysfunction Activates Autophagy and the Keap1-Nrf2 Pathway. <i>Journal of Biological Chemistry</i> , 2014, 289, 24944-24955. | 1.6 | 95 |
| 45 | Dissection of the role of p62/Sqstm1 in activation of Nrf2 during xenophagy. <i>FEBS Letters</i> , 2014, 588, 822-828. | 1.3 | 62 |
| 46 | Evidence for contribution of autophagy to Rubisco degradation during leaf senescence in <i>Arabidopsis thaliana</i> . <i>Plant, Cell and Environment</i> , 2013, 36, 1147-1159. | 2.8 | 79 |
| 47 | Deficiency of autophagy leads to significant changes of metabolic profiles in <i>Arabidopsis</i> . <i>Plant Signaling and Behavior</i> , 2013, 8, e25023. | 1.2 | 14 |
| 48 | Autophagy Contributes to Nighttime Energy Availability for Growth in Arabidopsis. <i>Plant Physiology</i> , 2013, 161, 1682-1693. | 2.3 | 124 |
| 49 | RBCS1A and RBCS3B, two major members within the Arabidopsis RBCS multigene family, function to yield sufficient Rubisco content for leaf photosynthetic capacity. <i>Journal of Experimental Botany</i> , 2012, 63, 2159-2170. | 2.4 | 98 |
| 50 | Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012, 8, 445-544. | 4.3 | 3,122 |
| 51 | Autophagy: Renovation of Cells and Tissues. <i>Cell</i> , 2011, 147, 728-741. | 13.5 | 4,844 |
| 52 | The changes of leaf carbohydrate contents as a regulator of autophagic degradation of chloroplasts via Rubisco-containing bodies during leaf senescence. <i>Plant Signaling and Behavior</i> , 2011, 6, 685-687. | 1.2 | 23 |
| 53 | PINK1 stabilized by mitochondrial depolarization recruits Parkin to damaged mitochondria and activates latent Parkin for mitophagy. <i>Journal of Cell Biology</i> , 2010, 189, 211-221. | 2.3 | 1,600 |
| 54 | The Autophagic Degradation of Chloroplasts via Rubisco-Containing Bodies Is Specifically Linked to Leaf Carbon Status But Not Nitrogen Status in Arabidopsis. <i>Plant Physiology</i> , 2010, 154, 1196-1209. | 2.3 | 143 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Autophagy Plays a Role in Chloroplast Degradation during Senescence in Individually Darkened Leaves. <i>Plant Physiology</i> , 2009, 149, 885-893. | 2.3 | 313 |
| 56 | A Role for NBR1 in Autophagosomal Degradation of Ubiquitinated Substrates. <i>Molecular Cell</i> , 2009, 33, 505-516. | 4.5 | 974 |
| 57 | Loss of the autophagy protein Atg16L1 enhances endotoxin-induced IL-1 β production. <i>Nature</i> , 2008, 456, 264-268. | 13.7 | 1,837 |
| 58 | Inhibition of Autophagy Prevents Hippocampal Pyramidal Neuron Death after Hypoxic-Ischemic Injury. <i>American Journal of Pathology</i> , 2008, 172, 454-469. | 1.9 | 443 |
| 59 | Mobilization of Rubisco and Stroma-Localized Fluorescent Proteins of Chloroplasts to the Vacuole by an <i>ATG</i> Gene-Dependent Autophagic Process. <i>Plant Physiology</i> , 2008, 148, 142-155. | 2.3 | 325 |
| 60 | Neuronal autophagy: Going the distance to the axon. <i>Autophagy</i> , 2008, 4, 94-96. | 4.3 | 48 |
| 61 | The Atg8 Conjugation System Is Indispensable for Proper Development of Autophagic Isolation Membranes in Mice. <i>Molecular Biology of the Cell</i> , 2008, 19, 4762-4775. | 0.9 | 424 |
| 62 | Essential role for autophagy protein Atg7 in the maintenance of axonal homeostasis and the prevention of axonal degeneration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 14489-14494. | 3.3 | 560 |
| 63 | Homeostatic Levels of p62 Control Cytoplasmic Inclusion Body Formation in Autophagy-Deficient Mice. <i>Cell</i> , 2007, 131, 1149-1163. | 13.5 | 1,925 |
| 64 | Loss of autophagy in the central nervous system causes neurodegeneration in mice. <i>Nature</i> , 2006, 441, 880-884. | 13.7 | 3,209 |
| 65 | Impairment of starvation-induced and constitutive autophagy in Atg7-deficient mice. <i>Journal of Cell Biology</i> , 2005, 169, 425-434. | 2.3 | 2,180 |