Chris Tselepis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10686205/publications.pdf Version: 2024-02-01



CHDIS TSFLEDIS

#	Article	IF	CITATIONS
1	lron-mediated epigenetic activation of NRF2 targets. Journal of Nutritional Biochemistry, 2022, 101, 108929.	4.2	13
2	A potential role for hepcidin in obesity-driven colorectal tumourigenesis. Oncology Reports, 2018, 39, 392-400.	2.6	6
3	IRP2 as a potential modulator of cell proliferation, apoptosis and prognosis in nonsmall cell lung cancer. European Respiratory Journal, 2017, 49, 1600711.	6.7	16
4	BRAF mutations are associated with increased iron regulatory proteinâ€⊋ expression in colorectal tumorigenesis. Cancer Science, 2017, 108, 1135-1143.	3.9	42
5	Modulation of iron transport, metabolism and reactive oxygen status by quercetin–iron complexes in vitro. Molecular Nutrition and Food Research, 2017, 61, 1600692.	3.3	27
6	The chelation of colonic luminal iron by a unique sodium alginate for the improvement of gastrointestinal health. Molecular Nutrition and Food Research, 2016, 60, 2098-2108.	3.3	11
7	Morphology of the ferritin iron core by aberration corrected scanning transmission electron microscopy. Nanotechnology, 2016, 27, 46LT02.	2.6	35
8	Serum hepcidin-25 and response to intravenous iron in patients with non-dialysis chronic kidney disease. Journal of Nephrology, 2015, 28, 81-88.	2.0	10
9	Alginate-Iron Speciation and Its Effect on In Vitro Cellular Iron Metabolism. PLoS ONE, 2015, 10, e0138240.	2.5	21
10	Iron Chelation in the Treatment of Cancer: A New Role for Deferasirox?. Journal of Clinical Pharmacology, 2013, 53, 885-891.	2.0	70
11	The Iron Chelator, Deferasirox, as a Novel Strategy for Cancer Treatment: Oral Activity Against Human Lung Tumor Xenografts and Molecular Mechanism of Action. Molecular Pharmacology, 2013, 83, 179-190.	2.3	106
12	Luminal Iron Levels Govern Intestinal Tumorigenesis after Apc Loss InÂVivo. Cell Reports, 2012, 2, 270-282.	6.4	106
13	Erythrocyte pyruvate kinase deficiency in an oldâ€order Amish cohort: Longitudinal risk and disease management. American Journal of Hematology, 2011, 86, 827-834.	4.1	33
14	Differential ferritin expression is associated with iron deficiency in coeliac disease. European Journal of Gastroenterology and Hepatology, 2009, 21, 794-804.	1.6	19
15	Results of the first international round robin for the quantification of urinary and plasma hepcidin assays: need for standardization. Haematologica, 2009, 94, 1748-1752.	3.5	161
16	Proteomic profiling of urine for the detection of colon cancer. Proteome Science, 2008, 6, 19.	1.7	56
17	SELDI-TOF-MS determination of hepcidin in clinical samples using stable isotope labelled hepcidin as an internal standard. Proteome Science, 2008, 6, 28.	1.7	60
18	Overexpression of Cellular Iron Import Proteins Is Associated with Malignant Progression of Esophageal Adenocarcinoma. Clinical Cancer Research, 2008, 14, 379-387.	7.0	108

CHRIS TSELEPIS

#	Article	IF	CITATIONS
19	Overexpression of Slug is associated with malignant progression of esophageal adenocarcinoma. World Journal of Gastroenterology, 2008, 14, 1044.	3.3	68
20	Increased hepcidin expression in colorectal carcinogenesis. World Journal of Gastroenterology, 2008, 14, 1339.	3.3	87
21	Epithelial-mesenchymal transition mediated tumourigenesis in the gastrointestinal tract. World Journal of Gastroenterology, 2008, 14, 3792.	3.3	107
22	Mistaken Identity of Widely Used Esophageal Adenocarcinoma Cell Line TE-7. Cancer Research, 2007, 67, 7996-8001.	0.9	46
23	The effect of alginates on deoxycholic-acid-induced changes in oesophageal mucosal biology at pH 4. Journal of Biomaterials Science, Polymer Edition, 2007, 18, 317-333.	3.5	6
24	Tumour necrosis factor α causes hypoferraemia and reduced intestinal iron absorption in mice. Biochemical Journal, 2006, 397, 61-67.	3.7	120
25	Slug Regulates Integrin Expression and Cell Proliferation in Human Epidermal Keratinocytes. Journal of Biological Chemistry, 2006, 281, 21321-21331.	3.4	78
26	A role for tumour necrosis factor α in human small bowel iron transport. Biochemical Journal, 2005, 390, 437-446.	3.7	44
27	Tumour necrosis factor-α in Barrett's oesophagus: a potential novel mechanism of action. Oncogene, 2002, 21, 6071-6081.	5.9	180
28	The biochemical characterization of aggrecan from normal and tibial-dyschondroplastic chicken growth-plate cartilage. Biochemical Journal, 2000, 351, 517.	3.7	2
29	The biochemical characterization of aggrecan from normal and tibial-dyschondroplastic chicken growth-plate cartilage. Biochemical Journal, 2000, 351, 517-525.	3.7	3
30	Barrett's metaplasia. Lancet, The, 2000, 356, 2079-2085.	13.7	315
31	Expression and distribution of cartilage matrix macromolecules in Avian tibial dyschondroplasia. Avian Pathology, 1996, 25, 305-324.	2.0	19