

# David Mischoulon

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1068849/publications.pdf>

Version: 2024-02-01

158  
papers

5,455  
citations

117571

34  
h-index

98753

67  
g-index

161  
all docs

161  
docs citations

161  
times ranked

6312  
citing authors

#	ARTICLE	IF	CITATIONS
1	Nutritional medicine as mainstream in psychiatry. <i>Lancet Psychiatry</i> , 2015, 2, 271-274.	3.7	375
2	Adjunctive Nutraceuticals for Depression: A Systematic Review and Meta-Analyses. <i>American Journal of Psychiatry</i> , 2016, 173, 575-587.	4.0	315
3	S-Adenosyl Methionine (SAME) Augmentation of Serotonin Reuptake Inhibitors for Antidepressant Nonresponders With Major Depressive Disorder: A Double-Blind, Randomized Clinical Trial. <i>American Journal of Psychiatry</i> , 2010, 167, 942-948.	4.0	275
4	Diet and depression: exploring the biological mechanisms of action. <i>Molecular Psychiatry</i> , 2021, 26, 134-150.	4.1	265
5	Folate in Depression. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 12-17.	1.1	256
6	Omega-3 for Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2012, 73, 81-86.	1.1	218
7	A Double-Blind, Randomized, Placebo-Controlled Clinical Trial of S-Adenosyl-Methionine (SAME) Versus Escitalopram in Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2014, 75, 370-376.	1.1	129
8	Effects of smartphone use with and without blue light at night in healthy adults: A randomized, double-blind, cross-over, placebo-controlled comparison. <i>Journal of Psychiatric Research</i> , 2017, 87, 61-70.	1.5	122
9	Repeat-dose ketamine augmentation for treatment-resistant depression with chronic suicidal ideation: A randomized, double blind, placebo controlled trial. <i>Journal of Affective Disorders</i> , 2019, 243, 516-524.	2.0	120
10	International Society for Nutritional Psychiatry Research Practice Guidelines for Omega-3 Fatty Acids in the Treatment of Major Depressive Disorder. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 263-273.	4.0	114
11	Effects of Mindfulness-Based Cognitive Therapy on Body Awareness in Patients with Chronic Pain and Comorbid Depression. <i>Frontiers in Psychology</i> , 2016, 7, 967.	1.1	110
12	S-Adenosylmethionine (SAME) for Neuropsychiatric Disorders. <i>Journal of Clinical Psychiatry</i> , 2017, 78, e656-e667.	1.1	110
13	Depression and eating disorders: Treatment and course. <i>Journal of Affective Disorders</i> , 2011, 130, 470-477.	2.0	104
14	Rapid and Sustained Reductions in Current Suicidal Ideation Following Repeated Doses of Intravenous Ketamine. <i>Journal of Clinical Psychiatry</i> , 2016, 77, e719-e725.	1.1	100
15	Near-Infrared Transcranial Radiation for Major Depressive Disorder: Proof of Concept Study. <i>Psychiatry Journal</i> , 2015, 2015, 1-8.	0.7	90
16	Role of S-adenosyl-L-methionine in the treatment of depression: a review of the evidence. <i>American Journal of Clinical Nutrition</i> , 2002, 76, 1158S-61S.	2.2	86
17	Ketamine augmentation for outpatients with treatment-resistant depression: Preliminary evidence for two-step intravenous dose escalation. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 55-64.	1.3	84
18	Reduced orbitofrontal-thalamic functional connectivity related to suicidal ideation in patients with major depressive disorder. <i>Scientific Reports</i> , 2017, 7, 15772.	1.6	83

#	ARTICLE	IF	CITATIONS
19	International Society for Nutritional Psychiatry Research consensus position statement: nutritional medicine in modern psychiatry. <i>World Psychiatry</i> , 2015, 14, 370-371.	4.8	81
20	A Double-Blind, Randomized Controlled Trial of Ethyl-Eicosapentaenoate for Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1636-1644.	1.1	79
21	A Double-Blind, Randomized, Pilot Dose-Finding Study of Maca Root ( <i>L. Meyenii</i> ) for the Management of SSRI-Induced Sexual Dysfunction. <i>CNS Neuroscience and Therapeutics</i> , 2008, 14, 182-191.	1.9	76
22	Transcranial Photobiomodulation for the Treatment of Major Depressive Disorder. The ELATED-2 Pilot Trial. <i>Photomedicine and Laser Surgery</i> , 2018, 36, 634-646.	2.1	73
23	Serum lipids, recent suicide attempt and recent suicide status in patients with major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 51, 113-118.	2.5	70
24	Strategies for Managing Depression Refractory to Selective Serotonin Reuptake Inhibitor Treatment: A Survey of Clinicians. <i>Canadian Journal of Psychiatry</i> , 2000, 45, 476-481.	0.9	69
25	A Double-Blind, Randomized Controlled Clinical Trial Comparing Eicosapentaenoic Acid Versus Docosahexaenoic Acid for Depression. <i>Journal of Clinical Psychiatry</i> , 2015, 76, 54-61.	1.1	65
26	Monitoring Changes in Depression Severity Using Wearable and Mobile Sensors. <i>Frontiers in Psychiatry</i> , 2020, 11, 584711.	1.3	61
27	Inflammatory cytokines in major depressive disorder: A case-control study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 23-31.	1.3	60
28	Omega-3 Fatty Acids in Psychiatry. <i>Psychiatric Clinics of North America</i> , 2013, 36, 15-23.	0.7	58
29	S-adenosyl methionine (SAME) versus escitalopram and placebo in major depression RCT: Efficacy and effects of histamine and carnitine as moderators of response. <i>Journal of Affective Disorders</i> , 2014, 164, 76-81.	2.0	53
30	Clinician guidelines for the treatment of psychiatric disorders with nutraceuticals and phytoceuticals: The World Federation of Societies of Biological Psychiatry (WFSBP) and Canadian Network for Mood and Anxiety Treatments (CANMAT) Taskforce. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 424-455.	1.3	49
31	Paraquat Prohibition and Change in the Suicide Rate and Methods in South Korea. <i>PLoS ONE</i> , 2015, 10, e0128980.	1.1	47
32	Poor sleep quality and suicide attempt among adults with internet addiction: A nationwide community sample of Korea. <i>PLoS ONE</i> , 2017, 12, e0174619.	1.1	47
33	Telomere length and telomerase in a well-characterized sample of individuals with major depressive disorder compared to controls. <i>Psychoneuroendocrinology</i> , 2015, 58, 9-22.	1.3	45
34	Association of Race and Ethnicity With Late-Life Depression Severity, Symptom Burden, and Care. <i>JAMA Network Open</i> , 2020, 3, e201606.	2.8	44
35	Nutraceuticals for major depressive disorder- more is not merrier: An 8-week double-blind, randomised, controlled trial. <i>Journal of Affective Disorders</i> , 2019, 245, 1007-1015.	2.0	42
36	Feelings of worthlessness, traumatic experience, and their comorbidity in relation to lifetime suicide attempt in community adults with major depressive disorder. <i>Journal of Affective Disorders</i> , 2014, 166, 206-212.	2.0	40

#	ARTICLE	IF	CITATIONS
37	Effect of Long-term Supplementation With Marine Omega-3 Fatty Acids vs Placebo on Risk of Depression or Clinically Relevant Depressive Symptoms and on Change in Mood Scores. <i>JAMA - Journal of the American Medical Association</i> , 2021, 326, 2385.	3.8	38
38	Dose- and time-dependent increase in circulating anti-inflammatory and pro-resolving lipid mediators following eicosapentaenoic acid supplementation in patients with major depressive disorder and chronic inflammation. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2021, 164, 102219.	1.0	37
39	An open pilot study of nefazodone in depression with anger attacks: relationship between clinical response and receptor binding. <i>Psychiatry Research - Neuroimaging</i> , 2002, 116, 151-161.	0.9	36
40	Development and validation study of the Smartphone Overuse Screening Questionnaire. <i>Psychiatry Research</i> , 2017, 257, 352-357.	1.7	36
41	Increased adrenocorticotrophic hormone (ACTH) levels predict severity of depression after six months of follow-up in outpatients with major depressive disorder. <i>Psychiatry Research</i> , 2018, 270, 246-252.	1.7	35
42	Prospective association between major depressive disorder and leukocyte telomere length over two years. <i>Psychoneuroendocrinology</i> , 2018, 90, 157-164.	1.3	32
43	A Double-Blind Placebo-Controlled Trial of Maca Root as Treatment for Antidepressant-Induced Sexual Dysfunction in Women. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015, 2015, 1-9.	0.5	30
44	Adjunctive S-adenosylmethionine (SAMe) in treating non-remittent major depressive disorder: An 8-week double-blind, randomized, controlled trial. <i>European Neuropsychopharmacology</i> , 2018, 28, 1126-1136.	0.3	29
45	Val66Met polymorphism association with serum BDNF and inflammatory biomarkers in major depression. <i>World Journal of Biological Psychiatry</i> , 2018, 19, 402-409.	1.3	28
46	Reported Side Effects, Weight and Blood Pressure, After Repeated Sessions of Transcranial Photobiomodulation. <i>Photobiomodulation, Photomedicine, and Laser Surgery</i> , 2019, 37, 651-656.	0.7	28
47	Bioavailability of S-Adenosyl Methionine and Impact on Response in a Randomized, Double-Blind, Placebo-Controlled Trial in Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2012, 73, 843-848.	1.1	27
48	Anxiety symptoms are linked to new-onset suicidal ideation after six months of follow-up in outpatients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2015, 187, 183-187.	2.0	26
49	Effects of Open-Label, Adjunctive Ganaxolone on Persistent Depression Despite Adequate Antidepressant Treatment in Postmenopausal Women. <i>Journal of Clinical Psychiatry</i> , 2020, 81, .	1.1	25
50	Heart rate variability for treatment response between patients with major depressive disorder versus panic disorder: A 12-week follow-up study. <i>Journal of Affective Disorders</i> , 2019, 246, 157-165.	2.0	24
51	A Randomized Controlled Pilot Study on Mindfulness-Based Cognitive Therapy for Unipolar Depression in Patients With Chronic Pain. <i>Journal of Clinical Psychiatry</i> , 2018, 79, 26-34.	1.1	23
52	Tachyphylaxis in major depressive disorder: A review of the current state of research. <i>Journal of Affective Disorders</i> , 2019, 245, 488-497.	2.0	23
53	Predictive inflammatory biomarkers for change in suicidal ideation in major depressive disorder and panic disorder: A 12-week follow-up study. <i>Journal of Psychiatric Research</i> , 2021, 133, 73-81.	1.5	23
54	Update and Critique of Natural Remedies as Antidepressant Treatments. <i>Psychiatric Clinics of North America</i> , 2007, 30, 51-68.	0.7	22

#	ARTICLE	IF	CITATIONS
55	Update and Critique of Natural Remedies as Antidepressant Treatments. <i>Obstetrics and Gynecology Clinics of North America</i> , 2009, 36, 789-807.	0.7	22
56	A pilot study of acupuncture monotherapy in patients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2012, 141, 469-473.	2.0	22
57	Alcohol-induced disinhibition is associated with impulsivity, depression, and suicide attempt: A nationwide community sample of Korean adults. <i>Journal of Affective Disorders</i> , 2018, 227, 323-329.	2.0	22
58	A randomized controlled dosing study of Iyengar yoga and coherent breathing for the treatment of major depressive disorder: Impact on suicidal ideation and safety findings. <i>Complementary Therapies in Medicine</i> , 2018, 37, 136-142.	1.3	21
59	Thyroid stimulating hormone and serum, plasma, and platelet brain-derived neurotrophic factor during a 3-month follow-up in patients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2014, 169, 112-117.	2.0	20
60	Double-blind, proof-of-concept (POC) trial of Low-Field Magnetic Stimulation (LFMS) augmentation of antidepressant therapy in treatment-resistant depression (TRD). <i>Brain Stimulation</i> , 2018, 11, 75-84.	0.7	20
61	Gender Differences in Somatic Symptoms and Current Suicidal Risk in Outpatients with Major Depressive Disorder. <i>Psychiatry Investigation</i> , 2016, 13, 609.	0.7	19
62	Effect of Korean Red Ginseng in individuals exposed to high stress levels: a 6-week, double-blind, randomized, placebo-controlled trial. <i>Journal of Ginseng Research</i> , 2019, 43, 402-407.	3.0	19
63	EPA and DHA as markers of nutraceutical treatment response in major depressive disorder. <i>European Journal of Nutrition</i> , 2020, 59, 2439-2447.	1.8	19
64	S-Adenosylmethionine (SAMe) monotherapy for depression: an 8-week double-blind, randomised, controlled trial. <i>Psychopharmacology</i> , 2020, 237, 209-218.	1.5	19
65	Plant-based Medicines (Phytoceuticals) in the Treatment of Psychiatric Disorders: A Meta-review of Meta-analyses of Randomized Controlled Trials: Les médicaments à base de plantes (phytoceutiques) dans le traitement des troubles psychiatriques: une méta-revue des méta-analyses d'essais randomisés contrôlés. <i>Canadian Journal of Psychiatry</i> , 2021, 66, 849-862.	0.9	19
66	Mechanisms of Perceived Treatment Assignment and Subsequent Expectancy Effects in a Double Blind Placebo Controlled RCT of Major Depression. <i>Frontiers in Psychiatry</i> , 2018, 9, 424.	1.3	18
67	Increased Morbidity of Major Depressive Disorder After Thyroidectomy: A Nationwide Population-Based Study in South Korea. <i>Thyroid</i> , 2019, 29, 1713-1722.	2.4	18
68	Effects of transcranial photobiomodulation with near-infrared light on sexual dysfunction. <i>Lasers in Surgery and Medicine</i> , 2019, 51, 127-135.	1.1	18
69	Long-term outcome in outpatients with depression treated with acute and maintenance intravenous ketamine: A retrospective chart review. <i>Journal of Affective Disorders</i> , 2020, 276, 660-666.	2.0	18
70	Reduced Venous Blood Basophil Count and Anxious Depression in Patients with Major Depressive Disorder. <i>Psychiatry Investigation</i> , 2016, 13, 321.	0.7	18
71	Comparison of treatment selections by Japanese and US psychiatrists for major depressive disorder: A case vignette study. <i>Psychiatry and Clinical Neurosciences</i> , 2015, 69, 553-562.	1.0	17
72	Screening for Suicide Risk in the College Population. <i>Journal of Rational - Emotive and Cognitive - Behavior Therapy</i> , 2015, 33, 78-94.	1.0	17

#	ARTICLE	IF	CITATIONS
73	Mindfulness-Based Cognitive Therapy Improves Cognitive Functioning and Flexibility Among Individuals with Elevated Depressive Symptoms. <i>Mindfulness</i> , 2018, 9, 1457-1469.	1.6	17
74	Deformities of the Globus Pallidus are Associated with Severity of Suicidal Ideation and Impulsivity in Patients with Major Depressive Disorder. <i>Scientific Reports</i> , 2019, 9, 7462.	1.6	17
75	Efficacy and safety of a form of cranial electrical stimulation (CES) as an add-on intervention for treatment-resistant major depressive disorder: A three week double blind pilot study. <i>Journal of Psychiatric Research</i> , 2015, 70, 98-105.	1.5	16
76	Longer-term open-label study of adjunctive riluzole in treatment-resistant depression. <i>Journal of Affective Disorders</i> , 2019, 258, 102-108.	2.0	16
77	Prevalence of MTHFR C677T and MS A2756G polymorphisms in major depressive disorder, and their impact on response to fluoxetine treatment. <i>CNS Spectrums</i> , 2012, 17, 76-86.	0.7	15
78	Celebrity Suicides and Their Differential Influence on Suicides in the General Population: A National Population-Based Study in Korea. <i>Psychiatry Investigation</i> , 2015, 12, 204.	0.7	15
79	Association between physician beliefs regarding assigned treatment and clinical response: Re-analysis of data from the Hypericum Depression Trial Study Group. <i>Asian Journal of Psychiatry</i> , 2015, 13, 23-29.	0.9	15
80	Mindfulness-based cognitive therapy for depressed individuals improves suppression of irrelevant mental-sets. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 277-282.	1.8	15
81	Low-Dose Testosterone Augmentation for Antidepressant-Resistant Major Depressive Disorder in Women: An 8-Week Randomized Placebo-Controlled Study. <i>American Journal of Psychiatry</i> , 2020, 177, 965-973.	4.0	15
82	Risks of Completed Suicide of Community Individuals with ICD-10 Disorders Across Age Groups: A Nationwide Population-Based Nested Case-Control Study in South Korea. <i>Psychiatry Investigation</i> , 2019, 16, 314-324.	0.7	15
83	The effect of vitamin D supplementation on depressive symptoms in adults: A systematic review and meta-analysis of randomized controlled trials. <i>Critical Reviews in Food Science and Nutrition</i> , 2023, 63, 11784-11801.	5.4	15
84	Sleep Quality, Posttraumatic Stress, Depression, and Human Errors in Train Drivers: A Population-Based Nationwide Study in South Korea. <i>Sleep</i> , 2014, 37, 1969-1975.	0.6	14
85	The role of folate in depression and dementia. <i>Journal of Clinical Psychiatry</i> , 2007, 68 Suppl 10, 28-33.	1.1	14
86	A case control series for the effect of photobiomodulation in patients with low back pain and concurrent depression. <i>Laser Therapy</i> , 2018, 27, 167-173.	0.8	13
87	Binge eating, trauma, and suicide attempt in community adults with major depressive disorder. <i>PLoS ONE</i> , 2018, 13, e0198192.	1.1	13
88	Predictive factors of diagnostic conversion from major depressive disorder to bipolar disorder in young adults ages 19-34: A nationwide population study in South Korea. <i>Journal of Affective Disorders</i> , 2020, 265, 52-58.	2.0	13
89	A multi-national, multi-disciplinary Delphi consensus study on using omega-3 polyunsaturated fatty acids (n-3 PUFAs) for the treatment of major depressive disorder. <i>Journal of Affective Disorders</i> , 2020, 265, 233-238.	2.0	12
90	Pre-treatment peripheral biomarkers associated with treatment response in panic symptoms in patients with major depressive disorder and panic disorder: A 12-week follow-up study. <i>Comprehensive Psychiatry</i> , 2019, 95, 152140.	1.5	11

#	ARTICLE	IF	CITATIONS
91	Risks of suicide attempts after prescription of zolpidem in people with depression: a nationwide population study in South Korea. <i>Sleep</i> , 2020, 43, .	0.6	11
92	Are Nutritional Supplements Ready for Prime Time?. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 1497-1498.	1.1	11
93	Transfer to a New Psychopharmacologist: Its Effect on Patients. <i>Academic Psychiatry</i> , 2000, 24, 156-163.	0.4	10
94	Influence of anxiety symptoms on improvement of neurocognitive functions in patients with major depressive disorder: A 12-week, multicenter, randomized trial of tianeptine versus escitalopram, the CAMPION study. <i>Journal of Affective Disorders</i> , 2015, 185, 24-30.	2.0	10
95	Lifetime suicidal ideation and attempt in adults with full major depressive disorder versus sustained depressed mood. <i>Journal of Affective Disorders</i> , 2016, 203, 275-280.	2.0	10
96	Popular Herbal and Natural Remedies Used in Psychiatry. <i>Focus (American Psychiatric Publishing)</i> , 2018, 16, 2-11.	0.4	10
97	An Approach to the Patient Seeking Psychiatric Disability Benefits. <i>Academic Psychiatry</i> , 1999, 23, 128-136.	0.4	9
98	Community-Delivered Heated Hatha Yoga as a Treatment for Depressive Symptoms: An Uncontrolled Pilot Study. <i>Journal of Alternative and Complementary Medicine</i> , 2019, 25, 814-823.	2.1	9
99	Major depressive disorder and insomnia: Exploring a hypothesis of a common neurological basis using waking and sleep-derived heart rate variability. <i>Journal of Psychiatric Research</i> , 2020, 123, 89-94.	1.5	9
100	Association of smartphone overuse with depression, anxiety, and other addictive behaviors: A nationwide community sample of Korean adults. <i>Psychiatry Research</i> , 2021, 304, 114133.	1.7	9
101	Ziprasidone Augmentation of Escitalopram for Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2017, 78, 449-455.	1.1	9
102	Review of Suicide Prevention Programs: Massachusetts, United States, in Comparison with Seoul. <i>Psychiatry Investigation</i> , 2015, 12, 281.	0.7	9
103	Dose increase of S-Adenosyl-Methionine and escitalopram in a randomized clinical trial for major depressive disorder. <i>Journal of Affective Disorders</i> , 2020, 262, 118-125.	2.0	8
104	All Suicidal Ideation Is Not Created Equal: Two Cases of Suicide Attempts During Maintenance Ketamine Treatment. <i>American Journal of Psychiatry</i> , 2020, 177, 173-174.	4.0	8
105	Metabolic Syndrome in Dutch Patients With Bipolar Disorder. <i>primary care companion for CNS disorders, The</i> , 2018, 20, .	0.2	8
106	Diet and depression: future needs to unlock the potential. <i>Molecular Psychiatry</i> , 2022, 27, 778-780.	4.1	8
107	Ratio of plasma BDNF to leptin levels are associated with treatment response in major depressive disorder but not in panic disorder: A 12-week follow-up study. <i>Journal of Affective Disorders</i> , 2019, 259, 349-354.	2.0	7
108	Multiple types of somatic pain increase suicide attempts and depression: A nationwide community sample of Korean adults. <i>Comprehensive Psychiatry</i> , 2019, 90, 43-48.	1.5	7

#	ARTICLE	IF	CITATIONS
109	Paranoid Ideation Without Psychosis Is Associated With Depression, Anxiety, and Suicide Attempts in General Population. <i>Journal of Nervous and Mental Disease</i> , 2019, 207, 826-831.	0.5	7
110	Association of anger attacks with suicidal ideation in adults with major depressive disorder: Findings from the EMBARC study. <i>Depression and Anxiety</i> , 2021, 38, 57-66.	2.0	7
111	Increased metabolic variability is associated with newly diagnosed depression: A nationwide cohort study. <i>Journal of Affective Disorders</i> , 2021, 294, 786-793.	2.0	7
112	Comparisons of Subthreshold Versus Full Posttraumatic Stress Disorder Distinguished by Subjective Functional Impairment Among Train Drivers: A Population-Based Nationwide Study in South Korea. <i>Psychiatry Investigation</i> , 2017, 14, 1.	0.7	7
113	Rising early warning signals in affect associated with future changes in depression: a dynamical systems approach. <i>Psychological Medicine</i> , 2023, 53, 3124-3132.	2.7	7
114	Four-Week Mentalizing Imagery Therapy for Family Dementia Caregivers: A Randomized Controlled Trial with Neural Circuit Changes. <i>Psychotherapy and Psychosomatics</i> , 2022, 91, 180-189.	4.0	7
115	Current Role of Herbal and Natural Preparations. <i>Handbook of Experimental Pharmacology</i> , 2018, 250, 225-252.	0.9	6
116	Yoga for the treatment of depression: Five questions to move the evidence-base forward. <i>Complementary Therapies in Medicine</i> , 2019, 46, 153-157.	1.3	6
117	Comparison of suicide attempts in individuals with major depressive disorder with and without history of subthreshold hypomania: A nationwide community sample of Korean adults. <i>Journal of Affective Disorders</i> , 2019, 248, 18-25.	2.0	6
118	Anger attacks are associated with persistently elevated irritability in MDD: findings from the EMBARC study. <i>Psychological Medicine</i> , 2020, , 1-9.	2.7	6
119	High Bodyweight Variability Increases Depression Risk in Patients With Type 2 Diabetes Mellitus: A Nationwide Cohort Study in Korea. <i>Frontiers in Psychiatry</i> , 2021, 12, 765129.	1.3	6
120	Efficacy of ziprasidone monotherapy in patients with anxious depression: A 12-week, randomized, double-blind, placebo-controlled, sequential-parallel comparison trial. <i>Journal of Psychiatric Research</i> , 2015, 62, 56-61.	1.5	5
121	Loss of sexual interest and premenstrual mood change in women with postpartum versus non-postpartum depression: A nationwide community sample of Korean adults. <i>Journal of Affective Disorders</i> , 2016, 191, 222-229.	2.0	5
122	Complementary and Integrative Medicine and Psychiatry. <i>Focus (American Psychiatric Publishing)</i> , 2018, 16, 1-1.	0.4	5
123	Anxiety attacks with or without life-threatening situations, major depressive disorder, and suicide attempt: a nationwide community sample of Korean adults. <i>Psychiatry Research</i> , 2018, 270, 257-263.	1.7	5
124	Design and Methods of the Korean National Investigations of 70,000 Suicide Victims Through Police Records (The KNIGHTS Study). <i>Psychiatry Investigation</i> , 2019, 16, 777-788.	0.7	5
125	"The Matrix": An Allegory of the Psychoanalytic Journey. <i>Academic Psychiatry</i> , 2004, 28, 71-77.	0.4	4
126	Cross-national differences in hypochondriasis symptoms between Korean and American outpatients with major depressive disorder. <i>Psychiatry Research</i> , 2016, 245, 127-132.	1.7	4



#	ARTICLE	IF	CITATIONS
127	Does folic acid interfere with lamotrigine?. <i>Lancet Psychiatry</i> , 2016, 3, 704-705.	3.7	4
128	Bullying, Psychological, and Physical Trauma During Early Life Increase Risk of Major Depressive Disorder in Adulthood: A Nationwide Community Sample of Korean Adults. <i>Frontiers in Psychiatry</i> , 2022, 13, 792734.	1.3	4
129	COVID-19 vaccine: A 2021 analysis of perceptions on vaccine safety and promise in a U.S. sample. <i>PLoS ONE</i> , 2022, 17, e0268784.	1.1	4
130	A preliminary open study of the tolerability and effectiveness of nefazodone in major depressive disorder: Comparing patients who recently discontinued an ssri with those on no recent antidepressant treatment. <i>Depression and Anxiety</i> , 2004, 19, 43-50.	2.0	3
131	Treatment for Anxiety and Comorbid Depressive Disorders: Transdiagnostic Cognitive-Behavioral Strategies. <i>Psychiatric Annals</i> , 2021, 51, 226-230.	0.1	3
132	Complementary Medicine and Natural Medications in Psychiatry: A Guide for the Consultation-Liaison Psychiatrist. <i>Psychosomatics</i> , 2020, 61, 508-517.	2.5	2
133	Obsessive Thought, Compulsive Behavior, and Their Associations With Suicide Ideation and Attempts and Major Depressive Disorder. <i>Journal of Nervous and Mental Disease</i> , 2021, Publish Ahead of Print, 820-828.	0.5	2
134	Depressed Chinese Americans present predominantly psychological symptoms: A new trend or different outcomes due to methodological differences?. <i>Asian Journal of Psychiatry</i> , 2021, 61, 102684.	0.9	2
135	Obstructive Sleep Apnea as a Complication of Bipolar Disorder and Its Treatment: A Review and Approach to Management. <i>primary care companion for CNS disorders</i> , 2017, 19, .	0.2	2
136	Agoraphobia and Follicle-Stimulating Hormone Levels between Tamoxifen and Goserelin versus Tamoxifen Alone in Premenopausal Hormone Receptor-Positive Breast Cancer: A 12-Month Prospective Randomized Study. <i>Psychiatry Investigation</i> , 2017, 14, 491.	0.7	2
137	Atypical psychotic symptoms in a Hispanic population: diagnostic dilemmas and implications for treatment. <i>Psychiatry</i> , 2005, 2, 38-46.	0.3	2
138	High body weight variability is associated with increased risk of depression: a nationwide cohort study in South Korea. <i>Psychological Medicine</i> , 2022, , 1-9.	2.7	2
139	Pilot study of genome-wide differences in DNA methylation among older adults with normal cognition and mild cognitive impairment, with and without neuropsychiatric symptoms. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	2
140	In Latinos with major depressive disorder, do "soft psychotic"™ symptoms merit augmentation with atypical antipsychotics?. <i>International Journal of Culture and Mental Health</i> , 2014, 7, 370-371.	0.6	1
141	Major depressive disorder with psychosis-like symptoms in Latinos: treatment with and without antipsychotic augmentation. <i>International Journal of Culture and Mental Health</i> , 2015, 8, 137-149.	0.6	1
142	Comparison of Initial Psychological Treatment Selections by US and Japanese Early-Career Psychiatrists for Patients with Major Depression: A Case Vignette Study. <i>Academic Psychiatry</i> , 2016, 40, 235-241.	0.4	1
143	Heat: A New Approach to Treating Depression?. <i>Focus (American Psychiatric Publishing)</i> , 2017, 15, 6s-7s.	0.4	1
144	Commentary on "Accelerated DNA Methylation Aging in U.S. Military Veterans: Results From the National Health and Resilience in Veterans Study". <i>American Journal of Geriatric Psychiatry</i> , 2019, 27, 533-535.	0.6	1

#	ARTICLE	IF	CITATIONS
145	Comparisons Between Successful Versus Unsuccessful Switches From Benzodiazepines or Zolpidem (Z-Drug) to Controlled-Release Melatonin in Patients With Major Depressive Disorder and Insomnia. <i>Frontiers in Psychiatry</i> , 2020, 11, 444.	1.3	1
146	Protocol for studying racial/ethnic disparities in depression care using joint information from participant surveys and administrative claims databases: an observational cohort study. <i>BMJ Open</i> , 2020, 10, e033173.	0.8	1
147	A Patient With Electroconvulsive Therapyâ€‘resistant Major Depressive Disorder With a Full Response to Heated Yoga: A Case Report. <i>Journal of Psychiatric Practice</i> , 2021, 27, 486-491.	0.3	1
148	Mentalizing imagery therapy to augment skills training for dementia caregivers: Protocol for a randomized, controlled trial of a mobile application and digital phenotyping. <i>Contemporary Clinical Trials</i> , 2022, 116, 106737.	0.8	1
149	Effects of Electroacupuncture for Depression-Related Insomnia. <i>JAMA Network Open</i> , 2022, 5, e2220573.	2.8	1
150	Commentary On: Serum 25-Hydroxyvitamin D Levels and Depression in Older Adults a Dose-Response Meta-analysis of Orospective Cohort Studies. <i>American Journal of Geriatric Psychiatry</i> , 2019, 27, 1203-1205.	0.6	0
151	Dose-Dependent Effects of EPA Supplementation on Plasma Specialized Pro-Resolving Mediators in Major Depressive Disorder Patients with Chronic Inflammation. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa068_023.	0.1	0
152	Increased risk of depression before and after unilateral or bilateral oophorectomy: A self-controlled case series study using a nationwide cohort in South Korea. <i>Journal of Affective Disorders</i> , 2021, 285, 47-54.	2.0	0
153	Commentary on: â€‘Association Between Passive Body Heating by Hot Water Bathing Before Bedtime and Depressive Symptoms Among Community-Dwelling Older Adultsâ€‘: <i>American Journal of Geriatric Psychiatry</i> , 2021, , .	0.6	0
154	A Patient with Treatment-resistant Depression Who Achieved Remission with Heated Yoga: A Case Report. <i>Clinical Neuropsychopharmacology and Therapeutics</i> , 2021, 12, 12-17.	0.3	0
155	Geographic Regional Variation in Patterns of Racial and Ethnic Disparities in Late-Life Depression. <i>Innovation in Aging</i> , 2020, 4, 168-168.	0.0	0
156	Aggregating heart rate variability indices across sleep stage epochs ignores significant variance through the night. <i>Sleep Medicine</i> , 2022, 90, 262-266.	0.8	0
157	Effect of Long-term Supplementation With Marine Omega-3 Fatty Acids vs Placebo on Risk of Depressionâ€‘Reply. <i>JAMA - Journal of the American Medical Association</i> , 2022, 327, 1292.	3.8	0
158	Feasibility and acceptability of a virtual adaptation of mentalizing imagery therapy for Spanish language family dementia caregivers. <i>Alzheimer's and Dementia</i> , 2021, 17, e051184.	0.4	0