
Sean M Hays

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1068971/publications.pdf Version: 2024-02-01



SEAN M HAVS

#	Article	IF	CITATIONS
1	Human biomonitoring assessment values: Approaches and data requirements. International Journal of Hygiene and Environmental Health, 2011, 214, 348-360.	4.3	156
2	Guidelines for the derivation of Biomonitoring Equivalents: Report from the Biomonitoring Equivalents Expert Workshop. Regulatory Toxicology and Pharmacology, 2008, 51, S4-S15.	2.7	147
3	Sources of Variability in Biomarker Concentrations. Journal of Toxicology and Environmental Health - Part B: Critical Reviews, 2014, 17, 45-61.	6.5	133
4	Evaluation of Biomonitoring Data from the CDC National Exposure Report in a Risk Assessment Context: Perspectives across Chemicals. Environmental Health Perspectives, 2013, 121, 287-294.	6.0	126
5	A chronic oral reference dose for hexavalent chromiumâ€induced intestinal cancer. Journal of Applied Toxicology, 2014, 34, 525-536.	2.8	123
6	Guidelines for the communication of Biomonitoring Equivalents: Report from the Biomonitoring Equivalents Expert Workshop. Regulatory Toxicology and Pharmacology, 2008, 51, S16-S26.	2.7	99
7	Variation in Urinary Flow Rates According to Demographic Characteristics and Body Mass Index in NHANES: Potential Confounding of Associations between Health Outcomes and Urinary Biomarker Concentrations. Environmental Health Perspectives, 2015, 123, 293-300.	6.0	89
8	Biomonitoring Equivalents (BE) dossier for cadmium (Cd) (CAS No. 7440-43-9). Regulatory Toxicology and Pharmacology, 2008, 51, S49-S56.	2.7	82
9	Using Biomonitoring Equivalents to interpret human biomonitoring data in a public health risk context. Journal of Applied Toxicology, 2009, 29, 275-288.	2.8	81
10	Interpreting variability in population biomonitoring data: Role of elimination kinetics. Journal of Exposure Science and Environmental Epidemiology, 2012, 22, 398-408.	3.9	78
11	Biomonitoring Equivalents for inorganic arsenic. Regulatory Toxicology and Pharmacology, 2010, 58, 1-9.	2.7	71
12	Biomonitoring Equivalents for bisphenol A (BPA). Regulatory Toxicology and Pharmacology, 2010, 58, 18-24.	2.7	65
13	Biomonitoring Equivalents for selenium. Regulatory Toxicology and Pharmacology, 2014, 70, 333-339.	2.7	65
14	Derivation of Biomonitoring Equivalents for di-n-butyl phthalate (DBP), benzylbutyl phthalate (BzBP), and diethyl phthalate (DEP). Regulatory Toxicology and Pharmacology, 2009, 55, 259-267.	2.7	56
15	Biomonitoring Equivalents (BE) dossier for 2,4-dichlorophenoxyacetic acid (2,4-D) (CAS No. 94-75-7). Regulatory Toxicology and Pharmacology, 2008, 51, S37-S48.	2.7	51
16	Human biomonitoring as a pragmatic tool to support health risk management of chemicals – Examples under the EU REACH programme. Regulatory Toxicology and Pharmacology, 2011, 59, 125-132.	2.7	49
17	Biomonitoring Equivalents for DDT/DDE. Regulatory Toxicology and Pharmacology, 2011, 60, 172-180.	2.7	47
18	Evaluation of urinary speciated arsenic in NHANES: Issues in interpretation in the context of potential inorganic arsenic exposure. Regulatory Toxicology and Pharmacology, 2014, 69, 49-54.	2.7	47

SEAN M HAYS

#	Article	IF	CITATIONS
19	Screening of population level biomonitoring data from the Canadian Health Measures Survey in a risk-based context. Toxicology Letters, 2014, 231, 126-134.	0.8	43
20	Biomonitoring Equivalents for molybdenum. Regulatory Toxicology and Pharmacology, 2016, 77, 223-229.	2.7	40
21	Derivation of Biomonitoring Equivalents for di(2-ethylhexyl)phthalate (CAS No. 117-81-7). Regulatory Toxicology and Pharmacology, 2009, 55, 249-258.	2.7	38
22	Perspective on serum dioxin levels in the United States: an evaluation of the NHANES data. Journal of Exposure Science and Environmental Epidemiology, 2009, 19, 435-441.	3.9	37
23	Biomonitoring Equivalents for di-isononyl phthalate (DINP). Regulatory Toxicology and Pharmacology, 2011, 60, 181-188.	2.7	37
24	Interpreting human biomonitoring data in a public health risk context using Biomonitoring Equivalents. International Journal of Hygiene and Environmental Health, 2012, 215, 145-148.	4.3	37
25	Biomonitoring Equivalents (BE) dossier for acrylamide (AA) (CAS No. 79-06-1). Regulatory Toxicology and Pharmacology, 2008, 51, S57-S67.	2.7	36
26	Biomonitoring Data for 2,4-Dichlorophenoxyacetic Acid in the United States and Canada: Interpretation in a Public Health Risk Assessment Context Using Biomonitoring Equivalents. Environmental Health Perspectives, 2010, 118, 177-181.	6.0	36
27	Biomonitoring Equivalents for triclosan. Regulatory Toxicology and Pharmacology, 2010, 58, 10-17.	2.7	35
28	Biomonitoring Equivalents for deltamethrin. Regulatory Toxicology and Pharmacology, 2011, 60, 189-199.	2.7	35
29	Public health interpretation of trihalomethane blood levels in the United States: NHANES 1999–2004. Journal of Exposure Science and Environmental Epidemiology, 2010, 20, 255-262.	3.9	34
30	Hexavalent chromium reduction kinetics in rodent stomach contents. Chemosphere, 2012, 89, 487-493.	8.2	34
31	Chemical-specific screening criteria for interpretation of biomonitoring data for volatile organic compounds (VOCs) – Application of steady-state PBPK model solutions. Regulatory Toxicology and Pharmacology, 2010, 58, 33-44.	2.7	30
32	Biomonitoring-based risk assessment for hexabromocyclododecane (HBCD). International Journal of Hygiene and Environmental Health, 2011, 214, 179-187.	4.3	30
33	Biomonitoring Equivalents for benzene. Regulatory Toxicology and Pharmacology, 2012, 62, 62-73.	2.7	30
34	Screening-level Biomonitoring Equivalents for tiered interpretation of urinary 3-phenoxybenzoic acid (3-PBA) in a risk assessment context. Regulatory Toxicology and Pharmacology, 2018, 92, 29-38.	2.7	29
35	Biomonitoring equivalents for hexachlorobenzene. Regulatory Toxicology and Pharmacology, 2010, 58, 25-32.	2.7	27
36	Biomonitoring Equivalents (BE) dossier for toluene (CAS No. 108-88-3). Regulatory Toxicology and Pharmacology, 2008, 51, S27-S36.	2.7	26

SEAN M HAYS

#	Article	IF	CITATIONS
37	Derivation of Biomonitoring Equivalents for cyfluthrin. Regulatory Toxicology and Pharmacology, 2009, 55, 268-275.	2.7	25
38	Derivation of Biomonitoring Equivalent (BE) Values for 2,3,7,8-Tetrachlorodibenzo- <i>p</i> -Dioxin (TCDD) and Related Compounds: A Screening Tool for Interpretation of Biomonitoring Data in a Risk Assessment Context. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2008, 71, 1499-1508.	2.3	20
39	Biomonitoring Equivalents for 2,2′,4,4′,5-pentabromodiphenylether (PBDE-99). Regulatory Toxicology and Pharmacology, 2011, 60, 165-171.	2.7	20
40	2,4-D Exposure and risk assessment: Comparison of external dose and biomonitoring based approaches. Regulatory Toxicology and Pharmacology, 2012, 64, 481-489.	2.7	20
41	The role of human biological monitoring in health risk assessment. International Journal of Risk Assessment and Management, 2017, 20, 136.	0.1	20
42	Consideration of dosimetry in evaluation of <scp>ToxCast</scp> â,,¢ data. Journal of Applied Toxicology, 2011, 31, 741-751.	2.8	19
43	Evaluation of NHANES biomonitoring data for volatile organic chemicals in blood: Application of chemical-specific screening criteria. Journal of Exposure Science and Environmental Epidemiology, 2012, 22, 24-34.	3.9	19
44	Integration of mechanistic and pharmacokinetic information to derive oral reference dose and marginâ€ofâ€exposure values for hexavalent chromium. Journal of Applied Toxicology, 2018, 38, 351-365.	2.8	19
45	Biomonitoring Equivalents (BE) dossier for trihalomethanes. Regulatory Toxicology and Pharmacology, 2008, 51, S68-S77.	2.7	18
46	Implementing a framework for integrating toxicokinetics into human health risk assessment for agrochemicals. Regulatory Toxicology and Pharmacology, 2016, 75, 89-104.	2.7	18
47	Derivation of human Biomonitoring Guidance Values for chlorpyrifos using a physiologically based pharmacokinetic and pharmacodynamic model of cholinesterase inhibition. Regulatory Toxicology and Pharmacology, 2015, 71, 235-243.	2.7	16
48	Reduction of hexavalent chromium by fasted and fed human gastric fluid. II. Ex vivo gastric reduction modeling. Toxicology and Applied Pharmacology, 2016, 306, 120-133.	2.8	16
49	California biomonitoring data: Comparison to NHANES and interpretation in a risk assessment context. Regulatory Toxicology and Pharmacology, 2015, 73, 875-884.	2.7	12
50	Biomonitoring Equivalents for interpretation of urinary iodine. Regulatory Toxicology and Pharmacology, 2018, 94, 40-46.	2.7	12
51	Development of Screening Tools for the Interpretation of Chemical Biomonitoring Data. Journal of Toxicology, 2012, 2012, 1-10.	3.0	11
52	Biomonitoring Equivalents (BEs) for tetrabromobisphenol A. Regulatory Toxicology and Pharmacology, 2019, 102, 108-114.	2.7	10
53	Assessment of margin of exposure based on biomarkers in blood: An exploratory analysis. Regulatory Toxicology and Pharmacology, 2011, 61, 44-52.	2.7	9
54	Application of human biomonitoring (HBM) of chemical exposure in the characterisation of health risks under REACH. International Journal of Hygiene and Environmental Health, 2012, 215, 238-241.	4.3	9

SEAN M HAYS

#	Article	IF	CITATIONS
55	Risk assessment for children exposed to decabromodiphenyl (oxide) ether (deca) in the United States. Integrated Environmental Assessment and Management, 2006, 2, 2-12.	2.9	6
56	Interpreting Estrogen Screening Assays in the Context of Potency and Human Exposure Relative to Natural Exposures to Phytoestrogens. Birth Defects Research Part B: Developmental and Reproductive Toxicology, 2014, 101, 114-124.	1.4	6
57	Biomonitoring Equivalents for interpretation of silver biomonitoring data in a risk assessment context. International Journal of Hygiene and Environmental Health, 2016, 219, 521-526.	4.3	5
58	Extrapolation of plasma clearance to understand species differences in toxicokinetics of bisphenol A. Xenobiotica, 2018, 48, 891-897.	1.1	5
59	Derivation of Biomonitoring Equivalents for aluminium for the interpretation of population-level biomonitoring data. Regulatory Toxicology and Pharmacology, 2021, 122, 104913.	2.7	3
60	Risk assessment for children exposed to decabromodiphenyl (oxide) ether (Deca) in the United States. Integrated Environmental Assessment and Management, 2006, 2, 2-12.	2.9	3
61	Deriving Biomonitoring Equivalents for selected E- and P-series glycol ethers for public health risk assessment. International Journal of Hygiene and Environmental Health, 2016, 219, 88-100.	4.3	2
62	Derivation of biomonitoring equivalents (BE values) for bismuth. Regulatory Toxicology and Pharmacology, 2020, 114, 104672.	2.7	2
63	Risk assessment and Biomonitoring Equivalent for 2-ethylhexyl-2,3,4,5 tetrabromobenzoate (TBB) and tetrabromobenzoic acid (TBBA). Regulatory Toxicology and Pharmacology, 2017, 89, 186-192.	2.7	1