

Raziya Nadeem

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10689810/publications.pdf>

Version: 2024-02-01

32
papers

1,748
citations

361413

20
h-index

454955

30
g-index

32
all docs

32
docs citations

32
times ranked

1794
citing authors

#	ARTICLE	IF	CITATIONS
1	Synthesis of biochar-supported zinc oxide and graphene oxide/zinc oxide nanocomposites to remediate tartrazine dye from aqueous solution using fixed-bed column reactor. <i>Applied Nanoscience</i> (Switzerland), 2022, 12, 1491-1505.	3.1	6
2	Techniques in the synthesis of organometallic compounds of tungsten. <i>Reviews in Inorganic Chemistry</i> , 2020, 40, 1-45.	4.1	3
3	The role of hydrogen bonding in π - π stacking interactions in Ni(II) complex derived from triethanolamine: synthesis, crystal structure, antimicrobial, and DFT studies. <i>Research on Chemical Intermediates</i> , 2019, 45, 5649-5664.	2.7	11
4	Chemical pretreatments of <i>Trapa bispinosa</i> 's peel (TBP) biosorbent to enhance adsorption capacity for Pb(II). <i>Open Chemistry</i> , 2019, 17, 325-336.	1.9	9
5	Design and fabrication of electroconductive polymer nanocomposites with mechanical and thermal resistance. <i>Polymer International</i> , 2018, 67, 1203-1211.	3.1	2
6	Biosorption of Pb(II) onto immobilized and native <i>Mangifera indica</i> waste biomass. <i>Journal of Industrial and Engineering Chemistry</i> , 2016, 35, 185-194.	5.8	137
7	Reclamation of wastewater containing Cu(II) using alginate- <i>Mentha spicata</i> biomass. <i>Desalination and Water Treatment</i> , 2016, 57, 10700-10709.	1.0	2
8	Utilization of immobilized distillation sludges for bioremoval of Pb(II) and Zn(II) from hazardous aqueous streams. <i>Desalination and Water Treatment</i> , 2015, 55, 163-172.	1.0	1
9	Efficacy of physically pretreated <i>Mangifera indica</i> biomass for Cu ²⁺ and Zn ²⁺ sequestration. <i>Journal of Saudi Chemical Society</i> , 2015, 19, 23-35.	5.2	10
10	Characterization of chemically modified biosorbents from rice bran for biosorption of Ni(II). <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2015, 46, 82-88.	5.3	58
11	Exclusion of Zn(II) from aqueous solution using corncob (<i>Zea mays</i> stalk) after chemical modifications with inorganic acids and bases. <i>Desalination and Water Treatment</i> , 2014, 52, 5605-5610.	1.0	1
12	Potential of NaOH pretreated <i>Mangifera indica</i> waste biomass for the mitigation of Ni(II) and Co(II) from aqueous solutions. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2014, 45, 967-972.	5.3	24
13	A pretreated green biosorbent based on Neem leaves biomass for the removal of lead from wastewater. <i>Desalination and Water Treatment</i> , 2013, 51, 4459-4466.	1.0	27
14	Organic acids pretreatment effect on <i>Rosa bourbonia</i> phyto-biomass for removal of Pb(II) and Cu(II) from aqueous media. <i>Bioresource Technology</i> , 2013, 132, 446-452.	9.6	174
15	Immobilization of Rose Waste Biomass for Uptake of Pb(II) from Aqueous Solutions. <i>Biotechnology Research International</i> , 2011, 2011, 1-9.	1.4	16
16	Removal of Nickel onto Alkali Treated Rice Bran. <i>Water, Air, and Soil Pollution</i> , 2009, 197, 361-370.	2.4	23
17	Pb(II) biosorption from hazardous aqueous streams using <i>Gossypium hirsutum</i> (Cotton) waste biomass. <i>Journal of Hazardous Materials</i> , 2009, 161, 88-94.	12.4	92
18	Biosorption of Cu(II) ions from aqueous effluents by blackgram bran (BGB). <i>Journal of Hazardous Materials</i> , 2009, 168, 1622-1625.	12.4	16

#	ARTICLE	IF	CITATIONS
19	Pb (II) sorption by acidically modified Cicer arietinum biomass. Chemical Engineering Journal, 2009, 150, 40-48.	12.7	43
20	Pb(II) sorption by pyrolysed Pongamia pinnata pods carbon (PPPC). Chemical Engineering Journal, 2009, 152, 54-63.	12.7	20
21	Biosorption of Chromium (III) and Chromium (VI) by Untreated and Pretreated Cassia fistula Biomass from Aqueous Solutions. Water, Air, and Soil Pollution, 2008, 191, 139-148.	2.4	45
22	Physical and chemical modification of distillery sludge for Pb(II) biosorption. Journal of Hazardous Materials, 2008, 150, 335-342.	12.4	87
23	Fourier Transform Infrared Spectroscopic characterization and optimization of Pb(II) biosorption by fish (Labeo rohita) scales. Journal of Hazardous Materials, 2008, 156, 64-73.	12.4	81
24	The use of Neem biomass for the biosorption of zinc from aqueous solutions. Journal of Hazardous Materials, 2008, 157, 534-540.	12.4	72
25	Ni(II) biosorption by Cassia fistula (Golden Shower) biomass. Journal of Hazardous Materials, 2007, 139, 345-355.	12.4	210
26	Biosorption of nickel from protonated rice bran. Journal of Hazardous Materials, 2007, 143, 478-485.	12.4	209
27	Kinetic studies for Ni(II) biosorption from industrial wastewater by Cassia fistula (Golden Shower) biomass. Journal of Hazardous Materials, 2007, 145, 501-505.	12.4	61
28	Efficacy of modified distillation sludge of rose (Rosa centifolia) petals for lead(II) and zinc(II) removal from aqueous solutions. Journal of Hazardous Materials, 2007, 147, 1006-1014.	12.4	103
29	Removal of Zn(II) ions from aqueous solution using Moringa oleifera Lam. (horseradish tree) biomass. Process Biochemistry, 2007, 42, 547-553.	3.7	114
30	Kinetic and Equilibrium Modeling of Pb(II) and Co(II) Sorption onto Rose Waste Biomass. Separation Science and Technology, 2007, 42, 3641-3656.	2.5	68
31	Assessing Pollution Levels in Effluents of Industries in City Zone of Faisalabad, Pakistan. Journal of Applied Sciences, 2005, 5, 1713-1717.	0.3	23
32	Synthesis, Characterization, and Evaluation of Antimicrobial and Antioxidant Potential of <i>Polyalthia longifolia</i> Mediated Copper Nanoparticles. Journal of Nano Research, 0, 68, 35-51.	0.8	0