

Michael J Rybak

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10691076/publications.pdf>

Version: 2024-02-01

220
papers

21,578
citations

10986

71
h-index

9861

141
g-index

221
all docs

221
docs citations

221
times ranked

13930
citing authors

#	ARTICLE	IF	CITATIONS
1	Evaluation of Bacteriophage-Antibiotic Combination Therapy for Biofilm-Embedded MDR Enterococcus faecium. <i>Antibiotics</i> , 2022, 11, 392.	3.7	8
2	Multicenter Cohort Study of Ceftaroline Versus Daptomycin for Treatment of Methicillin-Resistant <i>Staphylococcus aureus</i> Bloodstream Infection. <i>Open Forum Infectious Diseases</i> , 2022, 9, ofab606.	0.9	12
3	Vancomycin Area Under the Curve to Predict Timely Clinical Response in the Treatment of Methicillin-resistant <i>Staphylococcus aureus</i> Complicated Skin and Soft Tissue Infections. <i>Clinical Infectious Diseases</i> , 2021, 73, e4560-e4567.	5.8	7
4	Validity of 2020 vancomycin consensus recommendations and further guidance for practical application. <i>American Journal of Health-System Pharmacy</i> , 2021, 78, 1364-1367.	1.0	7
5	Standardized Treatment and Assessment Pathway Improves Mortality in Adults With Methicillin-resistant <i>Staphylococcus aureus</i> Bacteremia: STAPH Study. <i>Open Forum Infectious Diseases</i> , 2021, 8, ofab261.	0.9	7
6	Biofilm Time-Kill Curves to Assess the Bactericidal Activity of Daptomycin Combinations against Biofilm-Producing Vancomycin-Resistant Enterococcus faecium and faecalis. <i>Antibiotics</i> , 2021, 10, 897.	3.7	8
7	Folate Functionalized Lipid Nanoparticles for Targeted Therapy of Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>Pharmaceutics</i> , 2021, 13, 1791.	4.5	9
8	Daptomycin Plus β -Lactam Combination Therapy for Methicillin-resistant <i>Staphylococcus aureus</i> Bloodstream Infections: A Retrospective, Comparative Cohort Study. <i>Clinical Infectious Diseases</i> , 2020, 71, 1-10.	5.8	79
9	Multicenter Cohort of Patients With Methicillin-Resistant <i>Staphylococcus aureus</i> Bacteremia Receiving Daptomycin Plus Ceftaroline Compared With Other MRSA Treatments. <i>Open Forum Infectious Diseases</i> , 2020, 7, ofz538.	0.9	52
10	Therapeutic Monitoring of Vancomycin for Serious Methicillin-resistant <i>Staphylococcus aureus</i> Infections: A Revised Consensus Guideline and Review by the American Society of Health-system Pharmacists, the Infectious Diseases Society of America, the Pediatric Infectious Diseases Society, and the Society of Infectious Diseases Pharmacists. <i>Clinical Infectious Diseases</i> , 2020, 71, 1361-1364.	5.8	142
11	The Evolving Reduction of Vancomycin and Daptomycin Susceptibility in MRSA—Salvaging the Gold Standards with Combination Therapy. <i>Antibiotics</i> , 2020, 9, 762.	3.7	19
12	Bacteriophage AB-SA01 Cocktail in Combination with Antibiotics against MRSA-VISA Strain in an <i>In Vitro</i> Pharmacokinetic/Pharmacodynamic Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2020, 65, .	3.2	13
13	Dalbavancin, Vancomycin and Daptomycin Alone and in Combination with Cefazolin against Resistant Phenotypes of <i>Staphylococcus aureus</i> in a Pharmacokinetic/Pharmacodynamic Model. <i>Antibiotics</i> , 2020, 9, 696.	3.7	10
14	Combination of Vancomycin or Daptomycin and β -Lactam Antibiotics: A Meta-analysis. <i>Pharmacotherapy</i> , 2020, 40, 648-658.	2.6	19
15	A comparison of daptomycin alone and in combination with ceftaroline fosamil for methicillin-resistant <i>Staphylococcus aureus</i> bacteremia complicated by septic pulmonary emboli. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2020, 39, 2199-2203.	2.9	8
16	Bacteriophage-Antibiotic Combinations for Enterococcus faecium with Varying Bacteriophage and Daptomycin Susceptibilities. <i>Antimicrobial Agents and Chemotherapy</i> , 2020, 64, .	3.2	28
17	Mechanistic Insights Into the Differential Efficacy of Daptomycin Plus β -Lactam Combinations Against Daptomycin-Resistant Enterococcus faecium. <i>Journal of Infectious Diseases</i> , 2020, 222, 1531-1539.	4.0	11
18	Therapeutic monitoring of vancomycin for serious methicillin-resistant <i>Staphylococcus aureus</i> infections: A revised consensus guideline and review by the American Society of Health-System Pharmacists, the Infectious Diseases Society of America, the Pediatric Infectious Diseases Society, and the Society of Infectious Diseases Pharmacists. <i>American Journal of Health-System Pharmacy</i> , 2020, 77, 835-864.	1.0	640

#	ARTICLE	IF	CITATIONS
19	A Multicenter Evaluation of Vancomycin-Associated Acute Kidney Injury in Hospitalized Patients with Acute Bacterial Skin and Skin Structure Infections. <i>Infectious Diseases and Therapy</i> , 2020, 9, 89-106.	4.0	24
20	Monotherapy with Vancomycin or Daptomycin versus Combination Therapy with β -Lactams in the Treatment of Methicillin-Resistant <i>Staphylococcus Aureus</i> Bloodstream Infections: A Retrospective Cohort Analysis. <i>Infectious Diseases and Therapy</i> , 2020, 9, 325-339.	4.0	20
21	Impact of Daptomycin Dose Exposure Alone or in Combination with β -Lactams or Rifampin against Vancomycin-Resistant Enterococci in an <i>In Vitro</i> Biofilm Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2020, 64, .	3.2	19
22	Pharmacodynamics of daptomycin in combination with other antibiotics for the treatment of enterococcal bacteraemia. <i>International Journal of Antimicrobial Agents</i> , 2019, 54, 346-350.	2.5	9
23	Relationship Status between Vancomycin Loading Dose and Treatment Failure in Patients with MRSA Bacteremia: It's Complicated. <i>Infectious Diseases and Therapy</i> , 2019, 8, 627-640.	4.0	11
24	Dalbavancin Alone and in Combination with Ceftaroline against Four Different Phenotypes of <i>Staphylococcus aureus</i> in a Simulated Pharmacodynamic/Pharmacokinetic Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2019, 63, .	3.2	20
25	Efficacy and Safety of Tedizolid Phosphate versus Linezolid in a Randomized Phase 3 Trial in Patients with Acute Bacterial Skin and Skin Structure Infection. <i>Antimicrobial Agents and Chemotherapy</i> , 2019, 63, .	3.2	24
26	Withdrawn as Duplicate: The Impact of Concomitant Empiric Cefepime on Patient Outcomes of Methicillin-Resistant <i>Staphylococcus aureus</i> Bloodstream Infections Treated With Vancomycin. <i>Open Forum Infectious Diseases</i> , 2019, 6, ofz077.	0.9	8
27	Bactericidal activity of ceftaroline, vancomycin and daptomycin against methicillin-resistant <i>Staphylococcus aureus</i> isolates from cancer patients. <i>Journal of Global Antimicrobial Resistance</i> , 2019, 17, 16-18.	2.2	2
28	Open-Label Randomized Trial of Early Clinical Outcomes of Ceftaroline Fosamil Versus Vancomycin for the Treatment of Acute Bacterial Skin and Skin Structure Infections at Risk of Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>Infectious Diseases and Therapy</i> , 2019, 8, 199-208.	4.0	7
29	Reply to Koehler et al. <i>Clinical Infectious Diseases</i> , 2019, 69, 901-902.	5.8	1
30	The Impact of Concomitant Empiric Cefepime on Patient Outcomes of Methicillin-Resistant <i>Staphylococcus aureus</i> Bloodstream Infections Treated With Vancomycin. <i>Open Forum Infectious Diseases</i> , 2019, 6, ofz079.	0.9	10
31	Daptomycin Dose-Ranging Evaluation with Single-Dose versus Multidose Ceftriaxone Combinations against <i>Streptococcus mitis</i> /oralis in an <i>Ex Vivo</i> Simulated Endocarditis Vegetation Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2019, 63, .	3.2	13
32	A new simplified predictive model for mortality in methicillin-resistant <i>Staphylococcus aureus</i> bacteremia. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2019, 38, 843-850.	2.9	5
33	Diagnostic Stewardship: A Clinical Decision Rule for Blood Cultures in Community-Onset Methicillin-Resistant <i>Staphylococcus aureus</i> (MRSA) Skin and Soft Tissue Infections. <i>Infectious Diseases and Therapy</i> , 2019, 8, 229-242.	4.0	7
34	Pharmacodynamic Analysis of Daptomycin-treated Enterococcal Bacteremia: It Is Time to Change the Breakpoint. <i>Clinical Infectious Diseases</i> , 2019, 68, 1650-1657.	5.8	42
35	Sequential intravenous-to-oral outpatient antibiotic therapy for MRSA bacteraemia: one step closer. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 489-498.	3.0	36
36	Risk Factors for Bloodstream Infections Among an Urban Population with Skin and Soft Tissue Infections: A Retrospective Unmatched Case-Control Study. <i>Infectious Diseases and Therapy</i> , 2019, 8, 75-85.	4.0	2

#	ARTICLE	IF	CITATIONS
37	Role of Vancomycin Minimum Inhibitory Concentrations by Modified Population Analysis Profile Method and Clinical Outcomes in High Inoculum Methicillin-Resistant Staphylococcus aureus Infections. <i>Infectious Diseases and Therapy</i> , 2018, 7, 161-169.	4.0	7
38	A Review of Combination Antimicrobial Therapy for Enterococcus faecalis Bloodstream Infections and Infective Endocarditis. <i>Clinical Infectious Diseases</i> , 2018, 67, 303-309.	5.8	150
39	$\hat{\beta}$ -Lactam Combinations with Vancomycin Show Synergistic Activity against Vancomycin-Susceptible Staphylococcus aureus, Vancomycin-Intermediate S. aureus (VISA), and Heterogeneous VISA. <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, .	3.2	38
40	Combination of Tedizolid and Daptomycin against Methicillin-Resistant Staphylococcus aureus in an <i>In Vitro</i> Model of Simulated Endocardial Vegetations. <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, .	3.2	14
41	Identification of Vancomycin Exposure-Toxicity Thresholds in Hospitalized Patients Receiving Intravenous Vancomycin. <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, .	3.2	96
42	Evaluation of dalbavancin alone and in combination with $\hat{\beta}$ -lactam antibiotics against resistant phenotypes of Staphylococcus aureus. <i>Journal of Antimicrobial Chemotherapy</i> , 2018, 74, 82-86.	3.0	14
43	Development of a Risk-Scoring Tool to Determine Appropriate Level of Care in Acute Bacterial Skin and Skin Structure Infections in an Acute Healthcare Setting. <i>Infectious Diseases and Therapy</i> , 2018, 7, 495-507.	4.0	2
44	Making the change to area under the curve–based vancomycin dosing. <i>American Journal of Health-System Pharmacy</i> , 2018, 75, 1986-1995.	1.0	68
45	Influence of Inoculum Effect on the Efficacy of Daptomycin Monotherapy and in Combination with $\hat{\beta}$ -Lactams against Daptomycin-Susceptible Enterococcus faecium Harboring LiaSR Substitutions. <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, .	3.2	34
46	Evaluation of Telavancin Alone and Combined with Ceftaroline or Rifampin against Methicillin-Resistant Staphylococcus aureus in an <i>In Vitro</i> Biofilm Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, .	3.2	9
47	Impact of cefazolin co-administration with vancomycin to reduce development of vancomycin-intermediate Staphylococcus aureus. <i>Diagnostic Microbiology and Infectious Disease</i> , 2018, 91, 363-370.	1.8	12
48	Role of Combination Antimicrobial Therapy for Vancomycin-Resistant Enterococcus faecium Infections: Review of the Current Evidence. <i>Pharmacotherapy</i> , 2017, 37, 579-592.	2.6	67
49	Evaluation of daptomycin combinations with cephalosporins or gentamicin against Streptococcus mitis group strains in an in vitro model of simulated endocardial vegetations (SEVs). <i>Journal of Antimicrobial Chemotherapy</i> , 2017, 72, 2290-2296.	3.0	17
50	Multicenter Observational Study of Ceftaroline Fosamil for Methicillin-Resistant Staphylococcus aureus Bloodstream Infections. <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .	3.2	60
51	Time-kill determination of the bactericidal activity of telavancin and vancomycin against clinical methicillin-resistant Staphylococcus aureus isolates from cancer patients. <i>Diagnostic Microbiology and Infectious Disease</i> , 2017, 87, 338-342.	1.8	7
52	A Quasi-Experiment To Study the Impact of Vancomycin Area under the Concentration-Time Curve-Guided Dosing on Vancomycin-Associated Nephrotoxicity. <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .	3.2	178
53	$\hat{\beta}$ -Lactamase Inhibitors Enhance the Synergy between $\hat{\beta}$ -Lactam Antibiotics and Daptomycin against Methicillin-Resistant Staphylococcus aureus. <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .	3.2	12
54	Risk of Acute Kidney Injury in Patients on Concomitant Vancomycin and Piperacillin–Tazobactam Compared to Those on Vancomycin and Cefepime. <i>Clinical Infectious Diseases</i> , 2017, 64, 116-123.	5.8	151

#	ARTICLE	IF	CITATIONS
55	Classical β -Lactamase Inhibitors Potentiate the Activity of Daptomycin against Methicillin-Resistant Staphylococcus aureus and Colistin against Acinetobacter baumannii. Antimicrobial Agents and Chemotherapy, 2017, 61, .	3.2	18
56	Daptomycin Resistance. , 2017, , 307-317.		0
57	Epidemiology of Acute Kidney Injury among Patients Receiving Concomitant Vancomycin and Piperacillin-Tazobactam: Opportunities for Antimicrobial Stewardship. Antimicrobial Agents and Chemotherapy, 2016, 60, 3743-3750.	3.2	53
58	Daptomycin in Combination with Ceftolozane-Tazobactam or Cefazolin against Daptomycin-Susceptible and -Nonsusceptible Staphylococcus aureus in an In Vitro , Hollow-Fiber Model. Antimicrobial Agents and Chemotherapy, 2016, 60, 3970-3975.	3.2	16
59	Evaluation of Pharmacodynamic Interactions Between Telavancin and Aztreonam or Piperacillin/Tazobactam Against Pseudomonas aeruginosa, Escherichia coli and Methicillin-Resistant Staphylococcus aureus. Infectious Diseases and Therapy, 2016, 5, 367-377.	4.0	7
60	Daptomycin Improves Outcomes Regardless of Vancomycin MIC in a Propensity-Matched Analysis of Methicillin-Resistant Staphylococcus aureus Bloodstream Infections. Antimicrobial Agents and Chemotherapy, 2016, 60, 5841-5848.	3.2	58
61	Fosfomycin Enhances the Activity of Daptomycin against Vancomycin-Resistant Enterococci in an <i>In Vitro</i> Pharmacokinetic-Pharmacodynamic Model. Antimicrobial Agents and Chemotherapy, 2016, 60, 5716-5723.	3.2	37
62	Oritavancin Combinations with β -Lactams against Multidrug-Resistant Staphylococcus aureus and Vancomycin-Resistant Enterococci. Antimicrobial Agents and Chemotherapy, 2016, 60, 2352-2358.	3.2	23
63	Comparison of outcomes between patients with single versus multiple positive blood cultures for Enterococcus: Infection versus illusion?. American Journal of Infection Control, 2016, 44, 47-49.	2.3	5
64	Sequential Evolution of Vancomycin-Intermediate Resistance Alters Virulence in Staphylococcus aureus: Pharmacokinetic/Pharmacodynamic Targets for Vancomycin Exposure. Antimicrobial Agents and Chemotherapy, 2016, 60, 1584-1591.	3.2	18
65	Time Is of the Essence: The Impact of Delayed Antibiotic Therapy on Patient Outcomes in Hospital-Onset Enterococcal Bloodstream Infections. Clinical Infectious Diseases, 2016, 62, 1242-1250.	5.8	99
66	Pneumonia Caused by Methicillin-Resistant Staphylococcus aureus: Does Vancomycin Heteroresistance Matter?. Antimicrobial Agents and Chemotherapy, 2016, 60, 1708-1716.	3.2	35
67	Comment on: Failure of combination therapy with daptomycin and synergistic ceftriaxone for enterococcal endocarditis. Journal of Antimicrobial Chemotherapy, 2015, 70, 1272-1273.	3.0	1
68	Treatment of Methicillin-Resistant Staphylococcus aureus (MRSA) Pneumonia with Ceftaroline Fosamil in a Patient with Inhalational Thermal Injury. Infectious Diseases and Therapy, 2015, 4, 519-528.	4.0	9
69	Dalbavancin and Oritavancin: An Innovative Approach to the Treatment of Gram-Positive Infections. Pharmacotherapy, 2015, 35, 935-948.	2.6	44
70	Evaluation of Ceftaroline Alone and in Combination against Biofilm-Producing Methicillin-Resistant Staphylococcus aureus with Reduced Susceptibility to Daptomycin and Vancomycin in an <i>In Vitro</i> Pharmacokinetic/Pharmacodynamic Model. Antimicrobial Agents and Chemotherapy, 2015, 59, 4497-4503.	3.2	41
71	Nephrotoxicity Comparison of Two Commercially Available Generic Vancomycin Products. Antimicrobial Agents and Chemotherapy, 2015, 59, 5470-5474.	3.2	16
72	Acute Bacterial Skin and Skin Structure Infections (ABSSSI): Practice Guidelines for Management and Care Transitions in the Emergency Department and Hospital. Journal of Emergency Medicine, 2015, 48, 508-519.	0.7	88

#	ARTICLE	IF	CITATIONS
73	Î²-Lactam combinations with daptomycin provide synergy against vancomycin-resistant <i>Enterococcus faecalis</i> and <i>Enterococcus faecium</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2015, 70, 1738-1743.	3.0	99
74	Association between Vancomycin Day 1 Exposure Profile and Outcomes among Patients with Methicillin-Resistant <i>Staphylococcus aureus</i> Infective Endocarditis. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 2978-2985.	3.2	68
75	Impact of the Combination of Daptomycin and Trimethoprim-Sulfamethoxazole on Clinical Outcomes in Methicillin-Resistant <i>Staphylococcus aureus</i> Infections. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 1969-1976.	3.2	29
76	Î²-Lactams Enhance Daptomycin Activity against Vancomycin-Resistant <i>Enterococcus faecalis</i> and <i>Enterococcus faecium</i> in <i>In Vitro</i> Pharmacokinetic/Pharmacodynamic Models. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 2842-2848.	3.2	40
77	Infective Endocarditis in Adults: Diagnosis, Antimicrobial Therapy, and Management of Complications. <i>Circulation</i> , 2015, 132, 1435-1486.	1.6	2,218
78	Evaluation of High-Dose Daptomycin Versus Vancomycin Alone or Combined with Clarithromycin or Rifampin Against <i>Staphylococcus aureus</i> and <i>S. epidermidis</i> in a Novel <i>In Vitro</i> PK/PD Model of Bacterial Biofilm. <i>Infectious Diseases and Therapy</i> , 2015, 4, 51-65.	4.0	67
79	Vancomycin plus ceftaroline shows potent <i>in vitro</i> synergy and was successfully utilized to clear persistent daptomycin-non-susceptible MRSA bacteraemia. <i>Journal of Antimicrobial Chemotherapy</i> , 2015, 70, 311-313.	3.0	39
80	The combination of ceftaroline plus daptomycin allows for therapeutic de-escalation and daptomycin sparing against MRSA. <i>Journal of Antimicrobial Chemotherapy</i> , 2015, 70, 505-509.	3.0	36
81	A Novel Approach Utilizing Biofilm Time-Kill Curves To Assess the Bactericidal Activity of Ceftaroline Combinations against Biofilm-Producing Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 2989-2992.	3.2	36
82	Evaluation of the novel combination of daptomycin plus ceftriaxone against vancomycin-resistant enterococci in an <i>in vitro</i> pharmacokinetic/pharmacodynamic simulated endocardial vegetation model. <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 2148-2154.	3.0	53
83	Daptomycin: Pharmacokinetic, Pharmacodynamic, and Dose Optimization. , 2014, , 381-399.		0
84	Observation of "Seesaw Effect" with Vancomycin, Teicoplanin, Daptomycin and Ceftaroline in 150 Unique MRSA Strains. <i>Infectious Diseases and Therapy</i> , 2014, 3, 35-43.	4.0	63
85	Antimicrobial Salvage Therapy for Persistent Staphylococcal Bacteremia Using Daptomycin Plus Ceftaroline. <i>Clinical Therapeutics</i> , 2014, 36, 1317-1333.	2.5	151
86	Potent synergy of ceftobiprole plus daptomycin against multiple strains of <i>Staphylococcus aureus</i> with various resistance phenotypes. <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 3006-3010.	3.0	50
87	High-Dose Daptomycin Therapy for Staphylococcal Endocarditis and When to Apply It. <i>Current Infectious Disease Reports</i> , 2014, 16, 429.	3.0	23
88	Evaluation of Ceftaroline, Vancomycin, Daptomycin, or Ceftaroline plus Daptomycin against Daptomycin-Nonsusceptible Methicillin-Resistant <i>Staphylococcus aureus</i> in an <i>In Vitro</i> Pharmacokinetic/Pharmacodynamic Model of Simulated Endocardial Vegetations. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 3177-3181.	3.2	44
89	Large Retrospective Evaluation of the Effectiveness and Safety of Ceftaroline Fosamil Therapy. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 2541-2546.	3.2	97
90	Evaluation of Vancomycin Population Susceptibility Analysis Profile as a Predictor of Outcomes for Patients with Infective Endocarditis Due to Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 4636-4641.	3.2	14

#	ARTICLE	IF	CITATIONS
91	Adherence to the 2009 Consensus Guidelines for Vancomycin Dosing and Monitoring Practices: A Cross-Sectional Survey of U.S. Hospitals. <i>Pharmacotherapy</i> , 2013, 33, 1256-1263.	2.6	53
92	Reduced glycopeptide and lipopeptide susceptibility in <i>Staphylococcus aureus</i> and the "seesaw effect": Taking advantage of the back door left open?. <i>Drug Resistance Updates</i> , 2013, 16, 73-79.	14.4	55
93	Evaluation of Daptomycin Non-Susceptible <i>Staphylococcus aureus</i> for Stability, Population Profiles, mprF Mutations, and Daptomycin Activity. <i>Infectious Diseases and Therapy</i> , 2013, 2, 187-200.	4.0	9
94	Current and prospective treatments for multidrug-resistant gram-positive infections. <i>Expert Opinion on Pharmacotherapy</i> , 2013, 14, 1919-1932.	1.8	40
95	Early Use of Daptomycin Versus Vancomycin for Methicillin-Resistant <i>Staphylococcus aureus</i> Bacteremia With Vancomycin Minimum Inhibitory Concentration ≥ 1 mg/L: A Matched Cohort Study. <i>Clinical Infectious Diseases</i> , 2013, 56, 1562-1569.	5.8	163
96	Implementation of an Antimicrobial Stewardship Pathway with Daptomycin for Optimal Treatment of Methicillin-Resistant <i>Staphylococcus aureus</i> Bacteremia. <i>Pharmacotherapy</i> , 2013, 33, 3-10.	2.6	34
97	Daptomycin: The role of high-dose and combination therapy for Gram-positive infections. <i>International Journal of Antimicrobial Agents</i> , 2013, 42, 202-210.	2.5	82
98	Comparative Epidemiology of Bacteremia due to Methicillin-Resistant <i>Staphylococcus aureus</i> between Older and Younger Adults A Propensity Score Analysis. <i>Infection Control and Hospital Epidemiology</i> , 2013, 34, 400-406.	1.8	7
99	Alternative Mutational Pathways to Intermediate Resistance to Vancomycin in Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>Journal of Infectious Diseases</i> , 2013, 208, 67-74.	4.0	39
100	Multicenter Study of High-Dose Daptomycin for Treatment of Enterococcal Infections. <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 4190-4196.	3.2	80
101	Clinical Outcomes in Patients with Heterogeneous Vancomycin-Intermediate <i>Staphylococcus aureus</i> Bloodstream Infection. <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 4252-4259.	3.2	68
102	A multicentre evaluation of the effectiveness and safety of high-dose daptomycin for the treatment of infective endocarditis. <i>Journal of Antimicrobial Chemotherapy</i> , 2013, 68, 2921-2926.	3.0	90
103	Ceftaroline Increases Membrane Binding and Enhances the Activity of Daptomycin against Daptomycin-Nonsusceptible Vancomycin-Intermediate <i>Staphylococcus aureus</i> in a Pharmacokinetic/Pharmacodynamic Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 66-73.	3.2	118
104	Evaluation of Ceftaroline Activity against Heteroresistant Vancomycin-Intermediate <i>Staphylococcus aureus</i> and Vancomycin-Intermediate Methicillin-Resistant <i>S. aureus</i> Strains in an <i>In Vitro</i> Pharmacokinetic/Pharmacodynamic Model: Exploring the "Seesaw Effect". <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 2664-2668.	3.2	54
105	Evaluation of Vancomycin Susceptibility Testing for Methicillin-Resistant <i>Staphylococcus aureus</i> : Comparison of Etest and Three Automated Testing Methods. <i>Journal of Clinical Microbiology</i> , 2013, 51, 2077-2081.	3.9	73
106	Evaluation of Telavancin Activity versus Daptomycin and Vancomycin against Daptomycin-Nonsusceptible <i>Staphylococcus aureus</i> in an <i>In Vitro</i> Pharmacokinetic/Pharmacodynamic Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2012, 56, 955-959.	3.2	20
107	Evaluation of the Novel Combination of High-Dose Daptomycin plus Trimethoprim-Sulfamethoxazole against Daptomycin-Nonsusceptible Methicillin-Resistant <i>Staphylococcus aureus</i> Using an <i>In Vitro</i> Pharmacokinetic/Pharmacodynamic Model of Simulated Endocardial Vegetations. <i>Antimicrobial Agents and Chemotherapy</i> , 2012, 56, 5709-5714.	3.2	33
108	Daptomycin-Nonsusceptible Vancomycin-Intermediate <i>Staphylococcus aureus</i> Vertebral Osteomyelitis Cases Complicated by Bacteremia Treated with High-Dose Daptomycin and Trimethoprim-Sulfamethoxazole. <i>Antimicrobial Agents and Chemotherapy</i> , 2012, 56, 5990-5993.	3.2	27

#	ARTICLE	IF	CITATIONS
109	Evaluation of Standard- and High-Dose Daptomycin versus Linezolid against Vancomycin-Resistant Enterococcus Isolates in an <i>In Vitro</i> Pharmacokinetic/Pharmacodynamic Model with Simulated Endocardial Vegetations. <i>Antimicrobial Agents and Chemotherapy</i> , 2012, 56, 3174-3180.	3.2	92
110	Treatment of Methicillin-Resistant Staphylococcus aureus Infections with a Minimal Inhibitory Concentration of 2 $\hat{1}$ / ₄ g/mL to Vancomycin: Old (Trimethoprim/Sulfamethoxazole) versus New (Daptomycin or Linezolid) Agents. <i>Annals of Pharmacotherapy</i> , 2012, 46, 1587-1597.	1.9	37
111	Effects of Targeting Higher Vancomycin Trough Levels on Clinical Outcomes and Costs in a Matched Patient Cohort. <i>Pharmacotherapy</i> , 2012, 32, 195-201.	2.6	75
112	Impact of Vancomycin Exposure on Outcomes in Patients With Methicillin-Resistant Staphylococcus aureus Bacteremia: Support for Consensus Guidelines Suggested Targets. <i>Clinical Infectious Diseases</i> , 2011, 52, 975-981.	5.8	411
113	Growing Prevalence of Vancomycin-Resistant Enterococcus faecalis in the Region with the Highest Prevalence of Vancomycin-Resistant Staphylococcus aureus. <i>Infection Control and Hospital Epidemiology</i> , 2011, 32, 922-924.	1.8	23
114	In vitro pharmacokinetic/pharmacodynamic activity of NXL103 versus clindamycin and linezolid against clinical Staphylococcus aureus and Streptococcus pyogenes isolates. <i>International Journal of Antimicrobial Agents</i> , 2011, 38, 301-306.	2.5	9
115	Clinical Practice Guidelines by the Infectious Diseases Society of America for the Treatment of Methicillin-Resistant Staphylococcus aureus Infections in Adults and Children. <i>Clinical Infectious Diseases</i> , 2011, 52, e18-e55.	5.8	2,673
116	High-Dose Daptomycin for Treatment of Complicated Gram-Positive Infections: A Large, Multicenter, Retrospective Study. <i>Pharmacotherapy</i> , 2011, 31, 527-536.	2.6	124
117	Pharmacokinetics of Single-Dose Daptomycin in Patients with Suspected or Confirmed Neurological Infections. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 3505-3509.	3.2	55
118	Evaluation of Ceftaroline Activity versus Daptomycin (DAP) against DAP-Nonsusceptible Methicillin-Resistant Staphylococcus aureus Strains in an <i>In Vitro</i> Pharmacokinetic/Pharmacodynamic Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 3522-3526.	3.2	36
119	Clinical Practice Guidelines by the Infectious Diseases Society of America for the Treatment of Methicillin-Resistant Staphylococcus aureus Infections in Adults and Children: Executive Summary. <i>Clinical Infectious Diseases</i> , 2011, 52, 285-292.	5.8	1,448
120	Reply to Cataldo et al. <i>Clinical Infectious Diseases</i> , 2011, 53, 310-310.	5.8	0
121	Impact of Dose De-Escalation and Escalation on Daptomycin's Pharmacodynamics against Clinical Methicillin-Resistant Staphylococcus aureus Isolates in an <i>In Vitro</i> Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 2160-2165.	3.2	12
122	Characterizing Vancomycin-Resistant Enterococcus Strains with Various Mechanisms of Daptomycin Resistance Developed in an <i>In Vitro</i> Pharmacokinetic/Pharmacodynamic Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 4748-4754.	3.2	21
123	Activities of High-Dose Daptomycin, Vancomycin, and Moxifloxacin Alone or in Combination with Clarithromycin or Rifampin in a Novel <i>In Vitro</i> Model of Staphylococcus aureus Biofilm. <i>Antimicrobial Agents and Chemotherapy</i> , 2010, 54, 4329-4334.	3.2	118
124	Novel Daptomycin Combinations against Daptomycin-Nonsusceptible Methicillin-Resistant Staphylococcus aureus in an <i>In Vitro</i> Model of Simulated Endocardial Vegetations. <i>Antimicrobial Agents and Chemotherapy</i> , 2010, 54, 5187-5192.	3.2	55
125	Evaluation of dalbavancin, tigecycline, minocycline, tetracycline, teicoplanin and vancomycin against community-associated and multidrug-resistant hospital-associated methicillin-resistant Staphylococcus aureus. <i>International Journal of Antimicrobial Agents</i> , 2010, 35, 25-29.	2.5	18
126	In vitro evaluation of ceftaroline alone and in combination with tobramycin against hospital-acquired methicillin-resistant Staphylococcus aureus (HA-MRSA) isolates. <i>International Journal of Antimicrobial Agents</i> , 2010, 35, 527-530.	2.5	23

#	ARTICLE	IF	CITATIONS
127	Vancomycin Therapeutic Guidelines: A Summary of Consensus Recommendations from the Infectious Diseases Society of America, the American Society of Health-System Pharmacists, and the Society of Infectious Diseases Pharmacists. <i>Clinical Infectious Diseases</i> , 2009, 49, 325-327.	5.8	702
128	Activity of Telavancin against <i>Staphylococcus aureus</i> Strains with Various Vancomycin Susceptibilities in an In Vitro Pharmacokinetic/Pharmacodynamic Model with Simulated Endocardial Vegetations. <i>Antimicrobial Agents and Chemotherapy</i> , 2009, 53, 2928-2933.	3.2	24
129	In Vitro Activity of Ceftaroline against Methicillin-Resistant <i>Staphylococcus aureus</i> and Heterogeneous Vancomycin-Intermediate <i>S. aureus</i> in a Hollow Fiber Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2009, 53, 4712-4717.	3.2	72
130	Evaluation of the Etest GRD for the detection of <i>Staphylococcus aureus</i> with reduced susceptibility to glycopeptides. <i>Journal of Antimicrobial Chemotherapy</i> , 2009, 63, 489-492.	3.0	67
131	Evaluation of Vancomycin and Daptomycin Potency Trends (MIC Creep) against Methicillin-Resistant <i>Staphylococcus aureus</i> Isolates Collected in Nine U.S. Medical Centers from 2002 to 2006. <i>Antimicrobial Agents and Chemotherapy</i> , 2009, 53, 4127-4132.	3.2	113
132	Occurrence of vancomycin-tolerant and heterogeneous vancomycin-intermediate strains (hVISA) among <i>Staphylococcus aureus</i> causing bloodstream infections in nine USA hospitals. <i>Journal of Antimicrobial Chemotherapy</i> , 2009, 64, 1024-1028.	3.0	56
133	Heterogeneous Vancomycin-Intermediate Susceptibility Phenotype in Bloodstream Methicillin-Resistant <i>Staphylococcus aureus</i> Isolates from an International Cohort of Patients with Infective Endocarditis: Prevalence, Genotype, and Clinical Significance. <i>Journal of Infectious Diseases</i> , 2009, 200, 1355-1366.	4.0	120
134	Impact of Inoculum Size and Heterogeneous Vancomycin-Intermediate <i>Staphylococcus aureus</i> (hVISA) on Vancomycin Activity and Emergence of VISA in an In Vitro Pharmacodynamic Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2009, 53, 805-807.	3.2	29
135	Accessory Gene Regulator Dysfunction: An Advantage for <i>Staphylococcus aureus</i> in Health-Care Settings?. <i>Journal of Infectious Diseases</i> , 2009, 199, 1558-1559.	4.0	21
136	Therapeutic Monitoring of Vancomycin in Adults. <i>Pharmacotherapy</i> , 2009, 29, 1275-1279.	2.6	253
137	Telavancin: An Antimicrobial with a Multifunctional Mechanism of Action for the Treatment of Serious Gram-Positive Infections. <i>Pharmacotherapy</i> , 2008, 28, 458-468.	2.6	43
138	Evaluation of daptomycin, telavancin, teicoplanin, and vancomycin activity in the presence of albumin or serum. <i>Diagnostic Microbiology and Infectious Disease</i> , 2008, 60, 441-444.	1.8	33
139	Ceragenins: Cholic Acid-Based Mimics of Antimicrobial Peptides. <i>Accounts of Chemical Research</i> , 2008, 41, 1233-1240.	15.6	182
140	Characterization of Vancomycin-Heteroresistant <i>Staphylococcus aureus</i> from the Metropolitan Area of Detroit, Michigan, over a 22-Year Period (1986 to 2007). <i>Journal of Clinical Microbiology</i> , 2008, 46, 2950-2954.	3.9	132
141	Daptomycin Activity against <i>Staphylococcus aureus</i> following Vancomycin Exposure in an In Vitro Pharmacodynamic Model with Simulated Endocardial Vegetations. <i>Antimicrobial Agents and Chemotherapy</i> , 2008, 52, 831-836.	3.2	80
142	Evaluation of Daptomycin Pharmacodynamics and Resistance at Various Dosage Regimens against <i>Staphylococcus aureus</i> Isolates with Reduced Susceptibilities to Daptomycin in an In Vitro Pharmacodynamic Model with Simulated Endocardial Vegetations. <i>Antimicrobial Agents and Chemotherapy</i> , 2008, 52, 3061-3067.	3.2	89
143	Associations between the Genotypes of <i>Staphylococcus aureus</i> Bloodstream Isolates and Clinical Characteristics and Outcomes of Bacteremic Patients. <i>Journal of Clinical Microbiology</i> , 2008, 46, 2890-2896.	3.9	69
144	Activities of Clindamycin, Daptomycin, Doxycycline, Linezolid, Trimethoprim-Sulfamethoxazole, and Vancomycin against Community-Associated Methicillin-Resistant <i>Staphylococcus aureus</i> with Inducible Clindamycin Resistance in Murine Thigh Infection and In Vitro Pharmacodynamic Models. <i>Antimicrobial Agents and Chemotherapy</i> , 2008, 52, 2156-2162.	3.2	91

#	ARTICLE	IF	CITATIONS
145	Evaluation of vancomycin and daptomycin against methicillin-resistant <i>Staphylococcus aureus</i> and heterogeneously vancomycin-intermediate <i>S. aureus</i> in an in vitro pharmacokinetic/pharmacodynamic model with simulated endocardial vegetations. <i>Journal of Antimicrobial Chemotherapy</i> , 2008, 63, 155-160.	3.0	27
146	Clinical Rationale for Treatment of Endocarditis Caused by Methicillin-Susceptible <i>Staphylococcus aureus</i> Developing Nonsusceptibility to Daptomycin. <i>Journal of Clinical Microbiology</i> , 2008, 46, 2471-2472.	3.9	3
147	Evaluation of Endocarditis Caused by Methicillin-Susceptible <i>Staphylococcus aureus</i> Developing Nonsusceptibility to Daptomycin. <i>Journal of Clinical Microbiology</i> , 2008, 46, 220-224.	3.9	47
148	Synergy between gemifloxacin and trimethoprim/sulfamethoxazole against community-associated methicillin-resistant <i>Staphylococcus aureus</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2008, 62, 1305-1310.	3.0	19
149	Antimicrobial Activities of Ceragenins against Clinical Isolates of Resistant <i>Staphylococcus aureus</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2007, 51, 1268-1273.	3.2	106
150	Evaluation of Accessory Gene Regulator (agr) Group and Function in the Proclivity towards Vancomycin Intermediate Resistance in <i>Staphylococcus aureus</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2007, 51, 1089-1091.	3.2	101
151	Fluoroquinolone Resistance in <i>Streptococcus pneumoniae</i> : Area Under the Concentration-Time Curve/MIC Ratio and Resistance Development with Gatifloxacin, Gemifloxacin, Levofloxacin, and Moxifloxacin. <i>Antimicrobial Agents and Chemotherapy</i> , 2007, 51, 1315-1320.	3.2	29
152	Correlation of vancomycin and daptomycin susceptibility in <i>Staphylococcus aureus</i> in reference to accessory gene regulator (agr) polymorphism and function. <i>Journal of Antimicrobial Chemotherapy</i> , 2007, 59, 1190-1193.	3.0	29
153	Evaluation of daptomycin treatment of <i>Staphylococcus aureus</i> bacterial endocarditis: an in vitro and in vivo simulation using historical and current dosing strategies. <i>Journal of Antimicrobial Chemotherapy</i> , 2007, 60, 334-340.	3.0	71
154	Potential synergy activity of the novel ceragenin, CSA-13, against clinical isolates of <i>Pseudomonas aeruginosa</i> , including multidrug-resistant <i>P. aeruginosa</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2007, 61, 365-370.	3.0	87
155	Impact of Empirical-Therapy Selection on Outcomes of Intravenous Drug Users with Infective Endocarditis Caused by Methicillin-Susceptible <i>Staphylococcus aureus</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2007, 51, 3731-3733.	3.2	92
156	Community- and health care-associated methicillin-resistant <i>Staphylococcus aureus</i> : a comparison of molecular epidemiology and antimicrobial activities of various agents. <i>Diagnostic Microbiology and Infectious Disease</i> , 2007, 58, 41-47.	1.8	94
157	Antimicrobial Susceptibility and Staphylococcal Chromosomal CassettemecType in Community- and Hospital-Associated Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>Pharmacotherapy</i> , 2007, 27, 3-10.	2.6	29
158	Daptomycin versus Vancomycin for Complicated Skin and Skin Structure Infections: Clinical and Economic Outcomes. <i>Pharmacotherapy</i> , 2007, 27, 1611-1618.	2.6	75
159	The Pharmacokinetic and Pharmacodynamic Properties of Vancomycin. <i>Clinical Infectious Diseases</i> , 2006, 42, S35-S39.	5.8	610
160	Characteristics of Patients With Healthcare-Associated Infection Due to SCCmecType IV Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>Infection Control and Hospital Epidemiology</i> , 2006, 27, 1025-1031.	1.8	100
161	Pharmacodynamics: Relation to Antimicrobial Resistance. <i>American Journal of Medicine</i> , 2006, 119, S37-S44.	1.5	76
162	Susceptibility studies of piperazinyl cross-linked fluoroquinolone dimers against test strains of Gram-positive and Gram-negative bacteria. <i>Diagnostic Microbiology and Infectious Disease</i> , 2006, 54, 305-310.	1.8	9

#	ARTICLE	IF	CITATIONS
163	Comparative activity of the new lipoglycopeptide telavancin in the presence and absence of serum against 50 glycopeptide non-susceptible staphylococci and three vancomycin-resistant <i>Staphylococcus aureus</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2006, 58, 338-343.	3.0	121
164	Evaluation of daptomycin activity against <i>Staphylococcus aureus</i> in an in vitro pharmacodynamic model under normal and simulated impaired renal function. <i>Journal of Antimicrobial Chemotherapy</i> , 2006, 57, 116-121.	3.0	25
165	Impact of <i>Enterococcus faecalis</i> on the Bactericidal Activities of Arbekacin, Daptomycin, Linezolid, and Tigecycline against Methicillin-Resistant <i>Staphylococcus aureus</i> in a Mixed-Pathogen Pharmacodynamic Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2006, 50, 1298-1303.	3.2	18
166	Epidemiology, Treatment, and Outcomes of Nosocomial Bacteremic <i>Staphylococcus aureus</i> Pneumonia. <i>Chest</i> , 2005, 128, 1414-1422.	0.8	100
167	Community-Associated Methicillin-Resistant <i>Staphylococcus aureus</i> : A Review. <i>Pharmacotherapy</i> , 2005, 25, 74-85.	2.6	104
168	Short-Course Gentamicin in Combination with Daptomycin or Vancomycin against <i>Staphylococcus aureus</i> in an In Vitro Pharmacodynamic Model with Simulated Endocardial Vegetations. <i>Antimicrobial Agents and Chemotherapy</i> , 2005, 49, 2735-2745.	3.2	106
169	Pharmacodynamics of Cefepime Alone and in Combination with Various Antimicrobials against Methicillin-Resistant <i>Staphylococcus aureus</i> in an In Vitro Pharmacodynamic Infection Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2005, 49, 302-308.	3.2	34
170	Clinical isolates of <i>Staphylococcus aureus</i> from 1987 and 1989 demonstrating heterogeneous resistance to vancomycin and teicoplanin. <i>Diagnostic Microbiology and Infectious Disease</i> , 2005, 51, 119-125.	1.8	19
171	Influence of protein binding under controlled conditions on the bactericidal activity of daptomycin in an in vitro pharmacodynamic model. <i>Journal of Antimicrobial Chemotherapy</i> , 2004, 54, 259-262.	3.0	44
172	Impact of High-Inoculum <i>Staphylococcus aureus</i> on the Activities of Nafcillin, Vancomycin, Linezolid, and Daptomycin, Alone and in Combination with Gentamicin, in an In Vitro Pharmacodynamic Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2004, 48, 4665-4672.	3.2	270
173	In Vitro Activities of a Novel Cephalosporin, CB-181963 (CAB-175), against Methicillin-Susceptible or -Resistant <i>Staphylococcus aureus</i> and Glycopeptide-Intermediate Susceptible <i>Staphylococci</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2004, 48, 2719-2723.	3.2	11
174	Daptomycin – a novel antibiotic against Gram-positive pathogens. <i>Expert Opinion on Pharmacotherapy</i> , 2004, 5, 2321-2331.	1.8	65
175	Daptomycin. <i>Pharmacotherapy</i> , 2004, 24, 41-57.	2.6	95
176	Resistance to Antimicrobial Agents: An Update. <i>Pharmacotherapy</i> , 2004, 24, 203S-215S.	2.6	33
177	The Importance of Bactericidal Drugs: Future Directions in Infectious Disease. <i>Clinical Infectious Diseases</i> , 2004, 39, 1314-1320.	5.8	175
178	In vitro activities of mutant prevention concentration-targeted concentrations of fluoroquinolones against <i>Staphylococcus aureus</i> in a pharmacodynamic model. <i>International Journal of Antimicrobial Agents</i> , 2004, 24, 150-160.	2.5	42
179	Clinical glycopeptide-intermediate staphylococci tested against arbekacin, daptomycin, and tigecycline. <i>Diagnostic Microbiology and Infectious Disease</i> , 2004, 50, 125-130.	1.8	36
180	Structural features of piperazinyl-linked ciprofloxacin dimers required for activity against drug-resistant strains of <i>Staphylococcus aureus</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2003, 13, 2109-2112.	2.2	78

#	ARTICLE	IF	CITATIONS
181	Piperazinyl-linked fluoroquinolone dimers possessing potent antibacterial activity against drug-resistant strains of <i>Staphylococcus aureus</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2003, 13, 1745-1749.	2.2	51
182	Bactericidal Activities of Daptomycin, Quinupristin-Dalfopristin, and Linezolid against Vancomycin-Resistant <i>Staphylococcus aureus</i> in an In Vitro Pharmacodynamic Model with Simulated Endocardial Vegetations. <i>Antimicrobial Agents and Chemotherapy</i> , 2003, 47, 3960-3963.	3.2	68
183	Daptomycin against multiple drug-resistant staphylococcus and enterococcus isolates in an in vitro pharmacodynamic model with simulated endocardial vegetations. <i>Diagnostic Microbiology and Infectious Disease</i> , 2003, 47, 539-546.	1.8	58
184	Effect of Linezolid versus Vancomycin on Length of Hospital Stay in Patients with Complicated Skin and Soft Tissue Infections Caused by Known or Suspected Methicillin-Resistant Staphylococci: Results from a Randomized Clinical Trial. <i>Surgical Infections</i> , 2003, 4, 57-70.	1.4	70
185	Pharmacokinetics and Pharmacodynamics of Cefepime in Patients with Various Degrees of Renal Function. <i>Antimicrobial Agents and Chemotherapy</i> , 2003, 47, 1853-1861.	3.2	104
186	Outcomes Analysis of Delayed Antibiotic Treatment for Hospital-Acquired <i>Staphylococcus aureus</i> Bacteremia. <i>Clinical Infectious Diseases</i> , 2003, 36, 1418-1423.	5.8	546
187	Daptomycin Dose-Effect Relationship against Resistant Gram-Positive Organisms. <i>Antimicrobial Agents and Chemotherapy</i> , 2003, 47, 1598-1603.	3.2	94
188	Linezolid and Vancomycin, Alone and in Combination with Rifampin, Compared with Moxifloxacin against a Multidrug-Resistant and a Vancomycin-Tolerant <i>Streptococcus pneumoniae</i> Strain in an In Vitro Pharmacodynamic Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2003, 47, 1984-1987.	3.2	12
189	Activities of Mutant Prevention Concentration-Targeted Moxifloxacin and Levofloxacin against <i>Streptococcus pneumoniae</i> in an In Vitro Pharmacodynamic Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2003, 47, 2606-2614.	3.2	57
190	Influences of Linezolid, Penicillin, and Clindamycin, Alone and in Combination, on Streptococcal Pyrogenic Exotoxin A Release. <i>Antimicrobial Agents and Chemotherapy</i> , 2003, 47, 1752-1755.	3.2	91
191	In Vitro Activities of Quinupristin-Dalfopristin and Cefepime, Alone and in Combination with Various Antimicrobials, against Multidrug-Resistant Staphylococci and Enterococci in an In Vitro Pharmacodynamic Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2002, 46, 2606-2612.	3.2	72
192	Clinical Outcomes for Patients with Bacteremia Caused by Vancomycin-Resistant Enterococcus in a Level 1 Trauma Center. <i>Clinical Infectious Diseases</i> , 2002, 34, 922-929.	5.8	142
193	Pharmacodynamics of cefepime in patients with Gram-negative infections. <i>Journal of Antimicrobial Chemotherapy</i> , 2002, 50, 425-428.	3.0	228
194	Emergence of Methicillin-Resistant <i>Staphylococcus aureus</i> with Intermediate Glycopeptide Resistance. <i>Drugs</i> , 2001, 61, 1-7.	10.9	115
195	Therapeutic options for Gram-positive infections. <i>Journal of Hospital Infection</i> , 2001, 49, S25-S32.	2.9	8
196	Comparison of Length of Hospital Stay for Patients with Known or Suspected Methicillin-Resistant <i>Staphylococcus</i> Species Infections Treated with Linezolid or Vancomycin: A Randomized, Multicenter Trial. <i>Pharmacotherapy</i> , 2001, 21, 263-274.	2.6	121
197	Activities of Newer Fluoroquinolones against Ciprofloxacin-Resistant <i>Streptococcus pneumoniae</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2001, 45, 1654-1659.	3.2	44
198	Bactericidal Activities of Two Daptomycin Regimens against Clinical Strains of Glycopeptide Intermediate-Resistant <i>Staphylococcus aureus</i> , Vancomycin-Resistant <i>Enterococcus faecium</i> , and Methicillin-Resistant <i>Staphylococcus aureus</i> Isolates in an In Vitro Pharmacodynamic Model with Simulated Endocardial Vegetations. <i>Antimicrobial Agents and Chemotherapy</i> , 2001, 45, 454-459.	3.2	178

#	ARTICLE	IF	CITATIONS
199	Oxazolidinones: new players in the battle against multi-resistant Gram-positive bacteria. <i>Expert Opinion on Emerging Drugs</i> , 2001, 6, 43-55.	1.1	6
200	Once-Daily Aminoglycoside in the Treatment of <i>Enterococcus faecalis</i> Endocarditis: Case Report and Review. <i>Pharmacotherapy</i> , 2000, 20, 1116-1119.	2.6	16
201	Pharmacokinetics and Pharmacodynamics of Ceftizoxime in Patients with Dosages Adjusted for Renal Function. <i>Pharmacotherapy</i> , 2000, 20, 554-561.	2.6	4
202	In Vitro Activities of Daptomycin, Arbekacin, Vancomycin, and Gentamicin Alone and/or in Combination against Glycopeptide Intermediate-Resistant <i>Staphylococcus aureus</i> in an Infection Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2000, 44, 1925-1929.	3.2	69
203	Comparison of a Rabbit Model of Bacterial Endocarditis and an In Vitro Infection Model with Simulated Endocardial Vegetations. <i>Antimicrobial Agents and Chemotherapy</i> , 2000, 44, 1921-1924.	3.2	38
204	In Vitro Activities of Daptomycin, Vancomycin, Linezolid, and Quinupristin-Dalfopristin against <i>Staphylococci</i> and <i>Enterococci</i> , Including Vancomycin-Intermediate and -Resistant Strains. <i>Antimicrobial Agents and Chemotherapy</i> , 2000, 44, 1062-1066.	3.2	321
205	Analysis of Vancomycin Population Susceptibility Profiles, Killing Activity, and Postantibiotic Effect against Vancomycin-Intermediate <i>Staphylococcus aureus</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 1999, 43, 1914-1918.	3.2	46
206	Prospective Evaluation of the Effect of an Aminoglycoside Dosing Regimen on Rates of Observed Nephrotoxicity and Ototoxicity. <i>Antimicrobial Agents and Chemotherapy</i> , 1999, 43, 1549-1555.	3.2	382
207	Effects of NorA Inhibitors on In Vitro Antibacterial Activities and Postantibiotic Effects of Levofloxacin, Ciprofloxacin, and Norfloxacin in Genetically Related Strains of <i>Staphylococcus aureus</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 1999, 43, 335-340.	3.2	117
208	Evaluation of Bactericidal Activities of LY333328, Vancomycin, Teicoplanin, Ampicillin-Sulbactam, Trovafloxacin, and RP59500 Alone or in Combination with Rifampin or Gentamicin against Different Strains of Vancomycin-Intermediate <i>Staphylococcus aureus</i> by Time-Kill Curve Methods. <i>Antimicrobial Agents and Chemotherapy</i> , 1999, 43, 717-721.	3.2	52
209	The effects of NorA inhibition on the activities of levofloxacin, ciprofloxacin and norfloxacin against two genetically related strains of <i>Staphylococcus aureus</i> in an in-vitro infection model. <i>Journal of Antimicrobial Chemotherapy</i> , 1999, 44, 343-349.	3.0	32
210	Pharmacodynamic Characterization of Nephrotoxicity Associated with Once-Daily Aminoglycoside. <i>Pharmacotherapy</i> , 1999, 19, 1252-1260.	2.6	92
211	Outcome Assessment of Minimizing Vancomycin Monitoring and Dosing Adjustments. <i>Pharmacotherapy</i> , 1999, 19, 257-266.	2.6	69
212	Treatment of Vancomycin-Resistant <i>Enterococcus faecium</i> with RP 59500 (Quinupristin-Dalfopristin) Administered by Intermittent or Continuous Infusion, Alone or in Combination with Doxycycline, in an In Vitro Pharmacodynamic Infection Model with Simulated Endocardial Vegetations. <i>Antimicrobial Agents and Chemotherapy</i> , 1998, 42, 2710-2717.	3.2	42
213	Comparative In Vitro Activities and Postantibiotic Effects of the Oxazolidinone Compounds Eperzolid (PNU-100592) and Linezolid (PNU-100766) versus Vancomycin against <i>Staphylococcus aureus</i> , Coagulase-Negative <i>Staphylococci</i> , <i>Enterococcus faecalis</i> , and <i>Enterococcus faecium</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 1998, 42, 721-724.	3.2	132
214	Combination Antimicrobial Therapy for Bacterial Infections. <i>Drugs</i> , 1996, 52, 390-405.	10.9	106
215	Quinupristin/Dalfopristin (RP 59500): A New Streptogramin Antibiotic. <i>Annals of Pharmacotherapy</i> , 1995, 29, 1022-1027.	1.9	52
216	Ofloxacin Clinical Pharmacokinetics. <i>Clinical Pharmacokinetics</i> , 1992, 22, 32-46.	3.5	41

#	ARTICLE	IF	CITATIONS
217	Nephrotoxicity of vancomycin, alone and with an aminoglycoside. Journal of Antimicrobial Chemotherapy, 1990, 25, 679-687.	3.0	374
218	Inhibition of Drug Metabolism by Quinolone Antibiotics. Clinical Pharmacokinetics, 1988, 15, 194-204.	3.5	75
219	Increased Theophylline Concentrations Secondary to Ciprofloxacin. Drug Intelligence & Clinical Pharmacy, 1987, 21, 879-881.	0.4	30
220	Clinical use and toxicity of high-dose tobramycin in patients with pseudomonal endocarditis. Journal of Antimicrobial Chemotherapy, 1986, 17, 115-120.	3.0	22