## Damian N Schimpf

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10695100/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	ÂμJ-level multi-cycle terahertz generation in a periodically poled Rb:KTP crystal. Optics Letters, 2021, 46, 741.	3.3	9
2	Efficient multi-cycle terahertz generation via difference frequency generation of a multiple-lines source. , 2020, , .		0
3	Multi-cycle terahertz generation in a periodically poled Rb:KTP crystal. , 2020, , .		0
4	Efficient multi-cycle terahertz generation based on a multi-lines source. , 2020, , .		0
5	Laser system design for table-top X-ray light source. High Power Laser Science and Engineering, 2018, 6,	4.6	16
6	Compact, 200 MW Peak Power, $1\hat{l}$ 4m Source With All-fiber Front-End. , 2018, , .		0
7	Narrowband Terahertz Generation with Broadband Chirped Pulse Trains in Periodically Poled Lithium Niobate. , 2017, , .		Ο
8	Narrowband terahertz generation with chirped-and-delayed laser pulses in periodically poled lithium niobate. Optics Letters, 2017, 42, 2118.	3.3	55
9	Terahertz Accelerator Technology. , 2017, , .		0
10	Pulse sequences for efficient multi-cycle terahertz generation in periodically poled lithium niobate. Optics Express, 2016, 24, 25582.	3.4	73
11	Cascaded parametric amplification for highly efficient terahertz generation. Optics Letters, 2016, 41, 3806.	3.3	48
12	Pre-chirp managed nonlinear amplification for >100 W ultrafast sources. , 2016, , .		0
13	87-W, 1018-nm Yb-fiber ultrafast seeding source for cryogenic Yb:YLF amplifier. , 2016, , .		1
14	100-W few-cycle Yb-fiber laser source based on pre-chirp managed amplification employing circular polarization. , 2016, , .		0
15	Efficient narrowband terahertz generation in cryogenically cooled periodically poled lithium niobate. Optics Letters, 2015, 40, 5762.	3.3	56
16	Theory of terahertz generation by optical rectification using tilted-pulse-fronts. Optics Express, 2015, 23, 5253.	3.4	58
17	Pre-chirp managed nonlinear amplification in fibers delivering 100  W, 60  fs pulses. Optics Lett 40, 151.	ers, 2015, 3.3	79

Pre-chirp managed amplification (PCMA) in fibers to 100 W with 60-fs output pulse duration., 2014,,.

DAMIAN N SCHIMPF

#	Article	IF	CITATIONS
19	Radially polarized Bessel-Gauss beams: decentered Gaussian beam analysis and experimental verification. Optics Express, 2013, 21, 18469.	3.4	19
20	Generalizing higher-order Bessel-Gauss beams: analytical description and demonstration. Optics Express, 2012, 20, 26852.	3.4	37
21	Optimization of femtosecond Yb-doped fiber amplifiers for high-quality pulse compression. Optics Express, 2012, 20, 28672.	3.4	58
22	Bessel-Gauss beam enhancement cavities for high-intensity applications. Optics Express, 2012, 20, 24429.	3.4	25
23	Advantage of circularly polarized light in nonlinear fiber-amplifiers. , 2010, , .		Ο
24	Transform-limited pulses from a mJ-class nonlinear fiber CPA-system by phase shaping. Proceedings of SPIE, 2010, , .	0.8	0
25	Improved performance of nonlinear CPA-systems by spectral clipping. Proceedings of SPIE, 2010, , .	0.8	Ο
26	Pulse Quality Improvement in Nonlinear Fiber-Amplifiers by Using Circularly Polarized Light. , 2010, , .		0
27	High Repetition Rate Gigawatt Peak Power Fiber Laser Systems: Challenges, Design, and Experiment. IEEE Journal of Selected Topics in Quantum Electronics, 2009, 15, 159-169.	2.9	67
28	Self-phase modulation compensated by positive dispersion in chirped-pulse systems. Optics Express, 2009, 17, 4997.	3.4	38
29	Circular versus linear polarization in laser-amplifiers with Kerr-nonlinearity. Optics Express, 2009, 17, 18774.	3.4	47
30	The impact of spectral modulations on the contrast of pulses of nonlinear chirped-pulse amplification systems. Optics Express, 2008, 16, 10664.	3.4	53
31	Compensation of pulse-distortion in saturated laser amplifiers. Optics Express, 2008, 16, 17637.	3.4	108
32	Controlling the influence of SPM in fiber-based chirped-pulse amplification systems by using an actively shaped parabolic spectrum. Optics Express, 2007, 15, 16945.	3.4	50