

Xiaomei Yang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10696152/publications.pdf>

Version: 2024-02-01

34
papers

3,348
citations

218677

26
h-index

377865

34
g-index

34
all docs

34
docs citations

34
times ranked

4497
citing authors

#	ARTICLE	IF	CITATIONS
1	Donor-acceptor single cocrystal of coronene and perylene diimide: molecular self-assembly and charge-transfer photoluminescence. <i>RSC Advances</i> , 2017, 7, 2382-2387.	3.6	34
2	Thermoactivated Electrical Conductivity in Perylene Diimide Nanofiber Materials. <i>Journal of Physical Chemistry Letters</i> , 2017, 8, 292-298.	4.6	16
3	Discrimination of alkyl and aromatic amine vapors using TTF-TCNQ based chemiresistive sensors. <i>Chemical Communications</i> , 2017, 53, 1132-1135.	4.1	23
4	A Ratiometric Fluorescent Sensor for Cd ²⁺ Based on Internal Charge Transfer. <i>Sensors</i> , 2017, 17, 2517.	3.8	33
5	Chemical Self-Doping of Organic Nanoribbons for High Conductivity and Potential Application as Chemiresistive Sensor. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 12360-12368.	8.0	41
6	Persistent Photoconductivity in Perylene Diimide Nanofiber Materials. <i>ACS Energy Letters</i> , 2016, 1, 906-912.	17.4	29
7	Trace Detection of RDX, HMX and PETN Explosives Using a Fluorescence Spot Sensor. <i>Scientific Reports</i> , 2016, 6, 25015.	3.3	41
8	Interfacial Donor-Acceptor Nanofibril Composites for Selective Alkane Vapor Detection. <i>ACS Sensors</i> , 2016, 1, 552-559.	7.8	27
9	γ radiation induced self-assembly of fluorescent molecules into nanofibers: a stimuli-responsive sensing. <i>Journal of Materials Chemistry C</i> , 2015, 3, 4345-4351.	5.5	21
10	Photodoping and Enhanced Visible Light Absorption in Single-Walled Carbon Nanotubes Functionalized with a Wide Band Gap Oligomer. <i>Advanced Materials</i> , 2015, 27, 162-167.	21.0	20
11	Anomalous high photovoltages observed in shish kebab-like organic p-n junction nanostructures. <i>Polymer Chemistry</i> , 2014, 5, 309-313.	3.9	16
12	Fluorescence Ratiometric Sensor for Trace Vapor Detection of Hydrogen Peroxide. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 8708-8714.	8.0	67
13	Morphology Control of Nanofibril Donor-Acceptor Heterojunction To Achieve High Photoconductivity: Exploration of New Molecular Design Rule. <i>Journal of the American Chemical Society</i> , 2013, 135, 16490-16496.	13.7	27
14	A selective fluorescence turn-on sensor for trace vapor detection of hydrogen peroxide. <i>Chemical Communications</i> , 2013, 49, 11779.	4.1	63
15	One-Step Surface Doping of Organic Nanofibers to Achieve High Dark Conductivity and Chemiresistor Sensing of Amines. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 7704-7708.	8.0	28
16	Diffusion-Controlled Detection of Trinitrotoluene: Interior Nanoporous Structure and Low Highest Occupied Molecular Orbital Level of Building Blocks Enhance Selectivity and Sensitivity. <i>Journal of the American Chemical Society</i> , 2012, 134, 4978-4982.	13.7	137
17	Ambipolar Transport in an Electrochemically Gated Single-Molecule Field-Effect Transistor. <i>ACS Nano</i> , 2012, 6, 7044-7052.	14.6	67
18	Ultrafine nanofibers fabricated from an aryleneethynylene macrocyclic molecule using surface assisted self-assembly. <i>Chemical Communications</i> , 2012, 48, 8904.	4.1	18

#	ARTICLE	IF	CITATIONS
19	Interfacial Engineering of Organic Nanofibril Heterojunctions into Highly Photoconductive Materials. <i>Journal of the American Chemical Society</i> , 2011, 133, 1087-1091.	13.7	79
20	Fluorescent nanoscale zinc(II)-carboxylate coordination polymers for explosive sensing. <i>Chemical Communications</i> , 2011, 47, 2336-2338.	4.1	163
21	Tailoring Electronic Properties of Graphene by π - π Stacking with Aromatic Molecules. <i>Journal of Physical Chemistry Letters</i> , 2011, 2, 2897-2905.	4.6	255
22	Ultrathin n-Type Organic Nanoribbons with High Photoconductivity and Application in Optoelectronic Vapor Sensing of Explosives. <i>Journal of the American Chemical Society</i> , 2010, 132, 5743-5750.	13.7	230
23	Gate-controlled electron transport in coronenes as a bottom-up approach towards graphene transistors. <i>Nature Communications</i> , 2010, 1, 31.	12.8	104
24	Organic nanofibrils based on linear carbazole trimer for explosive sensing. <i>Chemical Communications</i> , 2010, 46, 5560.	4.1	91
25	Ambient photodoping of p-type organic nanofibers: highly efficient photoswitching and electrical vapor sensing of amines. <i>Chemical Communications</i> , 2010, 46, 4127.	4.1	60
26	Highly Polarized and Self-Waveguided Emission from Single-Crystalline Organic Nanobelts. <i>Chemistry of Materials</i> , 2009, 21, 2930-2934.	6.7	99
27	Highly responsive fluorescent sensing of explosives taggant with an organic nanofibril film. <i>Sensors and Actuators B: Chemical</i> , 2008, 134, 287-291.	7.8	50
28	Expedient Vapor Probing of Organic Amines Using Fluorescent Nanofibers Fabricated from an n-Type Organic Semiconductor. <i>Nano Letters</i> , 2008, 8, 2219-2223.	9.1	267
29	Detection of Explosives with a Fluorescent Nanofibril Film. <i>Journal of the American Chemical Society</i> , 2007, 129, 6978-6979.	13.7	377
30	Enhancing One-Dimensional Charge Transport through Intermolecular π -Electron Delocalization: Conductivity Improvement for Organic Nanobelts. <i>Journal of the American Chemical Society</i> , 2007, 129, 6354-6355.	13.7	228
31	Controlling charge transport in single molecules using electrochemical gate. <i>Faraday Discussions</i> , 2006, 131, 111-120.	3.2	97
32	Nanofibril Self-Assembly of an Arylene Ethynylene Macrocyclic. <i>Journal of the American Chemical Society</i> , 2006, 128, 6576-6577.	13.7	179
33	Linearly Polarized Emission of an Organic Semiconductor Nanobelt. <i>Journal of Physical Chemistry B</i> , 2006, 110, 12327-12332.	2.6	84
34	Large Gate Modulation in the Current of a Room Temperature Single Molecule Transistor. <i>Journal of the American Chemical Society</i> , 2005, 127, 2386-2387.	13.7	277