

# Edith Hamel

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/107126/publications.pdf>

Version: 2024-02-01

113  
papers

8,494  
citations

38742

50  
h-index

48315

88  
g-index

116  
all docs

116  
docs citations

116  
times ranked

9006  
citing authors

#	ARTICLE	IF	CITATIONS
1	A functional cerebral endothelium is necessary to protect against cognitive decline. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2022, 42, 74-89.	4.3	12
2	Simvastatin rescues memory and granule cell maturation through the Wnt/ $\beta$ -catenin signaling pathway in a mouse model of Alzheimer's disease. <i>Cell Death and Disease</i> , 2022, 13, 325.	6.3	14
3	A Longitudinal Pilot Study on Cognition and Cerebral Hemodynamics in a Mouse Model of Preeclampsia Superimposed on Hypertension: Looking at Mothers and Their Offspring. <i>Frontiers in Physiology</i> , 2021, 12, 611984.	2.8	6
4	New Mechanistic Insights, Novel Treatment Paradigms, and Clinical Progress in Cerebrovascular Diseases. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 623751.	3.4	17
5	Alzheimer's disease and cerebrovascular pathology alter brain endothelial inward rectifier potassium (K <sub>IR</sub> 2.1) channels. <i>British Journal of Pharmacology</i> , 2021, . .	5.4	11
6	Memory and cerebrovascular deficits recovered following angiotensin IV intervention in a mouse model of Alzheimer's disease. <i>Neurobiology of Disease</i> , 2020, 134, 104644.	4.4	33
7	Brain angiotensin II and angiotensin IV receptors as potential Alzheimer's disease therapeutic targets. <i>GeroScience</i> , 2020, 42, 1237-1256.	4.6	28
8	AT2R's (Angiotensin II Type 2 Receptor's) Role in Cognitive and Cerebrovascular Deficits in a Mouse Model of Alzheimer Disease. <i>Hypertension</i> , 2020, 75, 1464-1474.	2.7	25
9	Benefits of physical exercise on cognition and glial white matter pathology in a mouse model of vascular cognitive impairment and dementia. <i>Glia</i> , 2020, 68, 1925-1940.	4.9	18
10	Comparative benefits of simvastatin and exercise in a mouse model of vascular cognitive impairment and dementia. <i>FASEB Journal</i> , 2019, 33, 13280-13293.	0.5	14
11	How reliable is cerebral blood flow to map changes in neuronal activity?. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2019, 217, 71-79.	2.8	41
12	High cholesterol triggers white matter alterations and cognitive deficits in a mouse model of cerebrovascular disease: benefits of simvastatin. <i>Cell Death and Disease</i> , 2019, 10, 89.	6.3	26
13	Spatial memory formation requires netrin-1 expression by neurons in the adult mammalian brain. <i>Learning and Memory</i> , 2019, 26, 77-83.	1.3	20
14	Transforming growth factor- $\beta$ 21 induces cerebrovascular dysfunction and astrogliosis through angiotensin II type 1 receptor-mediated signaling pathways. <i>Canadian Journal of Physiology and Pharmacology</i> , 2018, 96, 527-534.	1.4	16
15	Pleiotropic Benefits of the Angiotensin Receptor Blocker Candesartan in a Mouse Model of Alzheimer Disease. <i>Hypertension</i> , 2018, 72, 1217-1226.	2.7	33
16	Brain Perfusion and Astrocytes. <i>Trends in Neurosciences</i> , 2018, 41, 409-413.	8.6	23
17	Proteomic differences in brain vessels of Alzheimer's disease mice: Normalization by PPAR $\beta$ agonist pioglitazone. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017, 37, 1120-1136.	4.3	29
18	Losartan improves cerebrovascular function in a mouse model of Alzheimer's disease with combined overproduction of amyloid- $\beta$ 2 and transforming growth factor- $\beta$ 21. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017, 37, 1959-1970.	4.3	32

#	ARTICLE	IF	CITATIONS
19	Impact of Altered Cholinergic Tones on the Neurovascular Coupling Response to Whisker Stimulation. <i>Journal of Neuroscience</i> , 2017, 37, 1518-1531.	3.6	54
20	[18F]FDG PET signal is driven by astroglial glutamate transport. <i>Nature Neuroscience</i> , 2017, 20, 393-395.	14.8	232
21	Angiotensin IV Receptors Mediate the Cognitive and Cerebrovascular Benefits of Losartan in a Mouse Model of Alzheimer's Disease. <i>Journal of Neuroscience</i> , 2017, 37, 5562-5573.	3.6	71
22	An endothelial link between the benefits of physical exercise in dementia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017, 37, 2649-2664.	4.3	50
23	Enalapril Alone or Co-Administered with Losartan Rescues Cerebrovascular Dysfunction, but not Mnemonic Deficits or Amyloidosis in a Mouse Model of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2016, 51, 1183-1195.	2.6	12
24	Neurovascular and Cognitive failure in Alzheimer's Disease: Benefits of Cardiovascular Therapy. <i>Cellular and Molecular Neurobiology</i> , 2016, 36, 219-232.	3.3	39
25	Neuronal networks and mediators of cortical neurovascular coupling responses in normal and altered brain states. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2016, 371, 20150350.	4.0	91
26	Cerebral Circulation. <i>Journal of Cardiovascular Pharmacology</i> , 2015, 65, 317-324.	1.9	35
27	Neuroinflammation, mitochondrial defects and neurodegeneration in mucopolysaccharidosis III type C mouse model. <i>Brain</i> , 2015, 138, 336-355.	7.6	113
28	Simvastatin Restored Vascular Reactivity, Endothelial Function and Reduced String Vessel Pathology in a Mouse Model of Cerebrovascular Disease. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015, 35, 512-520.	4.3	41
29	COX-2-Derived Prostaglandin E2 Produced by Pyramidal Neurons Contributes to Neurovascular Coupling in the Rodent Cerebral Cortex. <i>Journal of Neuroscience</i> , 2015, 35, 11791-11810.	3.6	85
30	Brain endothelial TAK1 and NEMO safeguard the neurovascular unit. <i>Journal of Experimental Medicine</i> , 2015, 212, 1529-1549.	8.5	65
31	Neurotherapeutic effects of novel HO-1 inhibitors <i>in vitro</i> and in a transgenic mouse model of Alzheimer's disease. <i>Journal of Neurochemistry</i> , 2014, 131, 778-790.	3.9	45
32	Selective benefits of simvastatin in bitransgenic APPSwe,Ind/TGF- $\beta$ 1 mice. <i>Neurobiology of Aging</i> , 2014, 35, 203-212.	3.1	26
33	The Proteome of Mouse Cerebral Arteries. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2014, 34, 1033-1046.	4.3	29
34	Angiotensin II type 1 receptor blocker losartan prevents and rescues cerebrovascular, neuropathological and cognitive deficits in an Alzheimer's disease model. <i>Neurobiology of Disease</i> , 2014, 68, 126-136.	4.4	126
35	Cognitive and cerebrovascular improvements following kinin B1 receptor blockade in Alzheimer's disease mice. <i>Journal of Neuroinflammation</i> , 2013, 10, 57.	7.2	63
36	DCC Expression by Neurons Regulates Synaptic Plasticity in the Adult Brain. <i>Cell Reports</i> , 2013, 3, 173-185.	6.4	118

#	ARTICLE	IF	CITATIONS
37	Early cortical thickness changes predict $\beta$ -amyloid deposition in a mouse model of Alzheimer's disease. <i>Neurobiology of Disease</i> , 2013, 54, 59-67.	4.4	35
38	Impaired structural correlates of memory in Alzheimer's disease mice. <i>NeuroImage: Clinical</i> , 2013, 3, 290-300.	2.7	32
39	Cortical atrophy and hypoperfusion in a transgenic mouse model of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2013, 34, 1644-1652.	3.1	49
40	Endothelial TRPV4 channels mediate dilation of cerebral arteries: impairment and recovery in cerebrovascular pathologies related to Alzheimer's disease. <i>British Journal of Pharmacology</i> , 2013, 170, 661-670.	5.4	77
41	Locus Coeruleus Stimulation Recruits a Broad Cortical Neuronal Network and Increases Cortical Perfusion. <i>Journal of Neuroscience</i> , 2013, 33, 3390-3401.	3.6	118
42	Pioglitazone Improves Reversal Learning and Exerts Mixed Cerebrovascular Effects in a Mouse Model of Alzheimer's Disease with Combined Amyloid- $\beta$ and Cerebrovascular Pathology. <i>PLoS ONE</i> , 2013, 8, e68612.	2.5	69
43	Pyramidal Cells and Cytochrome P450 Epoxygenase Products in the Neurovascular Coupling Response to Basal Forebrain Cholinergic Input. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012, 32, 896-906.	4.3	27
44	Schizophrenia-Like Features in Transgenic Mice Overexpressing Human HO-1 in the Astrocytic Compartment. <i>Journal of Neuroscience</i> , 2012, 32, 10841-10853.	3.6	63
45	Age-Dependent Rescue by Simvastatin of Alzheimer's Disease Cerebrovascular and Memory Deficits. <i>Journal of Neuroscience</i> , 2012, 32, 4705-4715.	3.6	146
46	<i>Withania somnifera</i> reverses Alzheimer's disease pathology by enhancing low-density lipoprotein receptor-related protein in liver. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 3510-3515.	7.1	304
47	Pyramidal Neurons Are "Neurogenic Hubs" in the Neurovascular Coupling Response to Whisker Stimulation. <i>Journal of Neuroscience</i> , 2011, 31, 9836-9847.	3.6	148
48	Intact Memory in TGF- $\beta$ 1 Transgenic Mice Featuring Chronic Cerebrovascular Deficit: Recovery with Pioglitazone. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011, 31, 200-211.	4.3	35
49	Neurovascular function in Alzheimer's disease patients and experimental models. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011, 31, 1354-1370.	4.3	129
50	Ligand-Dependent TrkA Activity in Brain Differentially Affects Spatial Learning and Long-Term Memory. <i>Molecular Pharmacology</i> , 2011, 80, 498-508.	2.3	41
51	Mice Doubly-Deficient in Lysosomal Hexosaminidase A and Neuraminidase 4 Show Epileptic Crises and Rapid Neuronal Loss. <i>PLoS Genetics</i> , 2010, 6, e1001118.	3.5	24
52	Transgenic Mice Overexpressing APP and Transforming Growth Factor- $\beta$ 1 Feature Cognitive and Vascular Hallmarks of Alzheimer's Disease. <i>American Journal of Pathology</i> , 2010, 177, 3071-3080.	3.8	51
53	Selective in vivo antagonism of endothelin receptors in transforming growth factor- $\beta$ 1 transgenic mice that mimic the vascular pathology of Alzheimer's disease This article is one of a selection of papers published in the two-part special issue entitled 20 Years of Endothelin Research.. <i>Canadian Journal of Physiology and Pharmacology</i> , 2010, 88, 652-660.	1.4	17
54	A Neurotrophic Rationale for the Therapy of Neurodegenerative Disorders. <i>Current Alzheimer Research</i> , 2009, 6, 419-423.	1.4	43

#	ARTICLE	IF	CITATIONS
55	Simvastatin improves cerebrovascular function and counters soluble amyloid-beta, inflammation and oxidative stress in aged APP mice. <i>Neurobiology of Disease</i> , 2009, 35, 406-414.	4.4	112
56	Pathway-Specific Variations in Neurovascular and Neurometabolic Coupling in Rat Primary Somatosensory Cortex. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009, 29, 976-986.	4.3	89
57	Specific Subtypes of Cortical GABA Interneurons Contribute to the Neurovascular Coupling Response to Basal Forebrain Stimulation. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2008, 28, 221-231.	4.3	134
58	Direct Modulation of P2X1 Receptor-Channels by the Lipid Phosphatidylinositol 4,5-Bisphosphate. <i>Molecular Pharmacology</i> , 2008, 74, 785-792.	2.3	35
59	Complete Rescue of Cerebrovascular Function in Aged Alzheimer's Disease Transgenic Mice by Antioxidants and Pioglitazone, a Peroxisome Proliferator-Activated Receptor $\beta$ Agonist. <i>Journal of Neuroscience</i> , 2008, 28, 9287-9296.	3.6	258
60	Transforming Growth Factor- $\beta$ 1 Impairs Endothelin-1-Mediated Contraction of Brain Vessels by Inducing Mitogen-Activated Protein (MAP) Kinase Phosphatase-1 and Inhibiting p38 MAP Kinase. <i>Molecular Pharmacology</i> , 2007, 72, 1476-1483.	2.3	41
61	Endothelial nitric oxide synthase activation leads to dilatory H <sub>2</sub> O <sub>2</sub> production in mouse cerebral arteries. <i>Cardiovascular Research</i> , 2007, 73, 73-81.	3.8	75
62	Brain hemodynamic changes mediated by dopamine receptors: Role of the cerebral microvasculature in dopamine-mediated neurovascular coupling. <i>NeuroImage</i> , 2006, 30, 700-712.	4.2	182
63	Perivascular nerves and the regulation of cerebrovascular tone. <i>Journal of Applied Physiology</i> , 2006, 100, 1059-1064.	2.5	632
64	Glutamatergic Control of Microvascular Tone by Distinct GABA Neurons in the Cerebellum. <i>Journal of Neuroscience</i> , 2006, 26, 6997-7006.	3.6	119
65	Vascular Remodeling versus Amyloid $\beta$ -Induced Oxidative Stress in the Cerebrovascular Dysfunctions Associated with Alzheimer's Disease. <i>Journal of Neuroscience</i> , 2005, 25, 11165-11174.	3.6	144
66	Potentiation of P2X1 ATP-Gated Currents by 5-Hydroxytryptamine 2A Receptors Involves Diacylglycerol-Dependent Kinases and Intracellular Calcium. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005, 315, 144-154.	2.5	24
67	Cortical GABA Interneurons in Neurovascular Coupling: Relays for Subcortical Vasoactive Pathways. <i>Journal of Neuroscience</i> , 2004, 24, 8940-8949.	3.6	501
68	Cholinergic modulation of the cortical microvascular bed. <i>Progress in Brain Research</i> , 2004, 145, 171-178.	1.4	120
69	Characterization of calcitonin gene-related peptide (CGRP) receptors and their receptor-activity-modifying proteins (RAMPs) in human brain microvascular and astroglial cells in culture. <i>Neuropharmacology</i> , 2002, 42, 270-280.	4.1	51
70	5-HT <sub>3</sub> Receptors Mediate Serotonergic Fast Synaptic Excitation of Neocortical Vasoactive Intestinal Peptide/Cholecystokinin Interneurons. <i>Journal of Neuroscience</i> , 2002, 22, 7389-7397.	3.6	204
71	Melatonin as Adjunctive Therapy in the Prophylaxis of Cluster Headache: A Pilot Study. <i>Headache</i> , 2002, 42, 787-792.	3.9	97
72	Cholinergic Dilatation and Constriction of Feline Cerebral Blood Vessels Are Mediated by Stimulation of Phosphoinositide Metabolism via Two Different Muscarinic Receptor Subtypes. <i>Journal of Neurochemistry</i> , 2002, 63, 544-551.	3.9	13

#	ARTICLE	IF	CITATIONS
73	5-HT <sub>7</sub> receptor mRNA expression in human trigeminal ganglia. <i>Neuroscience Letters</i> , 2001, 302, 9-12.	2.1	33
74	Muscarinic but Not Nicotinic Acetylcholine Receptors Mediate a Nitric Oxide-Dependent Dilation in Brain Cortical Arterioles: A Possible Role for the M5 Receptor Subtype. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2000, 20, 298-305.	4.3	112
75	No contractile effect for 5-HT <sub>1D</sub> and 5-HT <sub>1F</sub> receptor agonists in human and bovine cerebral arteries: similarity with human coronary artery. <i>British Journal of Pharmacology</i> , 2000, 129, 501-508.	5.4	87
76	BIIE0246, a potent and highly selective non-peptide neuropeptide Y Y2 receptor antagonist. <i>British Journal of Pharmacology</i> , 2000, 129, 1075-1088.	5.4	111
77	Expression of Neuropeptide Y Receptors mRNA and Protein in Human Brain Vessels and Cerebromicrovascular Cells in Culture. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1999, 19, 155-163.	4.3	49
78	Functional Acetylcholine Muscarinic Receptor Subtypes in Human Brain Microcirculation: Identification and Cellular Localization. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1999, 19, 794-802.	4.3	125
79	Multiple Microvascular and Astroglial 5-Hydroxytryptamine Receptor Subtypes in Human Brain: Molecular and Pharmacologic Characterization. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1999, 19, 908-917.	4.3	80
80	Functional Calcitonin Gene-Related Peptide Type 1 and Adrenomedullin Receptors in Human Trigeminal Ganglia, Brain Vessels, and Cerebromicrovascular or Astroglial Cells in Culture. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1999, 19, 1270-1278.	4.3	54
81	Origin of the serotonergic innervation to the rat dorsolateral hypothalamus: Retrograde transport of cholera toxin and upregulation of tryptophan hydroxylase mRNA expression following selective nerve terminals lesion. , 1999, 32, 177-186.		24
82	Assessment of the peripheral benzodiazepine receptors in human gliomas by two methods. <i>Journal of Neuro-Oncology</i> , 1998, 38, 19-26.	2.9	30
83	Preferential expression of the neuropeptide Y Y1 over the Y2 receptor subtype in cultured hippocampal neurones and cloning of the rat Y2 receptor. <i>British Journal of Pharmacology</i> , 1998, 123, 183-194.	5.4	29
84	Astroglial and Vascular Interactions of Noradrenaline Terminals in the Rat Cerebral Cortex. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1997, 17, 894-904.	4.3	197
85	Ipsilateral alterations in tryptophan hydroxylase activity in rat brain after hypothalamic 5,7-di-hydroxytryptamine lesion. <i>Brain Research</i> , 1996, 724, 222-231.	2.2	9
86	Angiotensin II-induced fluid phase endocytosis in human cerebromicrovascular endothelial cells is regulated by the inositol-phosphate signaling pathway. <i>Journal of Cellular Physiology</i> , 1996, 169, 455-467.	4.1	56
87	Pharmacological characterization of muscarinic acetylcholine binding sites in human and bovine cerebral microvessels. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1995, 352, 179-86.	3.0	24
88	Characterization of neuropeptide Y (NPY) receptors in human cerebral arteries with selective agonists and the new Y <sub>1</sub> antagonist BIBP 3226. <i>British Journal of Pharmacology</i> , 1995, 116, 2245-2250.	5.4	82
89	Light and electron microscopic immunocytochemical analysis of the neurovascular relationships of choline acetyltransferase and vasoactive intestinal polypeptide nerve terminals in the rat cerebral cortex. <i>Journal of Comparative Neurology</i> , 1994, 343, 57-71.	1.6	77
90	Distinct choline acetyltransferase (ChAT) and vasoactive intestinal polypeptide (VIP) bipolar neurons project to local blood vessels in the rat cerebral cortex. <i>Brain Research</i> , 1994, 646, 181-193.	2.2	69

#	ARTICLE	IF	CITATIONS
91	Recovery of choline acetyltransferase activity without sprouting of the residual acetylcholine innervation in adult rat cerebral cortex after lesion of the nucleus basalis. <i>Brain Research</i> , 1993, 630, 195-206.	2.2	37
92	Spinal cord serotonin receptors in cardiovascular regulation and potentiation of the pressor response to intrathecal substance P after serotonin depletion. <i>Canadian Journal of Physiology and Pharmacology</i> , 1993, 71, 453-464.	1.4	14
93	Cerebrovascular nerve fibers immunoreactive for tryptophan-5-hydroxylase in the rat: distribution, putative origin and comparison with sympathetic noradrenergic nerves. <i>Brain Research</i> , 1992, 598, 203-214.	2.2	33
94	Increased densities of binding sites for the $\alpha$ -peripheral-type benzodiazepine receptor ligand [3H]PK 11195 in rat brain following portacaval anastomosis. <i>Brain Research</i> , 1992, 585, 295-298.	2.2	85
95	Contractile $5\alpha$ -HT <sub>1</sub> receptors in human isolated pial arterioles: correlation with $5\alpha$ -HT <sub>1D</sub> binding sites. <i>British Journal of Pharmacology</i> , 1991, 102, 227-233.	5.4	76
96	Hypercapnia and stimulation of the substantia innominata increase rat frontal cortical blood flow by different cholinergic mechanisms. <i>Brain Research</i> , 1991, 553, 75-83.	2.2	71
97	Vasocontractile muscarinic M1 receptors in cat cerebral arteries: pharmacological identification and detection of mRNA. <i>European Journal of Pharmacology</i> , 1991, 207, 319-327.	2.6	29
98	Acetylcholine Levels and Choline Acetyltransferase Activity in Rat Cerebrovascular Bed after Uni- or Bilateral Sphenopalatine Ganglionectomy. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1991, 11, 253-260.	4.3	15
99	Endothelial cells inhibit the vascular response to adrenergic nerve stimulation by a receptor-mediated mechanism. <i>Canadian Journal of Physiology and Pharmacology</i> , 1990, 68, 104-109.	1.4	31
100	Selective age-related changes in neuronal markers and smooth muscle reactivity in cerebrovascular beds of Fischer 344 rats. <i>Neurobiology of Aging</i> , 1990, 11, 631-639.	3.1	11
101	Small pial vessels, but not choroid plexus, exhibit specific biochemical correlates of functional cholinergic innervation. <i>Brain Research</i> , 1990, 516, 301-309.	2.2	9
102	Heterogeneous vasomotor responses of anatomically distinct feline cerebral arteries. <i>British Journal of Pharmacology</i> , 1988, 94, 423-436.	5.4	69
103	Neuronal versus endothelial origin of vasoactive acetylcholine in pial vessels. <i>Brain Research</i> , 1987, 420, 391-396.	2.2	50
104	Opioid receptors in rat neostriatum: radioautographic distribution at the electron microscopic level. <i>Brain Research</i> , 1987, 401, 239-257.	2.2	58
105	Perivascular peptides relax cerebral arteries concomitant with stimulation of cyclic adenosine monophosphate accumulation or release of an endothelium-derived relaxing factor in the cat. <i>Neuroscience Letters</i> , 1985, 58, 213-217.	2.1	360
106	Electron microscopic autoradiographic localization of opioid receptors in rat neostriatum. <i>Nature</i> , 1984, 312, 155-157.	27.8	92
107	Localization of opioid binding sites in rat brain by electron microscopic radioautography. <i>Journal of Electron Microscopy Technique</i> , 1984, 1, 317-329.	1.1	46
108	Biochemical evidence for cholinergic innervation of intracerebral blood vessels. <i>Brain Research</i> , 1983, 266, 261-270.	2.2	123

#	ARTICLE	IF	CITATIONS
109	Characterization of Glutamic Acid Decarboxylase Activity in Cerebral Blood Vessels. Journal of Neurochemistry, 1982, 39, 842-849.	3.9	20
110	Specific cerebrovascular localization of glutamate decarboxylase activity. Brain Research, 1981, 223, 199-204.	2.2	19
111	Glutamic Acid Decarboxylase and $\gamma$ -Aminobutyric Acid in Huntington's Disease Fibroblasts and Other Cultured Cells, Determined by a [ $^3$ H]Muscimol Radioreceptor Assay. Journal of Neurochemistry, 1981, 37, 1032-1038.	3.9	20
112	Effect of Asparagine, Glutamine and Insulin on Cerebral Amino Acid Neurotransmitters. Canadian Journal of Neurological Sciences, 1980, 7, 447-450.	0.5	5
113	Effect of thiamine deficiency on levels of putative amino acid transmitters in affected regions of the rat brain. Journal of Neurochemistry, 1979, 33, 575-577.	3.9	32