## Anke Klippel

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10712667/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Structural variations and stabilising modifications of synthetic siRNAs in mammalian cells. Nucleic Acids Research, 2003, 31, 2705-2716.	14.5	543
2	Immunomodulatory agents lenalidomide and pomalidomide coâ€stimulate <scp>T</scp> cells by inducing degradation of <scp>T</scp> cell repressors <scp>I</scp> karos and <scp>A</scp> iolos via modulation of the <scp>E</scp> 3 ubiquitin ligase complex <scp>CRL</scp> 4 <scp><sup>CRBN</sup></scp> . British Journal of Haematology, 2014, 164, 811-821.	2.5	505
3	Activation of Phosphatidylinositol 3-Kinase Is Sufficient for Cell Cycle Entry and Promotes Cellular Changes Characteristic of Oncogenic Transformation. Molecular and Cellular Biology, 1998, 18, 5699-5711.	2.3	246
4	Activated Phosphatidylinositol 3-Kinase and Akt Kinase Promote Survival of Superior Cervical Neurons. Journal of Cell Biology, 1997, 139, 809-815.	5.2	243
5	Activated Phosphatidylinositol 3-Kinase Is Sufficient to Mediate Actin Rearrangement and GLUT4 Translocation in 3T3-L1 Adipocytes. Journal of Biological Chemistry, 1996, 271, 17605-17608.	3.4	222
6	Inducible shRNA expression for application in a prostate cancer mouse model. Nucleic Acids Research, 2003, 31, 127e-127.	14.5	156
7	Protein Kinase B/Akt Mediates Effects of Insulin on Hepatic Insulin-like Growth Factor-binding Protein-1 Gene Expression through a Conserved Insulin Response Sequence. Journal of Biological Chemistry, 1998, 273, 6482-6487.	3.4	149
8	CC-122, a pleiotropic pathway modifier, mimics an interferon response and has antitumor activity in DLBCL. Blood, 2015, 126, 779-789.	1.4	148
9	Overexpression of a Constitutively Active Form of Phosphatidylinositol 3-Kinase Is Sufficient to Promote Glut 4 Translocation in Adipocytes. Journal of Biological Chemistry, 1996, 271, 25227-25232.	3.4	141
10	Differential regulation of TCF-β signaling through Smad2, Smad3 and Smad4. Oncogene, 2003, 22, 6748-6763.	5.9	122
11	Knockdown of MTP18, a Novel Phosphatidylinositol 3-Kinase-dependent Protein, Affects Mitochondrial Morphology and Induces Apoptosis. Journal of Biological Chemistry, 2004, 279, 31544-31555.	3.4	121
12	REDD1 integrates hypoxia-mediated survival signaling downstream of phosphatidylinositol 3-kinase. Oncogene, 2005, 24, 1138-1149.	5.9	121
13	PKN3 is required for malignant prostate cell growth downstream of activated PI 3-kinase. EMBO Journal, 2004, 23, 3303-3313.	7.8	89
14	Functional studies of the PI(3)-kinase signalling pathway employing synthetic and expressed siRNA. Nucleic Acids Research, 2003, 31, 670-682.	14.5	82
15	Peroxiredoxin 6 is required for blood vessel integrity in wounded skin. Journal of Cell Biology, 2007, 179, 747-760.	5.2	82
16	Cross-talk between Phosphatidylinositol 3-Kinase and Sphingomyelinase Pathways as a Mechanism for Cell Survival/Death Decisions. Journal of Biological Chemistry, 2000, 275, 9628-9635.	3.4	57
17	Genetic and Pharmacological Inhibition of PDK1 in Cancer Cells. Journal of Biological Chemistry, 2011, 286, 6433-6448.	3.4	56
18	Regulation of epidermal homeostasis and repair by phosphoinositide 3-kinase. Journal of Cell Science, 2006. 119. 4033-4046.	2.0	51

ANKE KLIPPEL

#	Article	IF	CITATIONS
19	The interaction of PKN3 with RhoC promotes malignant growth. Molecular Oncology, 2012, 6, 284-298.	4.6	40
20	GeneBlocs Are Powerful Tools to Study and Delineate Signal Transduction Processes That Regulate Cell Growth and Transformation. Oligonucleotides, 2002, 12, 131-143.	4.3	32
21	Smad3 Is a Key Nonredundant Mediator of Transforming Growth Factor β Signaling in Nme Mouse Mammary Epithelial Cells. Molecular Cancer Research, 2009, 7, 1342-1353.	3.4	25
22	Enzyme kinetics and distinct modulation of the protein kinase N family of kinases by lipid activators and small molecule inhibitors. Bioscience Reports, 2014, 34, .	2.4	22
23	IMiDs® Immunomodulatory Agents Regulate Interferon-Stimulated Genes through Cereblon-Mediated Aiolos Destruction in Multiple Myeloma (MM) Cells: Identification of a Novel Mechanism of Action and Pathway for Resistance. Blood, 2014, 124, 3432-3432.	1.4	4
24	Peroxiredoxin 6 is required for blood vessel integrity in wounded skin. Journal of Experimental Medicine, 2007, 204, i27-i27.	8.5	0