Yulin Gao

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10717176/publications.pdf

Version: 2024-02-01

58	1,764	257450 24	302126 39
papers	citations	h-index	g-index

58	58	58	1166
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	Effects of elevated <scp>CO₂</scp> on activities of protective and detoxifying enzymes in <scp>Frankliniella occidentalis</scp> and <scp>F. intonsa</scp> under spinetoram stress. Pest Management Science, 2022, 78, 274-286.	3.4	11
2	Spinetoram resistance drives interspecific competition between Megalurothrips usitatus and Frankliniella intonsa. Pest Management Science, 2022, 78, 2129-2140.	3.4	17
3	Effect of elevated CO2 on the population development of the invasive species Frankliniella occidentalis and native species Thrips hawaiiensis and activities of their detoxifying enzymes. Journal of Pest Science, 2021, 94, 29-42.	3.7	9
4	Simultaneous application of entomopathogenic Beauveria bassiana granules and predatory mites Stratiolaelaps scimitus for control of western flower thrips, Frankliniella occidentalis. Journal of Pest Science, 2021, 94, 119-127.	3.7	11
5	Special issue on novel management tactics for the Western flower thrips. Journal of Pest Science, 2021, 94, 1-3.	3.7	1
6	Competitive interaction between Frankliniella occidentalis and locally present thrips species: a global review. Journal of Pest Science, 2021, 94, 5-16.	3.7	28
7	Infection of the Western Flower Thrips, Frankliniella occidentalis, by the Insect Pathogenic Fungus Beauveria bassiana. Agronomy, 2021, 11, 1910.	3.0	2
8	Invasion Biology, Ecology, and Management of Western Flower Thrips. Annual Review of Entomology, 2020, 65, 17-37.	11.8	164
9	Toxicity and effects of four insecticides on Na+, K+-ATPase of western flower thrips, Frankliniella occidentalis. Ecotoxicology, 2020, 29, 58-64.	2.4	5
10	Behavioral Responses of Thrips hawaiiensis (Thysanoptera: Thripidae) to Volatile Compounds Identified from Gardenia jasminoides Ellis (Gentianales: Rubiaceae). Insects, 2020, 11, 408.	2.2	8
11	Abundances of thrips on plants in vegetative and flowering stages are related to plant volatiles. Journal of Applied Entomology, 2020, 144, 732-742.	1.8	10
12	Flower injection of imidacloprid and spirotetramat: a novel tool for the management of banana thrips Thrips hawaiiensis. Journal of Pest Science, 2020, 93, 1073-1084.	3.7	14
13	Editorial: Plant Responses to Phytophagous Mites/Thrips and Search for Resistance. Frontiers in Plant Science, 2019, 10, 866.	3.6	2
14	Analysis of seasonal and annual field-evolved insecticide resistance in populations of Thrips hawaiiensis in banana orchards. Journal of Pest Science, 2019, 92, 1293-1307.	3.7	13
15	Laboratory and Greenhouse Evaluation of a Granular Formulation of Beauveria bassiana for Control of Western Flower Thrips, Frankliniella occidentalis. Insects, 2019, 10, 58.	2.2	19
16	Oviposition, feeding preference, and biological performance of Thrips hawaiiensis on four host plants with and without supplemental foods. Arthropod-Plant Interactions, 2019, 13, 441-452.	1.1	13
17	Laboratory and field investigation on the orientation of <scp>Frankliniella occidentalis</scp> (Thysanoptera: Thripidae) to more suitable host plants driven by volatiles and component analysis of volatiles. Pest Management Science, 2019, 75, 598-606.	3.4	28
18	Population development of Frankliniella occidentalis and Thrips hawaiiensis in constant and fluctuating temperatures. Journal of Applied Entomology, 2019, 143, 49-57.	1.8	11

#	Article	IF	Citations
19	Resistance development, stability, crossâ€resistance potential, biological fitness and biochemical mechanisms of spinetoram resistance in Thrips hawaiiensis (Thysanoptera: Thripidae). Pest Management Science, 2018, 74, 1564-1574.	3.4	58
20	A decade of a thrips invasion in China: lessons learned. Ecotoxicology, 2018, 27, 1032-1038.	2.4	45
21	Different population performances of Frankliniella occidentalis and Thrips hawaiiensis on flowers of two horticultural plants. Journal of Pest Science, 2018, 91, 79-91.	3.7	38
22	Comparison of mechanical properties for mite cuticles in understanding passive defense of phytoseiid mite against fungal infection. Materials and Design, 2018, 140, 241-248.	7.0	11
23	Behavioral responses of Frankliniella occidentalis to floral volatiles combined with different background visual cues. Arthropod-Plant Interactions, 2018, 12, 31-39.	1.1	15
24	Screening, Efficacy and Mechanisms of Microbial Control Agents Against Sucking Pest Insects as Thrips. Advances in Insect Physiology, 2018, , 199-217.	2.7	7
25	Imidacloprid Pesticide Regulates Gynaikothrips uzeli (Thysanoptera: Phlaeothripidae) Host Choice Behavior and Immunity Against Lecanicillium lecanii (Hypocreales: Clavicipitaceae). Journal of Economic Entomology, 2018, 111, 2069-2075.	1.8	5
26	A decade of leafminer invasion in China: lessons learned. Pest Management Science, 2017, 73, 1775-1779.	3.4	28
27	Pesticide-mediated interspecific competition between local and invasive thrips pests. Scientific Reports, 2017, 7, 40512.	3.3	37
28	Niche comparison among two invasive leafminer species and their parasitoid Opius biroi: implications for competitive displacement. Scientific Reports, 2017, 7, 4246.	3.3	3
29	Emerging Themes in Our Understanding of Species Displacements. Annual Review of Entomology, 2017, 62, 165-183.	11.8	77
30	Interactions between the entomopathogenic fungus Beauveria bassiana and the predatory mite Neoseiulus barkeri and biological control of their shared prey/host Frankliniella occidentalis. Biological Control, 2016, 98, 43-51.	3.0	47
31	Interactions between foliage- and soil-dwelling predatory mites and consequences for biological control of Frankliniella occidentalis. BioControl, 2016, 61, 717-727.	2.0	18
32	Monitoring cotton bollworm resistance to Cry1Ac in two counties of northern China during 2009-2013. Pest Management Science, 2015, 71, 377-382.	3.4	19
33	Feeding on Beauveria bassiana-treated Frankliniella occidentalis causes negative effects on the predatory mite Neoseiulus barkeri. Scientific Reports, 2015, 5, 12033.	3.3	19
34	Local Crop Planting Systems Enhance Insecticide-Mediated Displacement of Two Invasive Leafminer Fly. PLoS ONE, 2014, 9, e92625.	2.5	14
35	An Entomopathogenic Strain of Beauveria bassiana against Frankliniella occidentalis with no Detrimental Effect on the Predatory Mite Neoseiulus barkeri: Evidence from Laboratory Bioassay and Scanning Electron Microscopic Observation. PLoS ONE, 2014, 9, e84732.	2.5	55
36	Evaluation ofStratiolaelaos scimitusandNeoseiulus barkerifor biological control of thrips on greenhouse cucumbers. Biocontrol Science and Technology, 2014, 24, 1110-1121.	1.3	48

#	Article	IF	Citations
37	Impact of proteins and saccharides on mass production ofTyrophagus putrescentiae(Acari:) Tj ETQq1 1 0.784314 rgBT /Overlo Technology, 2013, 23, 1231-1244.	1.3	33
38	Laboratory and greenhouse evaluation of a new entomopathogenic strain ofBeauveria bassianafor control of the onion thripsThrips tabaci. Biocontrol Science and Technology, 2013, 23, 794-802.	1.3	21
39	Potential of a strain of the entomopathogenic fungusBeauveria bassiana(Hypocreales:) Tj ETQq1 1 0.784314 rgBT /Overlock 1 occidentalis(Thysanoptera: Thripidae). Biocontrol Science and Technology, 2012, 22, 491-495.	1.3	32
40	Bacillus thuringiensis Cry3Aa toxin increases the susceptibility of Crioceris quatuordecimpunctata to Beauveria bassiana infection. Journal of Invertebrate Pathology, 2012, 109, 260-263.	3.2	24
41	Potential use of the fungusBeauveria bassianaagainst the western flower thripsFrankliniella occidentaliswithout reducing the effectiveness of its natural predatorOrius sauteri(Hemiptera:) Tj ETQq1 1 0.784314 rgBT /Overlock 1	1.3	26
42	Insecticide-Mediated Apparent Displacement between Two Invasive Species of Leafminer Fly. PLoS ONE, 2012, 7, e36622.	2.5	30
43	Western flower thrips resistance to insecticides: detection, mechanisms and management strategies. Pest Management Science, 2012, 68, 1111-1121.	3.4	229
44	Frequency of Bt resistance alleles in Helicoverpa armigera in 2007â€“2009 in the Henan cotton growing region of China. Crop Protection, 2011, 30, 679-684.	2.1	2
45	Susceptibility of Helicoverpa armigera from different host plants in northern China to Bacillus thuringiensis toxin Cry1Ac. Crop Protection, 2011, 30, 1421-1424.	2.1	2
46	Increased toxicity of Bacillus thuringiensis Cry3Aa against Crioceris quatuordecimpunctata, Phaedon brassicae and Colaphellus bowringi by a Tenebrio molitor cadherin fragment. Pest Management Science, 2011, 67, 1076-1081.	3.4	27
47	Species Displacements are Common to Two Invasive Species of Leafminer Fly in China, Japan, and the United States. Journal of Economic Entomology, 2011, 104, 1771-1773.	1.8	30
48	Evaluating the Non-Rice Host Plant Species of Sesamia inferens (Lepidoptera: Noctuidae) as Natural Refuges: Resistance Management of Bt Rice. Environmental Entomology, 2011, 40, 749-754.	1.4	6
49	Cotton bollworm resistance to Bt transgenic cotton: A case analysis. Science China Life Sciences, 2010, 53, 934-941.	4.9	25
50	Antisera-mediated in vivo reduction of Cry1Ac toxicity in Helicoverpa armigera. Journal of Insect Physiology, 2010, 56, 718-724.	2.0	12
51	Characterization of a Cry1Ac toxin-binding alkaline phosphatase in the midgut from Helicoverpa armigera (HÃ¼bner) larvae. Journal of Insect Physiology, 2010, 56, 666-672.	2.0	54
52	Frequency ofBtResistance Alleles inHelicoverpa armigerain the Xinjiang Cotton-Planting Region of China. Environmental Entomology, 2010, 39, 1698-1704.	1.4	21
53	Vip3Aa Tolerance Response of Helicoverpa armigera Populations From a Cry1Ac Cotton Planting Region. Journal of Economic Entomology, 2010, 103, 2169-2173.	1.8	24
54	Screen of Bacillus thuringiensis toxins for transgenic rice to control Sesamia inferens and Chilo suppressalis. Journal of Invertebrate Pathology, 2010, 105, 11-15.	3.2	38

#	Article	IF	Citations
55	Frequency ofBtResistance Alleles inH. armigeraDuring 2006â€“2008 in Northern China. Environmental Entomology, 2009, 38, 1336-1342.	1.4	22
56	Cry2Ab Tolerance Response of <I>Helicoverpa armigera</I> (Lepidoptera: Noctuidae) Populations From Cry1Ac Cotton Planting Region. Journal of Economic Entomology, 2009, 102, 1217-1223.	1.8	25
57	Reduction of Bacillus thuringiensis Cry1Ac toxicity against Helicoverpa armigera by a soluble toxin-binding cadherin fragment. Journal of Insect Physiology, 2009, 55, 686-693.	2.0	25
58	Mutation of an aminopeptidase N gene is associated with Helicoverpa armigera resistance to Bacillus thuringiensis Cry1Ac toxin. Insect Biochemistry and Molecular Biology, 2009, 39, 421-429.	2.7	146