

# J Herrero

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10718004/publications.pdf>

Version: 2024-02-01

118  
papers

5,031  
citations

81900

39  
h-index

98798

67  
g-index

124  
all docs

124  
docs citations

124  
times ranked

4523  
citing authors

#	ARTICLE	IF	CITATIONS
1	SnOx/Ag/SnOx heat-reflector coatings prepared by DC sputtering. SN Applied Sciences, 2020, 2, 1.	2.9	1
2	Comparing metal oxide thin films as transparent p-type conductive electrodes. Materials Research Express, 2020, 7, 016411.	1.6	7
3	Transparent and p-type conductive Ni <sub>x</sub> O:V thin films obtained by reactive DC sputtering at room temperature. Materials Research Express, 2019, 6, 096410.	1.6	6
4	Intrinsic and extrinsic doping contributions in SnO <sub>2</sub> and SnO <sub>2</sub> :Sb thin films prepared by reactive sputtering. Journal of Alloys and Compounds, 2019, 791, 68-74.	5.5	15
5	P-type SnO thin films prepared by reactive sputtering at high deposition rates. Journal of Materials Science and Technology, 2019, 35, 1706-1711.	10.7	32
6	Single-phase Cu <sub>2</sub> O and CuO thin films obtained by low-temperature oxidation processes. Journal of Alloys and Compounds, 2018, 737, 718-724.	5.5	40
7	Influence of surface density on the CO <sub>2</sub> photoreduction activity of a DC magnetron sputtered TiO <sub>2</sub> catalyst. Applied Catalysis B: Environmental, 2018, 224, 912-918.	20.2	30
8	Cu <sub>2</sub> ZnSnS <sub>4</sub> thin films obtained by sulfurization of evaporated Cu <sub>2</sub> SnS <sub>3</sub> and ZnS layers: Influence of the ternary precursor features. Applied Surface Science, 2017, 400, 220-226.	6.1	8
9	Copper tin sulfide (Cu <sub>x</sub> SnS <sub>y</sub> ) thin films evaporated with x = 3,4 atomic ratios: Influence of the substrate temperature and the subsequent annealing in sulfur. Materials Research Bulletin, 2016, 83, 116-121.	5.2	13
10	Comparing the plasmonic characteristics of sputtered ZnO:Al and In <sub>2</sub> O <sub>3</sub> :Sn thin films as a function of the heating temperature and atmosphere. Thin Solid Films, 2016, 605, 136-142.	1.8	2
11	Structural and plasmonic characteristics of sputtered SnO <sub>2</sub> :Sb and ZnO:Al thin films as a function of their thickness. Journal of Materials Science, 2016, 51, 7276-7285.	3.7	14
12	ITO/ATO bilayer transparent electrodes with enhanced light scattering, thermal stability and electrical conductance. Applied Surface Science, 2016, 384, 45-50.	6.1	10
13	Influence of N-doping and air annealing on the structural and optical properties of TiO <sub>2</sub> thin films deposited by reactive DC sputtering at room temperature. Journal of Alloys and Compounds, 2015, 647, 498-506.	5.5	10
14	Crystallization of wide-bandgap CuAlSe <sub>2</sub> thin films deposited on antimony doped tin oxide substrates. Journal of Alloys and Compounds, 2015, 648, 104-110.	5.5	5
15	Copper tin sulfide (CTS) absorber thin films obtained by co-evaporation: Influence of the ratio Cu/Sn. Journal of Alloys and Compounds, 2015, 642, 40-44.	5.5	40
16	Co-evaporated Tin Sulfide Thin Films on Bare and Mo-coated Glass Substrates as Photovoltaic Absorber Layers. Energy Procedia, 2014, 44, 96-104.	1.8	9
17	Anatase and rutile TiO <sub>2</sub> thin films prepared by reactive DC sputtering at high deposition rates on glass and flexible polyimide substrates. Journal of Materials Science, 2014, 49, 5035-5042.	3.7	17
18	Lithium intercalation in sputter deposited antimony-doped tin oxide thin films: Evidence from electrochemical and optical measurements. Journal of Applied Physics, 2014, 115, 153702.	2.5	7

#	ARTICLE	IF	CITATIONS
19	Structural, chemical, and optical properties of tin sulfide thin films as controlled by the growth temperature during co-evaporation and subsequent annealing. <i>Journal of Materials Science</i> , 2013, 48, 3943-3949.	3.7	33
20	Improving conductivity and texture in ZnO:Al sputtered thin films by sequential chemical and thermal treatments. <i>Applied Surface Science</i> , 2013, 282, 923-929.	6.1	7
21	Investigation of optical, structural, and chemical properties of indium sulfide thin films evaporated at low temperature by modulated flux deposition. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2013, 210, 320-326.	1.8	2
22	Transparent and conductive electrodes combining AZO and ATO thin films for enhanced light scattering and electrical performance. <i>Applied Surface Science</i> , 2013, 264, 448-452.	6.1	17
23	Plasmonic characteristics of Ag and ITO/Ag ultrathin films as-grown by sputtering at room temperature and after heating. <i>Journal Physics D: Applied Physics</i> , 2013, 46, 295302.	2.8	15
24	Annealing of indium sulfide thin films prepared at low temperature by modulated flux deposition. <i>Semiconductor Science and Technology</i> , 2013, 28, 015004.	2.0	15
25	Nanocrystalline antimony doped tin oxide (ATO) thin films: A thermal restructuring study. <i>Surface and Coatings Technology</i> , 2012, 211, 37-40.	4.8	17
26	Influence of the annealing temperature on CuAl <sub>x</sub> Ga <sub>1-x</sub> Se <sub>2</sub> thin films obtained by selenization. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2012, 209, 1467-1474.	1.8	1
27	Components distribution in Cu(In,Ga)Se <sub>2</sub> films prepared by selenization of evaporated metallic precursors on bare and ITO-coated glass substrates. <i>Journal of Materials Science</i> , 2012, 47, 1836-1842.	3.7	3
28	AZO/ATO double-layered transparent conducting electrode: A thermal stability study. <i>Thin Solid Films</i> , 2011, 519, 7564-7567.	1.8	32
29	TCO/metal/TCO structures for energy and flexible electronics. <i>Thin Solid Films</i> , 2011, 520, 1-17.	1.8	418
30	Zn incorporation and (CuIn) <sub>1-x</sub> Zn <sub>2x</sub> Se <sub>2</sub> thin film formation during the selenization of evaporated Cu and In precursors on Al:ZnO coated glass substrates. <i>Journal of Physics and Chemistry of Solids</i> , 2011, 72, 1362-1366.	4.0	1
31	Characteristics of SnSe and SnSe <sub>2</sub> thin films grown onto polycrystalline SnO <sub>2</sub> -coated glass substrates. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2011, 208, 679-683.	1.8	46
32	Discharge power dependence of structural, optical and electrical properties of DC sputtered antimony doped tin oxide (ATO) films. <i>Solar Energy Materials and Solar Cells</i> , 2011, 95, 2113-2119.	6.2	24
33	Properties of In <sub>2</sub> S <sub>3</sub> thin films deposited onto ITO/glass substrates by chemical bath deposition. <i>Journal of Physics and Chemistry of Solids</i> , 2010, 71, 1629-1633.	4.0	37
34	Preparation of reactively sputtered Sb-doped SnO <sub>2</sub> thin films: Structural, electrical and optical properties. <i>Solar Energy Materials and Solar Cells</i> , 2010, 94, 612-616.	6.2	102
35	Optical, electrical and structural characteristics of Al:ZnO thin films with various thicknesses deposited by DC sputtering at room temperature and annealed in air or vacuum. <i>Vacuum</i> , 2010, 84, 924-929.	3.5	167
36	Buffer layers and transparent conducting oxides for chalcopyrite Cu(In,Ga)(S,Se) <sub>2</sub> based thin film photovoltaics: present status and current developments. <i>Progress in Photovoltaics: Research and Applications</i> , 2010, 18, 411-433.	8.1	323

#	ARTICLE	IF	CITATIONS
37	Transparent electrodes based on metal and metal oxide stacked layers grown at room temperature on polymer substrate. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2010, 207, 1563-1567.	1.8	26
38	Growth of Cu-Rich/Poor CuInS <sub>2</sub> thin films by the sequential modulated flux deposition technique. <i>Materials Research Society Symposia Proceedings</i> , 2009, 1165, 1.	0.1	1
39	Structure, optical and electrical properties of Al:ZnO thin films deposited by DC sputtering at room temperature on glass and plastic substrates. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2009, 206, 1531-1536.	1.8	34
40	Transparent conductive ITO/Ag/ITO multilayer electrodes deposited by sputtering at room temperature. <i>Optics Communications</i> , 2009, 282, 574-578.	2.1	74
41	Simplified modulated evaporation process for the production of CuInS <sub>2</sub> films with reduced substrate temperatures. <i>Thin Solid Films</i> , 2009, 517, 2167-2170.	1.8	15
42	Correlation of the near-infrared optical absorption with Cu concentration in coevaporated CuInS <sub>2</sub> films. <i>Thin Solid Films</i> , 2009, 517, 2260-2263.	1.8	3
43	Comparative study of In <sub>2</sub> S <sub>3</sub> -ITO bilayers deposited on glass and different plastic substrates. <i>Thin Solid Films</i> , 2009, 517, 2320-2323.	1.8	6
44	ITO/metal/ITO multilayer structures based on Ag and Cu metal films for high-performance transparent electrodes. <i>Solar Energy Materials and Solar Cells</i> , 2008, 92, 938-941.	6.2	144
45	Optical characterization of In <sub>2</sub> S <sub>3</sub> solar cell buffer layers grown by chemical bath and physical vapor deposition. <i>Solar Energy Materials and Solar Cells</i> , 2008, 92, 1145-1148.	6.2	48
46	Transparent and conductive ZnO:Al thin films grown by pulsed magnetron sputtering in current or voltage regulation modes. <i>Vacuum</i> , 2008, 82, 668-672.	3.5	16
47	Structural, optical and electrical characteristics of ITO thin films deposited by sputtering on different polyester substrates. <i>Materials Chemistry and Physics</i> , 2008, 112, 641-644.	4.0	26
48	Influence of the film thickness on the structure, optical and electrical properties of ITO coatings deposited by sputtering at room temperature on glass and plastic substrates. <i>Semiconductor Science and Technology</i> , 2008, 23, 075002.	2.0	20
49	Structure, optical, and electrical properties of indium tin oxide thin films prepared by sputtering at room temperature and annealed in air or nitrogen. <i>Journal of Applied Physics</i> , 2007, 101, 073514.	2.5	108
50	Study of CuInS <sub>2</sub> /buffer/ZnO solar cells, with chemically deposited ZnS-In <sub>2</sub> S <sub>3</sub> buffer layers. <i>Thin Solid Films</i> , 2007, 515, 6036-6040.	1.8	20
51	Indium sulfide buffer layers deposited by dry and wet methods. <i>Thin Solid Films</i> , 2007, 515, 6041-6044.	1.8	34
52	Stability of sputtered ITO thin films to the damp-heat test. <i>Surface and Coatings Technology</i> , 2006, 201, 309-312.	4.8	45
53	Influence of oxygen in the deposition and annealing atmosphere on the characteristics of ITO thin films prepared by sputtering at room temperature. <i>Vacuum</i> , 2006, 80, 615-620.	3.5	104
54	High conductivity and transparent ZnO:Al films prepared at low temperature by DC and MF magnetron sputtering. <i>Thin Solid Films</i> , 2006, 515, 640-643.	1.8	87

#	ARTICLE	IF	CITATIONS
55	Polycrystalline growth and recrystallization processes in sputtered ITO thin films. <i>Thin Solid Films</i> , 2006, 510, 260-264.	1.8	79
56	Comparison study of ITO thin films deposited by sputtering at room temperature onto polymer and glass substrates. <i>Thin Solid Films</i> , 2005, 480-481, 129-132.	1.8	135
57	Influence of In <sub>2</sub> S <sub>3</sub> film properties on the behavior of CuInS <sub>2</sub> /In <sub>2</sub> S <sub>3</sub> /ZnO type solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2005, 87, 647-656.	6.2	25
58	Study of the electrodeposition of In <sub>2</sub> S <sub>3</sub> thin films. <i>Thin Solid Films</i> , 2005, 480-481, 151-156.	1.8	33
59	Structure, morphology and optical properties of CuInS <sub>2</sub> thin films prepared by modulated flux deposition. <i>Thin Solid Films</i> , 2005, 480-481, 19-23.	1.8	26
60	Tailoring growth conditions for modulated flux deposition of In <sub>2</sub> S <sub>3</sub> thin films. <i>Thin Solid Films</i> , 2004, 451-452, 112-115.	1.8	40
61	Improved ITO thin films for photovoltaic applications with a thin ZnO layer by sputtering. <i>Thin Solid Films</i> , 2004, 451-452, 630-633.	1.8	70
62	Quartz crystal microbalance study of the growth of indium(III) sulphide films from a chemical solution. <i>Electrochimica Acta</i> , 2004, 49, 737-744.	5.2	33
63	Study of the spontaneous growth of ZnO thin films from aqueous solutions. <i>Thin Solid Films</i> , 2003, 431-432, 373-377.	1.8	19
64	Characteristics of sequentially evaporated In <sub>x</sub> Ga <sub>y</sub> Se <sub>z</sub> thin films. <i>Journal of Physics and Chemistry of Solids</i> , 2003, 64, 1717-1719.	4.0	2
65	Growth Mechanism of CBD-In(OH) <sub>x</sub> S <sub>y</sub> Thin Films. <i>Journal of the Electrochemical Society</i> , 2002, 149, C59.	2.9	13
66	Study of CIGS/In(OH) <sub>x</sub> S <sub>y</sub> heterojunctions. <i>Thin Solid Films</i> , 2002, 403-404, 339-343.	1.8	7
67	Characterisation of CuInS <sub>2</sub> / Zn(Se,O)/ZnO solar cells as a function of Zn(Se,O) buffer deposition kinetics in a chemical bath. <i>Progress in Photovoltaics: Research and Applications</i> , 2002, 10, 465-480.	8.1	22
68	Semiconductor CuInSe <sub>2</sub> formation by close-spaced selenization processes in vacuum. <i>Vacuum</i> , 2002, 67, 659-664.	3.5	18
69	Transparent films on polymers for photovoltaic applications. <i>Vacuum</i> , 2002, 67, 611-616.	3.5	66
70	Structure, morphology and photoelectrochemical activity of CuInSe <sub>2</sub> thin films as determined by the characteristics of evaporated metallic precursors. <i>Solar Energy Materials and Solar Cells</i> , 2002, 73, 141-149.	6.2	35
71	Influence of chemical bath deposition parameters on the formation of CuInS <sub>2</sub> / Zn(Se,O) junctions for thin film solar cells. <i>Materials Research Society Symposia Proceedings</i> , 2001, 668, 1.	0.1	9
72	Arrangement of flexible foil substrates for CuInSe <sub>2</sub> -based solar cells. <i>Surface and Coatings Technology</i> , 2001, 148, 61-64.	4.8	9

#	ARTICLE	IF	CITATIONS
73	Recrystallization and components redistribution processes in electrodeposited CuInSe <sub>2</sub> thin films. Thin Solid Films, 2001, 387, 57-59.	1.8	13
74	Characterisation of CuInS <sub>2</sub> /ZnSe junctions by XPS and electroreflectance. Thin Solid Films, 2001, 387, 104-107.	1.8	15
75	Reaction mechanism and kinetics for the chemical bath deposition of In(OH) <sub>x</sub> S <sub>y</sub> thin films. Thin Solid Films, 2001, 387, 111-114.	1.8	25
76	Quartz-crystal microbalance study of the growth of Zn(Se,O) thin-films in a chemical bath. A sequential electroless-chemical process. Electrochimica Acta, 2001, 47, 977-986.	5.2	20
77	Leveling effect of sol-gel SiO <sub>2</sub> coatings onto metallic foil substrates. Surface and Coatings Technology, 2001, 138, 205-210.	4.8	10
78	Chemistry of CdS/CuInSe <sub>2</sub> Structures as Controlled by the CdS Deposition Bath. Journal of the Electrochemical Society, 2001, 148, G602.	2.9	16
79	XPS analysis with depth resolution of chemical bath-deposited ZnSe thin films. Surface and Interface Analysis, 2000, 30, 522-526.	1.8	17
80	Morphological and compositional study of CBD-ZnSe thin films by microscopy techniques and angle resolved XPS. Thin Solid Films, 2000, 358, 22-29.	1.8	59
81	CuInSe <sub>2</sub> thin films obtained by a novel electrodeposition and sputtering combined method. Vacuum, 2000, 58, 594-601.	3.5	17
82	Structure and morphology of the indium hydroxy sulphide thin films. Applied Surface Science, 2000, 158, 49-57.	6.1	49
83	Performance of sol-gel SiO <sub>2</sub> coatings onto glass/SnO <sub>2</sub> superstrates. Surface and Coatings Technology, 2000, 132, 31-35.	4.8	6
84	SnO <sub>2</sub> substrate effects on the morphology and composition of chemical bath deposited ZnSe thin films. Thin Solid Films, 2000, 361-362, 177-182.	1.8	68
85	Photovoltaic windows by chemical bath deposition. Thin Solid Films, 2000, 361-362, 28-33.	1.8	73
86	Chemical bath deposition of indium hydroxy sulphide thin films: process and XPS characterization. Thin Solid Films, 1999, 353, 100-107.	1.8	67
87	Chemical studies of solar cell structures based on electrodeposited CuInSe <sub>2</sub> . Solar Energy Materials and Solar Cells, 1999, 58, 219-224.	6.2	5
88	SiO <sub>2</sub> sol-gel-coated conducting substrates for CuInSe <sub>2</sub> electrodeposition. Surface and Coatings Technology, 1999, 115, 45-51.	4.8	7
89	Cadmium sulphide growth investigations on different SnO <sub>2</sub> substrates. Applied Surface Science, 1999, 140, 182-189.	6.1	44
90	New approaches to obtain CuIn <sub>1-x</sub> Ga <sub>x</sub> Se <sub>2</sub> thin films by combining electrodeposited and evaporated precursors. Thin Solid Films, 1998, 323, 93-98.	1.8	11

#	ARTICLE	IF	CITATIONS
91	Accurate control of thin film CdS growth process by adjusting the chemical bath deposition parameters. <i>Thin Solid Films</i> , 1998, 335, 37-42.	1.8	49
92	Morphological and structural studies of CBD-CdS thin films by microscopy and diffraction techniques. <i>Applied Surface Science</i> , 1998, 136, 8-16.	6.1	62
93	Preparation of Indium Hydroxy Sulfide $\text{In}_x(\text{OH})_y\text{S}_z$ Thin Films by Chemical Bath Deposition of the Electrochemical Society, 1998, 145, 2775-2779.	2.9	50
94	Dependence of Electro-optical Properties on the Deposition Conditions of Chemical Bath Deposited CdS Thin Films. <i>Journal of the Electrochemical Society</i> , 1997, 144, 4091-4098.	2.9	46
95	Chemical Bath Deposition of CdS Thin Films: An Approach to the Chemical Mechanism Through Study of the Film Microstructure. <i>Journal of the Electrochemical Society</i> , 1997, 144, 4081-4091.	2.9	132
96	Deposition of transparent and conductive Al-doped ZnO thin films for photovoltaic solar cells. <i>Solar Energy Materials and Solar Cells</i> , 1997, 45, 75-86.	6.2	176
97	Improved Selenization Procedure to Obtain $\text{CuInSe}_2$ Thin Films from Sequentially Electrodeposited Precursors. <i>Journal of the Electrochemical Society</i> , 1996, 143, 493-498.	2.9	26
98	Morphological investigations on CdS-TCO photovoltaic window layers using atomic force microscopy. <i>Progress in Photovoltaics: Research and Applications</i> , 1996, 4, 439-446.	8.1	5
99	Improvement of the optical properties of electrodeposited $\text{CuInSe}_2$ thin films by thermal and chemical treatments. <i>Solar Energy Materials and Solar Cells</i> , 1996, 43, 47-57.	6.2	38
100	Optimisation of CdS-TCO bilayers for their application as windows in photovoltaic solar cells. <i>Solar Energy Materials and Solar Cells</i> , 1996, 43, 297-310.	6.2	15
101	Chemical bath codeposited CdS-ZnS film characterization. <i>Thin Solid Films</i> , 1995, 268, 5-12.	1.8	88
102	Optimisation of indium tin oxide thin films for photovoltaic applications. <i>Thin Solid Films</i> , 1995, 269, 80-84.	1.8	35
103	Chemical Bath Deposition of ZnSe Thin Films: Process and Material Characterization. <i>Journal of the Electrochemical Society</i> , 1995, 142, 764-770.	2.9	73
104	Reaction Pathways to $\text{CuInSe}_2$ Formation from Electrodeposited Precursors. <i>Journal of the Electrochemical Society</i> , 1995, 142, 1834-1838.	2.9	25
105	Photovoltaic activity of electrodeposited $\text{p-CuInSe}_2$ /electrolyte junction. <i>Journal of Applied Physics</i> , 1994, 76, 359-362.	2.5	26
106	Process and Film Characterization of Chemical Bath Deposited ZnS Thin Films. <i>Journal of the Electrochemical Society</i> , 1994, 141, 205-210.	2.9	173
107	Effects of Thermal and Chemical Treatments on the Composition and Structure of Electrodeposited $\text{CuInSe}_2$ Thin Films. <i>Journal of the Electrochemical Society</i> , 1994, 141, 225-230.	2.9	44
108	Investigations of the electrical properties of electrodeposited $\text{CuInSe}_2$ thin films. <i>Journal of Applied Physics</i> , 1992, 71, 5479-5483.	2.5	38

#	ARTICLE	IF	CITATIONS
109	Chemical Bath Deposition of CdS Thin Films: Electrochemical In Situ Kinetic Studies. Journal of the Electrochemical Society, 1992, 139, 2810-2814.	2.9	84
110	Post-deposition annealing effects in RF reactive magnetron sputtered indium tin oxide thin films. Solar Energy Materials and Solar Cells, 1992, 26, 309-321.	6.2	28
111	Electrochemical stability of indium tin oxide thin films. Electrochimica Acta, 1992, 37, 2565-2571.	5.2	29
112	Cathodic electrodeposition of CuInSe <sub>2</sub> thin films. Thin Solid Films, 1991, 195, 137-146.	1.8	47
113	Optical properties of electrochemically deposited CuInSe <sub>2</sub> thin films. Solar Energy Materials and Solar Cells, 1991, 23, 31-45.	0.4	41
114	Study of the optical transitions in electrodeposited CuInSe <sub>2</sub> thin films. Journal of Applied Physics, 1991, 69, 429-432.	2.5	38
115	Effect of Annealing Temperature on the Optical Properties of Electrodeposited CuInSe <sub>2</sub> Thin Films. , 1991, , 897-899.		0
116	Determination of the flat band potential for In <sub>2</sub> S <sub>3</sub> /electrolyte interfaces. Electrochimica Acta, 1990, 35, 345-349.	5.2	18
117	Electrodeposition of Cu <sup>+</sup> -In alloys for preparing CuInS <sub>2</sub> thin films. Solar Energy Materials and Solar Cells, 1990, 20, 53-65.	0.4	53
118	n-Type In <sub>2</sub> S <sub>3</sub> thin films prepared by gas chalcogenization of metallic electroplated indium: Photoelectrochemical characterization. Solar Energy Materials and Solar Cells, 1988, 17, 357-368.	0.4	92