

Richard W Morris

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1072204/publications.pdf>

Version: 2024-02-01

208
papers

13,674
citations

25034
57
h-index

25787
108
g-index

223
all docs

223
docs citations

223
times ranked

23251
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of e-cigarette retail displays on attitudes to smoking and vaping in children: an online experimental study. Tobacco Control, 2023, 32, e220-e227.	3.2	1
2	Electronic cigarette and smoking paraphernalia point of sale displays: an observational study in England. Tobacco Control, 2022, 31, e201-e206.	3.2	3
3	Effect of health warning labels on motivation towards energy-dense snack foods: Two experimental studies. Appetite, 2022, 175, 106084.	3.7	3
4	Impact of health warning labels communicating the risk of cancer on alcohol selection: an online experimental study. Addiction, 2021, 116, 41-52.	3.3	32
5	Categories and health impacts of intimate partner violence in the World Health Organization multi-country study on women's health and domestic violence. International Journal of Epidemiology, 2021, 50, 652-662.	1.9	68
6	Genome-wide association study of circulating interleukin 6 levels identifies novel loci. Human Molecular Genetics, 2021, 30, 393-409.	2.9	32
7	Investigating the Use of Electronic Well-being Diaries Completed Within a Psychoeducation Program for University Students: Longitudinal Text Analysis Study. Journal of Medical Internet Research, 2021, 23, e25279.	4.3	1
8	Underutilisation of EPaCCS (Electronic Palliative Care Coordination Systems) in end-of life-care: a cross-sectional study. BMJ Supportive and Palliative Care, 2021, , bmjspcare-2020-002798.	1.6	2
9	Equity-specific effects of interventions to promote physical activity among middle-aged and older adults: results from applying a novel equity-specific re-analysis strategy. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 65.	4.6	4
10	Health warning labels and alcohol selection: a randomised controlled experiment in a naturalistic shopping laboratory. Addiction, 2021, 116, 3333-3345.	3.3	15
11	Straight-sided beer and cider glasses to reduce alcohol sales for on-site consumption: A randomised crossover trial in bars. Social Science and Medicine, 2021, 278, 113911.	3.8	0
12	Lagged Association between Climate Variables and Hospital Admissions for Pneumonia in South Africa. International Journal of Environmental Research and Public Health, 2021, 18, 6191.	2.6	7
13	Cigarette pack size and consumption: an adaptive randomised controlled trial. BMC Public Health, 2021, 21, 1420.	2.9	2
14	Detecting Heterogeneity of Intervention Effects Using Analysis and Meta-analysis of Differences in Variance Between Trial Arms. Epidemiology, 2021, 32, 846-854.	2.7	28
15	P62...Educational inequalities in statin treatment: cross-sectional analysis of UK biobank. , 2021, , .		0
16	145Educational inequalities in primary prevention statin use in UK Biobank. International Journal of Epidemiology, 2021, 50, .	1.9	0
17	Is continuity of primary care declining in England? Practice-level longitudinal study from 2012 to 2017. British Journal of General Practice, 2021, 71, e432-e440.	1.4	27
18	Size and shape of plates and size of wine glasses and bottles: impact on self-serving of food and alcohol. BMC Psychology, 2021, 9, 163.	2.1	6

#	ARTICLE	IF	CITATIONS
19	An intervention to improve teacher well-being support and training to support students in UK high schools (the WISE study): A cluster randomised controlled trial. <i>PLoS Medicine</i> , 2021, 18, e1003847.	8.4	12
20	Mental health support and training to improve secondary school teachers' well-being: the WISE cluster RCT. <i>Public Health Research</i> , 2021, 9, 1-138.	1.3	2
21	Immediate oral versus immediate topical versus delayed oral antibiotics for children with acute otitis media with discharge: the REST three-arm non-inferiority electronic platform-supported RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-76.	2.8	2
22	The effect of prehospital critical care on survival following out-of-hospital cardiac arrest: A prospective observational study. <i>Resuscitation</i> , 2020, 146, 178-187.	3.0	10
23	Agreement was moderate between data-based and opinion-based assessments of biases affecting randomized trials within meta-analyses. <i>Journal of Clinical Epidemiology</i> , 2020, 125, 16-25.	5.0	0
24	The impact on selection of non-alcoholic vs alcoholic drink availability: an online experiment. <i>BMC Public Health</i> , 2020, 20, 526.	2.9	11
25	A multi-centre, pragmatic, three-arm, individually randomised, non-inferiority, open trial to compare immediate orally administered, immediate topically administered or delayed orally administered antibiotics for acute otitis media with discharge in children: The Runny Ear Study (REST): study protocol. <i>Trials</i> , 2020, 21, 463.	1.6	4
26	Impact of emergency hospital admissions on patterns of primary care prescribing: a retrospective cohort analysis of electronic records in England. <i>British Journal of General Practice</i> , 2020, 70, e399-e405.	1.4	0
27	The coMforT study of a trauma-informed mindfulness intervention for women who have experienced domestic violence and abuse: a protocol for an intervention refinement and individually randomized parallel feasibility trial. <i>Pilot and Feasibility Studies</i> , 2020, 6, 33.	1.2	6
28	Impact of health warning labels on snack selection: An online experimental study. <i>Appetite</i> , 2020, 154, 104744.	3.7	14
29	Image-and-text health warning labels on alcohol and food: potential effectiveness and acceptability. <i>BMC Public Health</i> , 2020, 20, 376.	2.9	40
30	Digital Behavior Change Interventions for Younger Children With Chronic Health Conditions: Systematic Review. <i>Journal of Medical Internet Research</i> , 2020, 22, e16924.	4.3	40
31	Do adolescents with chronic fatigue syndrome (CFS/ME) and co-morbid anxiety and/or depressive symptoms think differently to those who do not have co-morbid psychopathology?. <i>Journal of Affective Disorders</i> , 2020, 274, 752-758.	4.1	7
32	Is teachers' mental health and wellbeing associated with students' mental health and wellbeing?. <i>Journal of Affective Disorders</i> , 2019, 242, 180-187.	4.1	155
33	Polypharmacy patterns in the last year of life in patients with dementia. <i>European Journal of Clinical Pharmacology</i> , 2019, 75, 1583-1591.	1.9	13
34	Reply to: Comment on: "The effect of prehospital critical care on survival following out of hospital cardiac arrest: A prospective observational study". <i>Resuscitation</i> , 2019, 145, 206-207.	3.0	3
35	Phenome-wide association analysis of LDL-cholesterol lowering genetic variants in PCSK9. <i>BMC Cardiovascular Disorders</i> , 2019, 19, 240.	1.7	22
36	Plate size and food consumption: a pre-registered experimental study in a general population sample. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 75.	4.6	15

#	ARTICLE	IF	CITATIONS
37	Equity-Specific Effects of Interventions to Promote Physical Activity among Middle-Aged and Older Adults: Development of a Collaborative Equity-Specific Re-Analysis Strategy. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3195.	2.6	6
38	<p>Health indicator recording in UK primary care electronic health records: key implications for handling missing data</p>. <i>Clinical Epidemiology</i> , 2019, Volume 11, 157-167.	3.0	38
39	The impact of a named GP scheme on continuity of care and emergency hospital admission: a cohort study among older patients in England, 2012â€“2016. <i>BMJ Open</i> , 2019, 9, e029103.	1.9	21
40	How are behavioural interventions delivered to children (5â€“11 years old): a systematic mapping review. <i>BMJ Paediatrics Open</i> , 2019, 3, e000543.	1.4	9
41	Does total volume of physical activity matter more than pattern for onset of CVD? A prospective cohort study of older British men. <i>International Journal of Cardiology</i> , 2019, 278, 267-272.	1.7	38
42	Objectively measured physical activity, sedentary behaviour and all-cause mortality in older men: does volume of activity matter more than pattern of accumulation?. <i>British Journal of Sports Medicine</i> , 2019, 53, 1013-1020.	6.7	171
43	Primary care management of cardiovascular risk for people with severe mental illnesses: the Primrose research programme including cluster RCT. <i>Programme Grants for Applied Research</i> , 2019, 7, 1-98.	1.0	6
44	Clinical and cost-effectiveness of an intervention for reducing cholesterol and cardiovascular risk for people with severe mental illness in English primary care: a cluster randomised controlled trial. <i>Lancet Psychiatry</i> , 2018, 5, 145-154.	7.4	66
45	Can we identify older people most vulnerable to living in cold homes during winter?. <i>Annals of Epidemiology</i> , 2018, 28, 1-7.e3.	1.9	4
46	A cluster randomised controlled trial of the Wellbeing in Secondary Education (WISE) Project â€“ an intervention to improve the mental health support and training available to secondary school teachers: protocol for an integrated process evaluation. <i>Trials</i> , 2018, 19, 270.	1.6	61
47	Costâ€“effectiveness of personal tailored risk information and taster sessions to increase the uptake of the NHS stop smoking services: the Start2quit randomized controlled trial. <i>Addiction</i> , 2018, 113, 708-718.	3.3	8
48	Investigating associations between the built environment and physical activity among older people in 20 UK towns. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 121-131.	3.7	34
49	Complementary medicine use, views, and experiences: a national survey in England. <i>BJGP Open</i> , 2018, 2, bjgpopen18X101614.	1.8	22
50	GWAS and colocalization analyses implicate carotid intima-media thickness and carotid plaque loci in cardiovascular outcomes. <i>Nature Communications</i> , 2018, 9, 5141.	12.8	119
51	Investigating the relationship between the <scp>HJHS</scp> and <scp>HAL</scp> in routine clinical practice: A retrospective review. <i>Haemophilia</i> , 2018, 24, 988-994.	2.1	14
52	Use of primary care data to predict those most vulnerable to cold weather: a case-crossover analysis. <i>British Journal of General Practice</i> , 2018, 68, e146-e156.	1.4	6
53	Partial factorial trials: comparing methods for statistical analysis and economic evaluation. <i>Trials</i> , 2018, 19, 442.	1.6	7
54	Effectiveness of personalised risk information and taster sessions to increase the uptake of smoking cessation services (Start2quit): a randomised controlled trial. <i>Lancet</i> , 2017, 389, 823-833.	13.7	41

#	ARTICLE	IF	CITATIONS
55	Association of Maximum Temperature With Sedentary Time in Older British Men. <i>Journal of Physical Activity and Health</i> , 2017, 14, 265-269.	2.0	9
56	Causal Associations of Adiposity and Body Fat Distribution With Coronary Heart Disease, Stroke Subtypes, and Type 2 Diabetes Mellitus. <i>Circulation</i> , 2017, 135, 2373-2388.	1.6	304
57	PCSK9 genetic variants and risk of type 2 diabetes: a mendelian randomisation study. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 97-105.	11.4	298
58	Relationship between outdoor temperature and cardiovascular disease risk factors in older people. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 349-356.	1.8	21
59	Optimising measurement of health-related characteristics of the built environment: Comparing data collected by foot-based street audits, virtual street audits and routine secondary data sources. <i>Health and Place</i> , 2017, 43, 75-84.	3.3	50
60	Why do patients seek primary medical care in emergency departments? An ethnographic exploration of access to general practice. <i>BMJ Open</i> , 2017, 7, e013816.	1.9	65
61	Associations of time of day with cardiovascular disease risk factors measured in older men: results from the British Regional Heart Study. <i>BMJ Open</i> , 2017, 7, e018264.	1.9	5
62	Continuity of Primary Care and Emergency Hospital Admissions Among Older Patients in England. <i>Annals of Family Medicine</i> , 2017, 15, 515-522.	1.9	39
63	HAPRAP: a haplotype-based iterative method for statistical fine mapping using GWAS summary statistics. <i>Bioinformatics</i> , 2017, 33, 79-86.	4.1	4
64	Exploring the relationship between general practice characteristics and attendance at Walk-in Centres, Minor Injuries Units and Emergency Departments in England 2009/10â€“2012/2013: a longitudinal study. <i>BMC Health Services Research</i> , 2017, 17, 546.	2.2	7
65	Start2quit: a randomised clinical controlled trial to evaluate the effectiveness and cost-effectiveness of using personal tailored risk information and taster sessions to increase the uptake of the NHS Stop Smoking Services. <i>Health Technology Assessment</i> , 2017, 21, 1-206.	2.8	11
66	Marginal role for 53 common genetic variants in cardiovascular disease prediction. <i>Heart</i> , 2016, 102, 1640-1647.	2.9	27
67	Dietary patterns and the risk of CVD and all-cause mortality in older British men. <i>British Journal of Nutrition</i> , 2016, 116, 1246-1255.	2.3	60
68	Effect of cold spells and their modifiers on cardiovascular disease events: Evidence from two prospective studies. <i>International Journal of Cardiology</i> , 2016, 218, 275-283.	1.7	34
69	Exercise for reducing fear of falling in older people living in the community: Cochrane systematic review and meta-analysis. <i>Age and Ageing</i> , 2016, 45, 345-352.	1.6	174
70	Exploring the relationship between general practice characteristics, and attendance at walk-in centres, minor injuries units and EDs in England 2012/2013: a cross-sectional study. <i>Emergency Medicine Journal</i> , 2016, 33, 702-708.	1.0	13
71	Prehospital critical care for out-of-hospital cardiac arrest: An observational study examining survival and a stakeholder-focused cost analysis. <i>BMC Emergency Medicine</i> , 2016, 16, 47.	1.9	6
72	Protocol for a cluster randomised controlled trial of an intervention to improve the mental health support and training available to secondary school teachers â€“ the WISE (Wellbeing in Secondary) Trial. <i>BMJ Open</i> , 2016, 6, e010101.	1.9	10

#	ARTICLE	IF	CITATIONS
73	Evaluating the clinical and cost effectiveness of a behaviour change intervention for lowering cardiovascular disease risk for people with severe mental illnesses in primary care (PRIMROSE study): study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2016, 17, 80.	1.6	17
74	Plasma urate concentration and risk of coronary heart disease: a Mendelian randomisation analysis. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 327-336.	11.4	122
75	Adult height, coronary heart disease and stroke: a multi-locus Mendelian randomization meta-analysis. <i>International Journal of Epidemiology</i> , 2016, 45, 1927-1937.	1.9	94
76	Frailty predicts trajectories of quality of life over time among British community-dwelling older people. <i>Quality of Life Research</i> , 2016, 25, 1743-1750.	3.1	52
77	Exome-wide analysis of rare coding variation identifies novel associations with COPD and airflow limitation in <i>MOCS3</i> , <i>IFIT3</i> and <i>SERPINA12</i> . <i>Thorax</i> , 2016, 71, 501-509.	5.6	22
78	Replication and Characterization of Association between ABO SNPs and Red Blood Cell Traits by Meta-Analysis in Europeans. <i>PLoS ONE</i> , 2016, 11, e0156914.	2.5	22
79	Exercise for reducing fear of falling in older people living in the community. <i>The Cochrane Library</i> , 2015, 2015, CD009848.	2.8	176
80	Diet quality in older age: the influence of childhood and adult socio-economic circumstances. <i>British Journal of Nutrition</i> , 2015, 113, 1441-1452.	2.3	43
81	Promoting physical activity in older people in general practice: ProAct65+ cluster randomised controlled trial. <i>British Journal of General Practice</i> , 2015, 65, e731-e738.	1.4	47
82	Frailty predicts short-term incidence of future falls among British community-dwelling older people: a prospective cohort study nested within a randomised controlled trial. <i>BMC Geriatrics</i> , 2015, 15, 155.	2.7	61
83	Cardiovascular Risk Prediction Models for People With Severe Mental Illness. <i>JAMA Psychiatry</i> , 2015, 72, 143.	11.0	127
84	Feasibility and impact of a computerised clinical decision support system on investigation and initial management of new onset chest pain: a mixed methods study. <i>BMC Medical Informatics and Decision Making</i> , 2015, 15, 71.	3.0	9
85	Heavier smoking may lead to a relative increase in waist circumference: evidence for a causal relationship from a Mendelian randomisation meta-analysis. <i>The CARTA consortium: Table 1. BMJ Open</i> , 2015, 5, e008808.	1.9	53
86	Randomised controlled trial of the effectiveness of community group and home-based falls prevention exercise programmes on bone health in older people: the ProAct65+ bone study. <i>Age and Ageing</i> , 2015, 44, 573-579.	1.6	32
87	The association between smoking cessation and glycaemic control in patients with type 2 diabetes: a THIN database cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2015, 3, 423-430.	11.4	67
88	Does the timed up and go test predict future falls among British community-dwelling older people? Prospective cohort study nested within a randomised controlled trial. <i>BMC Geriatrics</i> , 2015, 15, 38.	2.7	112
89	Variation in the SLC23A1 gene does not influence cardiometabolic outcomes to the extent expected given its association with l-ascorbic acid. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 202-209.	4.7	13
90	Mendelian randomization of blood lipids for coronary heart disease. <i>European Heart Journal</i> , 2015, 36, 539-550.	2.2	567

#	ARTICLE	IF	CITATIONS
91	“Keeping Moving” factors associated with sedentary behaviour among older people recruited to an exercise promotion trial in general practice. BMC Family Practice, 2015, 16, 67.	2.9	28
92	Effect of Smoking on Blood Pressure and Resting Heart Rate. Circulation: Cardiovascular Genetics, 2015, 8, 832-841.	5.1	105
93	Diurnal patterns of objectively measured physical activity and sedentary behaviour in older men. BMC Public Health, 2015, 15, 609.	2.9	57
94	Smoking and diabetes risk: building a causal case with clinical implications. Lancet Diabetes and Endocrinology, 2015, 3, 918-920.	11.4	12
95	Sixty-Five Common Genetic Variants and Prediction of Type 2 Diabetes. Diabetes, 2015, 64, 1830-1840.	0.6	91
96	HMG-coenzyme A reductase inhibition, type 2 diabetes, and bodyweight: evidence from genetic analysis and randomised trials. Lancet, 2015, 385, 351-361.	13.7	562
97	Investigating the possible causal association of smoking with depression and anxiety using Mendelian randomisation meta-analysis: the CARTA consortium. BMJ Open, 2014, 4, e006141.	1.9	150
98	Cost-Effectiveness of Computer-Tailored Smoking Cessation Advice in Primary Care: A Randomized Trial (ESCAPE). Nicotine and Tobacco Research, 2014, 16, 270-278.	2.6	16
99	Stratification by Smoking Status Reveals an Association of CHRNA5-A3-B4 Genotype with Body Mass Index in Never Smokers. PLoS Genetics, 2014, 10, e1004799.	3.5	45
100	Can analyses of electronic patient records be independently and externally validated? The effect of statins on the mortality of patients with ischaemic heart disease: a cohort study with nested case-control analysis. BMJ Open, 2014, 4, e004952.	1.9	29
101	Inequalities in heart failure in older men: prospective associations between socioeconomic measures and heart failure incidence in a 10-year follow-up study. European Heart Journal, 2014, 35, 442-447.	2.2	26
102	Which features of primary care affect unscheduled secondary care use? A systematic review. BMJ Open, 2014, 4, e004746.	1.9	158
103	High Diet Quality Is Associated with a Lower Risk of Cardiovascular Disease and All-Cause Mortality in Older Men. Journal of Nutrition, 2014, 144, 673-680.	2.9	82
104	Smoker, ex-smoker or non-smoker? The validity of routinely recorded smoking status in UK primary care: a cross-sectional study. BMJ Open, 2014, 4, e004958.	1.9	59
105	Sarcopenic Obesity and Risk of Cardiovascular Disease and Mortality: A Population-Based Cohort Study of Older Men. Journal of the American Geriatrics Society, 2014, 62, 253-260.	2.6	362
106	Evaluation of two-fold fully conditional specification multiple imputation for longitudinal electronic health record data. Statistics in Medicine, 2014, 33, 3725-3737.	1.6	46
107	Response to Safer et al.. Journal of the American Geriatrics Society, 2014, 62, 1208-1209.	2.6	0
108	Assessing Risk Prediction Models Using Individual Participant Data From Multiple Studies. American Journal of Epidemiology, 2014, 179, 621-632.	3.4	47

#	ARTICLE	IF	CITATIONS
109	Time trends in socioeconomic inequalities in cancer mortality: results from a 35-year prospective study in British men. <i>BMC Cancer</i> , 2014, 14, 474.	2.6	13
110	Which factors are associated with fear of falling in community-dwelling older people?. <i>Age and Ageing</i> , 2014, 43, 76-84.	1.6	144
111	Association between alcohol and cardiovascular disease: Mendelian randomisation analysis based on individual participant data. <i>BMJ</i> , The, 2014, 349, g4164-g4164.	6.0	528
112	Genetic association study of QT interval highlights role for calcium signaling pathways in myocardial repolarization. <i>Nature Genetics</i> , 2014, 46, 826-836.	21.4	281
113	A randomised controlled trial of the clinical effectiveness and cost-effectiveness of different knee prostheses: the Knee Arthroplasty Trial (KAT). <i>Health Technology Assessment</i> , 2014, 18, 1-235, vii-viii.	2.8	98
114	Multicentre cluster randomised trial comparing a community group exercise programme and home-based exercise with usual care for people aged 65 years and over in primary care. <i>Health Technology Assessment</i> , 2014, 18, 1-106.	2.8	128
115	Lessons learnt during a complex, multicentre cluster randomised controlled trial: the ProAct65+ trial. <i>Trials</i> , 2013, 14, 192.	1.6	15
116	Longitudinal measurement of cortisol in association with mental health and experience of domestic violence and abuse: study protocol. <i>BMC Psychiatry</i> , 2013, 13, 188.	2.6	9
117	Secretory Phospholipase A2-IIA and Cardiovascular Disease. <i>Journal of the American College of Cardiology</i> , 2013, 62, 1966-1976.	2.8	115
118	Sample size requirement for digital image analysis of collagen proportionate area in cirrhotic livers. <i>Histopathology</i> , 2013, 62, 421-430.	2.9	26
119	Apolipoprotein E genotype, cardiovascular biomarkers and risk of stroke: Systematic review and meta-analysis of 14 015 stroke cases and pooled analysis of primary biomarker data from up to 60 883 individuals. <i>International Journal of Epidemiology</i> , 2013, 42, 475-492.	1.9	145
120	ESCAPE: a randomised controlled trial of computer-tailored smoking cessation advice in primary care. <i>Addiction</i> , 2013, 108, 811-819.	3.3	18
121	Population Genomics of Cardiometabolic Traits: Design of the University College London-London School of Hygiene and Tropical Medicine-Edinburgh-Bristol (UCLEB) Consortium. <i>PLoS ONE</i> , 2013, 8, e71345.	2.5	39
122	Completion and Return of Fall Diaries Varies With Participants' Level of Education, First Language, and Baseline Fall Risk. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2012, 67A, 210-214.	3.6	31
123	Comparative analysis of genome-wide association studies signals for lipids, diabetes, and coronary heart disease: Cardiovascular Biomarker Genetics Collaboration. <i>European Heart Journal</i> , 2012, 33, 393-407.	2.2	93
124	Factors predicting recruitment to a UK wide primary care smoking cessation study (the ESCAPE trial). <i>Family Practice</i> , 2012, 29, 110-117.	1.9	28
125	Adult height and the risk of cause-specific death and vascular morbidity in 1 million people: individual participant meta-analysis. <i>International Journal of Epidemiology</i> , 2012, 41, 1419-1433.	1.9	230
126	Rising adiposity curbing decline in the incidence of myocardial infarction: 20-year follow-up of British men and women in the Whitehall II cohort. <i>European Heart Journal</i> , 2012, 33, 478-485.	2.2	28

#	ARTICLE	IF	CITATIONS
127	The interleukin-6 receptor as a target for prevention of coronary heart disease: a mendelian randomisation analysis. <i>Lancet</i> , The, 2012, 379, 1214-1224.	13.7	886
128	Is it important to measure or reduce C-reactive protein in people at risk of cardiovascular disease?. <i>European Heart Journal</i> , 2012, 33, 2258-2264.	2.2	14
129	Evaluating the effectiveness of using personal tailored risk information and taster sessions to increase the uptake of smoking cessation services: study protocol for a randomised controlled trial. <i>Trials</i> , 2012, 13, 195.	1.6	8
130	Association Between Genetic Variants on Chromosome 15q25 Locus and Objective Measures of Tobacco Exposure. <i>Journal of the National Cancer Institute</i> , 2012, 104, 740-748.	6.3	198
131	Survival with Treated and Well-Controlled Blood Pressure: Findings from a Prospective Cohort Study. <i>PLoS ONE</i> , 2011, 6, e17792.	2.5	26
132	Patellar Resurfacing in Total Knee Replacement: Five-Year Clinical and Economic Results of a Large Randomized Controlled Trial. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, 1473-1481.	3.0	77
133	Class and lifestyle “lock-in” among middle-aged and older men: a Multiple Correspondence Analysis of the British Regional Heart Study. <i>Sociology of Health and Illness</i> , 2011, 33, 399-419.	2.1	23
134	Genetic Variants Associated with von Willebrand Factor Levels in Healthy Men and Women Identified Using the HumanCVD BeadChip. <i>Annals of Human Genetics</i> , 2011, 75, 456-467.	0.8	28
135	Blood Pressure Loci Identified with a Gene-Centric Array. <i>American Journal of Human Genetics</i> , 2011, 89, 688-700.	6.2	159
136	Commentary on “Interactive computer-based interventions for sexual health promotion” with a response from the review authors. <i>Evidence-Based Child Health: A Cochrane Review Journal</i> , 2011, 6, 2271-2274.	2.0	1
137	Effect of Five Genetic Variants Associated with Lung Function on the Risk of Chronic Obstructive Lung Disease, and Their Joint Effects on Lung Function. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011, 184, 786-795.	5.6	128
138	Longitudinal associations of socioeconomic position in childhood and adulthood with decline in lung function over 20 years: results from a population-based cohort of British men. <i>Thorax</i> , 2011, 66, 1058-1064.	5.6	30
139	Genetic variation at CHRNA5-CHRNA3-CHRNA4 interacts with smoking status to influence body mass index. <i>International Journal of Epidemiology</i> , 2011, 40, 1617-1628.	1.9	100
140	Prediction of coronary heart disease risk by Framingham and SCORE risk assessments varies by socioeconomic position: results from a study in British men. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2011, 18, 186-193.	2.8	26
141	Genome-wide association and large-scale follow up identifies 16 new loci influencing lung function. <i>Nature Genetics</i> , 2011, 43, 1082-1090.	21.4	367
142	Psychodynamic approaches to teaching medical students about the doctor-patient relationship: randomised controlled trial. <i>The Psychiatrist</i> , 2011, 35, 308-313.	0.3	22
143	Four Genetic Loci Influencing Electrocardiographic Indices of Left Ventricular Hypertrophy. Circulation: Cardiovascular Genetics, 2011, 4, 626-635.	5.1	28
144	Trends in longer-term survival following an acute myocardial infarction and prescribing of evidenced-based medications in primary care in the UK from 1991: a longitudinal population-based study. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, 770-774.	3.7	30

#	ARTICLE	IF	CITATIONS
145	Social Class Differences in Secular Trends in Established Coronary Risk Factors over 20 Years: A Cohort Study of British Men from 1978 to 1998 to 2000. PLoS ONE, 2011, 6, e19742.	2.5	12
146	Assessing the impact of medication use on trends in major coronary risk factors in older British men: a cohort study. European Journal of Cardiovascular Prevention and Rehabilitation, 2010, 17, 502-508.	2.8	13
147	CAPL: a novel association test using case-control and family data and accounting for population stratification. Genetic Epidemiology, 2010, 34, 747-755.	1.3	15
148	Multi-centre cluster randomised trial comparing a community group exercise programme with home based exercise with usual care for people aged 65 and over in primary care: protocol of the ProAct 65+ trial. Trials, 2010, 11, 6.	1.6	30
149	Issues in multiple imputation of missing data for large general practice clinical databases. Pharmacoepidemiology and Drug Safety, 2010, 19, 618-626.	1.9	99
150	Genome-wide association study identifies five loci associated with lung function. Nature Genetics, 2010, 42, 36-44.	21.4	518
151	Genetic variation at the SLC23A1 locus is associated with circulating concentrations of l-ascorbic acid (vitamin C): evidence from 5 independent studies with >15,000 participants. American Journal of Clinical Nutrition, 2010, 92, 375-382.	4.7	102
152	Is the Recent Rise in Type 2 Diabetes Incidence From 1984 to 2007 Explained by the Trend in Increasing BMI?: Evidence from a prospective study of British men. Diabetes Care, 2010, 33, 1494-1496.	8.6	24
153	Association of the 98T ELAM-1 Polymorphism With Increased Bleeding After Cardiac Surgery. Journal of Cardiothoracic and Vascular Anesthesia, 2010, 24, 427-433.	1.3	14
154	The Potential of Web-based Interventions for Heart Disease Self-Management: A Mixed Methods Investigation. Journal of Medical Internet Research, 2010, 12, e56.	4.3	47
155	Association Test for X-Linked QTL in Family-Based Designs. American Journal of Human Genetics, 2009, 84, 431-444.	6.2	17
156	Sociodemographic variations in the contribution of secondary drug prevention to stroke survival at middle and older ages: cohort study. BMJ: British Medical Journal, 2009, 338, b1279-b1279.	2.3	46
157	Bespoke cohort studies needed. BMJ: British Medical Journal, 2009, 339, b3512-b3512.	2.3	3
158	Effectiveness of computer-tailored Smoking Cessation Advice in Primary Care (ESCAPE): a Randomised Trial. Trials, 2008, 9, 23.	1.6	19
159	X ² -LRT: a likelihood approach to estimate genetic risks and test association with X-linked markers using a case-parents design. Genetic Epidemiology, 2008, 32, 370-380.	1.3	13
160	Response to Ding and Lin. American Journal of Human Genetics, 2008, 82, 530-531.	6.2	1
161	Disease Associations and Family-Based Tests. Current Protocols in Human Genetics, 2008, 58, Unit 1.12.	3.5	4
162	Extent of Social Inequalities in Disability in the Elderly: Results From a Population-based Study of British Men. Annals of Epidemiology, 2008, 18, 896-903.	1.9	45

#	ARTICLE	IF	CITATIONS
163	Relationships of inflammatory and haemostatic markers with social class: Results from a population-based study of older men. <i>Atherosclerosis</i> , 2008, 197, 654-661.	0.8	28
164	Is Socioeconomic Position Related to the Prevalence of Metabolic Syndrome?. <i>Diabetes Care</i> , 2008, 31, 2380-2382.	8.6	44
165	Do socioeconomic characteristics of neighbourhood of residence independently influence incidence of coronary heart disease and all-cause mortality in older British men?. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008, 15, 19-25.	2.8	8
166	Hard drinking water does not protect against cardiovascular disease: new evidence from the British Regional Heart Study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008, 15, 185-189.	2.8	32
167	How Much of the Recent Decline in the Incidence of Myocardial Infarction in British Men Can Be Explained by Changes in Cardiovascular Risk Factors?. <i>Circulation</i> , 2008, 117, 598-604.	1.6	139
168	Knee-length graduated compression stockings for thromboprophylaxis in air travellers: A meta-analysis. <i>International Journal of Angiology</i> , 2008, 17, 119-123.	0.6	4
169	Missed opportunities for secondary prevention of cerebrovascular disease in elderly British men from 1999 to 2005: a population-based study. <i>Journal of Public Health</i> , 2007, 29, 251-257.	1.8	26
170	Are childhood socio-economic circumstances related to coronary heart disease risk? Findings from a population-based study of older men. <i>International Journal of Epidemiology</i> , 2007, 36, 560-566.	1.9	30
171	Orofacial Cleft Risk Is Increased with Maternal Smoking and Specific Detoxification-Gene Variants. <i>American Journal of Human Genetics</i> , 2007, 80, 76-90.	6.2	156
172	X-APL: An Improved Family-Based Test of Association in the Presence of Linkage for the X Chromosome. <i>American Journal of Human Genetics</i> , 2007, 80, 59-68.	6.2	24
173	BEHAVIOURAL TESTING AND HISTOLOGICAL ASSESSMENTS OF RABBIT SPINAL CORD FOLLOWING INTRATHECAL ADMINISTRATION OF ONDANSETRON. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2006, 33, 798-801.	1.9	2
174	Adolescent rats are protected from the conditioned aversive properties of cocaine and lithium chloride. <i>Pharmacology Biochemistry and Behavior</i> , 2006, 84, 344-352.	2.9	67
175	Secondary prevention of coronary heart disease in older patients after the national service framework: population based study. <i>BMJ: British Medical Journal</i> , 2006, 332, 144-145.	2.3	25
176	How Well Do HapMap Haplotypes Identify Common Haplotypes of Genes? A Comparison with Haplotypes of 334 Genes Resequenced in the Environmental Genome Project. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 133-137.	2.5	15
177	Commentary: Over-correction for regression dilution bias? Not for blood pressure vs coronary heart disease. <i>International Journal of Epidemiology</i> , 2005, 34, 1368-1369.	1.9	0
178	Trends in rates of different forms of diagnosed coronary heart disease, 1978 to 2000: prospective, population based study of British men. <i>BMJ: British Medical Journal</i> , 2005, 330, 1046.	2.3	49
179	Genetic Polymorphisms and the Risk of Stroke After Cardiac Surgery. <i>Stroke</i> , 2005, 36, 1854-1858.	2.0	84
180	INTERHEART. <i>Lancet</i> , The, 2005, 365, 117.	13.7	6

#	ARTICLE	IF	CITATIONS
181	Social class differences in coronary heart disease in middle-aged British men: implications for prevention. <i>International Journal of Epidemiology</i> , 2004, 33, 289-296.	1.9	58
182	Equity and need when waiting for total hip replacement surgery. <i>Journal of Evaluation in Clinical Practice</i> , 2004, 10, 3-9.	1.8	41
183	Testing for association with a case-parents design in the presence of genotyping errors. <i>Genetic Epidemiology</i> , 2004, 26, 142-154.	1.3	27
184	Extent of regression dilution for established and novel coronary risk factors: results from the British Regional Heart Study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2004, 11, 125-134.	2.8	66
185	Evaluating the impact of population and high-risk strategies for the primary prevention of cardiovascular disease. <i>European Heart Journal</i> , 2004, 25, 484-491.	2.2	190
186	The influence of peripheral vascular disease on the carotid and femoral wall mechanics in subjects with abdominal aortic aneurysm. <i>Journal of Vascular Surgery</i> , 2003, 37, 403-409.	1.1	9
187	Invited Commentary: Testing for Hardy-Weinberg Disequilibrium Using a Genome Single-Nucleotide Polymorphism Scan Based on Cases Only. <i>American Journal of Epidemiology</i> , 2003, 158, 401-403.	3.4	25
188	Re-assessing the contribution of serum total cholesterol, blood pressure and cigarette smoking to the aetiology of coronary heart disease: impact of regression dilution bias. <i>European Heart Journal</i> , 2003, 24, 1719-1726.	2.2	105
189	Does waiting for total hip replacement matter? Prospective cohort study. <i>Journal of Health Services Research and Policy</i> , 2002, 7, 19-25.	1.7	91
190	Impaired carotid and femoral viscoelastic properties and elevated intima-media thickness in peripheral vascular disease. <i>Atherosclerosis</i> , 2002, 164, 113-120.	0.8	38
191	Mortality, morbidity, and 1-year outcomes of primary elective total hip arthroplasty. <i>Journal of Arthroplasty</i> , 2002, 17, 165-171.	3.1	85
192	Hysterectomy: surgical route and complications. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2002, 104, 148-151.	1.1	36
193	On the advantage of haplotype analysis in the presence of multiple disease susceptibility alleles. <i>Genetic Epidemiology</i> , 2002, 23, 221-233.	1.3	363
194	Does EBM offer the best opportunity yet for teaching medical statistics?. <i>Statistics in Medicine</i> , 2002, 21, 969-977.	1.6	22
195	Prospects for Association-Based Fine Mapping of a Susceptibility Gene for a Complex Disease. <i>Theoretical Population Biology</i> , 2001, 60, 181-191.	1.1	13
196	Issues concerning association studies for fine mapping a susceptibility gene for a complex disease. <i>Genetic Epidemiology</i> , 2001, 20, 432-457.	1.3	48
197	Long-term clinical and neurophysiological follow-up of patients with peripheral neuropathy associated with benign monoclonal gammopathy. <i>Muscle and Nerve</i> , 2000, 23, 164-174.	2.2	58
198	A practical approach to adjusting for attrition bias in HIV clinical trials with serial marker responses. <i>Aids</i> , 1998, 12, 1155-1161.	2.2	11

#	ARTICLE	IF	CITATIONS
199	Nuchal translucency measurements: frequency distribution and changes with gestation in a general population. BJOG: an International Journal of Obstetrics and Gynaecology, 1996, 103, 1201-1204.	2.3	61
200	Outcome following fractured neck of femur - variation in acute hospital care or case mix?. Journal of Public Health, 1995, , .	1.8	4
201	Grading of cellular rejection after orthotopic liver transplantation. Hepatology, 1995, 21, 46-57.	7.3	74
202	Grading of cellular rejection after orthotopic liver transplantation. Hepatology, 1995, 21, 46-57.	7.3	4
203	Comparison of biphasic and monophasic waveforms in epicardial atrial defibrillation. Journal of the American College of Cardiology, 1994, 24, 171-176.	2.8	28
204	Assessing medical records: Patient preferences and knowledge. Journal of Mental Health, 1993, 2, 175-181.	1.9	1
205	Doctors' Interviewing Technique and Its Response to Different Booking Time. Family Practice, 1992, 9, 57-60.	1.9	22
206	p53 expression and prognosis in gastric carcinoma. International Journal of Cancer, 1992, 50, 859-862.	5.1	320
207	Skin tumors in the European PUVA Study. Eight-year follow-up of 1643 patients treated with PUVA for psoriasis. Journal of the American Academy of Dermatology, 1989, 20, 297.	1.2	4
208	Sources of variation in extinction rates, turnover, and diversity of marine invertebrate families during the Paleozoic. Paleobiology, 1986, 12, 421-432.	2.0	42