Gammon M Earhart, Pt

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10722317/publications.pdf

Version: 2024-02-01

49 papers

4,464 citations

32 h-index 223800 46 g-index

49 all docs 49 docs citations

49 times ranked 3321 citing authors

#	Article	IF	CITATIONS
1	Evidence for Early and Regular Physical Therapy and Exercise in Parkinson's Disease. Seminars in Neurology, 2021, 41, 189-205.	1.4	39
2	Association between falls in Alzheimer disease and scores on the Balance Evaluation Systems Test (BESTest) and MiniBESTest. Somatosensory & Motor Research, 2021, 38, 248-252.	0.9	O
3	Effects of Subthalamic Nucleus Deep Brain Stimulation and Levodopa on Balance in People with Parkinson's Disease: A Cross Sectional Study. Brain Sciences, 2020, 10, 693.	2.3	4
4	A walking dance to improve gait speed for people with Parkinson disease: a pilot study. Neurodegenerative Disease Management, 2020, 10, 301-308.	2.2	2
5	Design of the WHIP-PD study: a phase II, twelve-month, dual-site, randomized controlled trial evaluating the effects of a cognitive-behavioral approach for promoting enhanced walking activity using mobile health technology in people with Parkinson-disease. BMC Neurology, 2020, 20, 146.	1.8	10
6	Yoga Improves Balance and Low-Back Pain, but Not Anxiety, in People with Parkinson's Disease. International Journal of Yoga Therapy, 2020, 30, 41-48.	0.7	24
7	Exercise and Parkinson Disease: Comparing Tango, Treadmill, and Stretching. Journal of Neurologic Physical Therapy, 2019, 43, 26-32.	1.4	57
8	Usability of a daily mHealth application designed to address mobility, speech and dexterity in Parkinson's disease. Neurodegenerative Disease Management, 2019, 9, 97-105.	2.2	20
9	Physical therapy and deep brain stimulation in Parkinson's Disease: protocol for a pilot randomized controlled trial. Pilot and Feasibility Studies, 2018, 4, 54.	1.2	9
10	Feasibility and preliminary efficacy of a telerehabilitation approach to group adapted tango instruction for people with Parkinson disease. Journal of Telemedicine and Telecare, 2017, 23, 740-746.	2.7	37
11	Can postural instability tests improve the prediction of future falls in people with Parkinson's disease beyond knowing existing fall history?. Journal of Neurology, 2016, 263, 133-139.	3.6	18
12	Identifying clinical measures that most accurately reflect the progression of disability in Parkinson disease. Parkinsonism and Related Disorders, 2016, 25, 65-71.	2.2	54
13	Differential Effects of Tango Versus Dance for PD in Parkinson Disease. Frontiers in Aging Neuroscience, 2015, 7, 239.	3.4	43
14	Prism adaptation in Parkinson disease: comparing reaching to walking and freezers to non-freezers. Experimental Brain Research, 2015, 233, 2301-2310.	1.5	6
15	Detecting and Predicting Balance Decline in Parkinson Disease: A Prospective Cohort Study. Journal of Parkinson's Disease, 2015, 5, 131-139.	2.8	21
16	Toward Understanding Ambulatory Activity Decline in Parkinson Disease. Physical Therapy, 2015, 95, 1142-1150.	2.4	57
17	Comparing interventions and exploring neural mechanisms of exercise in Parkinson disease: a study protocol for a randomized controlled trial. BMC Neurology, 2015, 15, 9.	1.8	31
18	Balance differences in people with Parkinson disease with and without freezing of gait. Gait and Posture, 2015, 42, 306-309.	1.4	23

#	Article	IF	CITATIONS
19	Are the Effects of Community-Based Dance on Parkinson Disease Severity, Balance, and Functional Mobility Reduced with Time? A 2-Year Prospective Pilot Study. Journal of Alternative and Complementary Medicine, 2014, 20, 757-763.	2.1	93
20	Community-Based Argentine Tango Dance Program Is Associated With Increased Activity Participation Among Individuals With Parkinson's Disease. Archives of Physical Medicine and Rehabilitation, 2013, 94, 240-249.	0.9	169
21	Parkinson Disease and Exercise., 2013, 3, 833-848.		47
22	Medication and subthalamic nucleus deep brain stimulation similarly improve balance and complex gait in Parkinson disease. Parkinsonism and Related Disorders, 2013, 19, 86-91.	2.2	53
23	Four Square Step Test Performance in People With Parkinson Disease. Journal of Neurologic Physical Therapy, 2013, 37, 2-8.	1.4	48
24	Barriers to Exercise in People With Parkinson Disease. Physical Therapy, 2013, 93, 628-636.	2.4	229
25	Comparative Utility of the BESTest, Mini-BESTest, and Brief-BESTest for Predicting Falls in Individuals With Parkinson Disease: A Cohort Study. Physical Therapy, 2013, 93, 542-550.	2.4	92
26	Predictors of Gait Speeds and the Relationship of Gait Speeds to Falls in Men and Women with Parkinson Disease. Parkinson's Disease, 2013, 2013, 1-8.	1.1	30
27	Randomized Controlled Trial of Community-Based Dancing to Modify Disease Progression in Parkinson Disease. Neurorehabilitation and Neural Repair, 2012, 26, 132-143.	2.9	258
28	Rehabilitation and Parkinson's Disease. Parkinson's Disease, 2012, 2012, 1-3.	1.1	10
29	Accuracy of Fall Prediction in Parkinson Disease: Six-Month and 12-Month Prospective Analyses. Parkinson's Disease, 2012, 2012, 1-7.	1.1	66
30	Measuring participation in individuals with Parkinson disease: relationships with disease severity, quality of life, and mobility. Disability and Rehabilitation, 2011, 33, 1440-1446.	1.8	79
31	Management of balance and gait in older individuals with Parkinson's disease. Aging Health, 2011, 7, 205-218.	0.3	1
32	Five Times Sit-to-Stand Test Performance in Parkinson's Disease. Archives of Physical Medicine and Rehabilitation, 2011, 92, 1431-1436.	0.9	202
33	Functional Gait Assessment and Balance Evaluation System Test: Reliability, Validity, Sensitivity, and Specificity for Identifying Individuals With Parkinson Disease Who Fall. Physical Therapy, 2011, 91, 102-113.	2.4	242
34	The 9-Hole Peg Test of Upper Extremity Function. Journal of Neurologic Physical Therapy, 2011, 35, 157-163.	1.4	135
35	Utility of the Mini-BESTest, BESTest, and BESTest Sections for Balance Assessments in Individuals With Parkinson Disease. Journal of Neurologic Physical Therapy, 2011, 35, 90-97.	1.4	205
36	Factors Associated With Exercise Behavior in People With Parkinson Disease. Physical Therapy, 2011, 91, 1838-1848.	2.4	134

#	Article	IF	CITATIONS
37	Recommendations for Implementing Tango Classes for Persons with Parkinson Disease. American Journal of Dance Therapy, 2010, 32, 41-52.	0.3	49
38	Charting the progression of disability in parkinson disease: study protocol for a prospective longitudinal cohort study. BMC Neurology, 2010, 10, 110.	1.8	42
39	Effects of Dance on Gait and Balance in Parkinson's Disease: A Comparison of Partnered and Nonpartnered Dance Movement. Neurorehabilitation and Neural Repair, 2010, 24, 384-392.	2.9	220
40	Effects of dance on balance and gait in severe Parkinson disease: A case study. Disability and Rehabilitation, 2010, 32, 679-684.	1.8	80
41	Effects of a short duration, high dose contact improvisation dance workshop on Parkinson disease: A pilot study. Complementary Therapies in Medicine, 2010, 18, 184-190.	2.7	57
42	Short duration, intensive tango dancing for Parkinson disease: An uncontrolled pilot study. Complementary Therapies in Medicine, 2009, 17, 203-207.	2.7	101
43	Health-related quality of life and alternative forms of exercise in Parkinson disease. Parkinsonism and Related Disorders, 2009, 15, 644-648.	2.2	190
44	Six-Minute Walk Distance in Persons With Parkinson Disease: A Hierarchical Regression Model. Archives of Physical Medicine and Rehabilitation, 2009, 90, 1004-1008.	0.9	102
45	Effects of dance on movement control in Parkinson's disease: A comparison of Argentine tango and American ballroom. Journal of Rehabilitation Medicine, 2009, 41, 475-481.	1.1	334
46	Parkinson's disease and resistive exercise: Rationale, review, and recommendations. Movement Disorders, 2008, 23, 1-11.	3.9	158
47	Tai Chi improves balance and mobility in people with Parkinson disease. Gait and Posture, 2008, 28, 456-460.	1.4	240
48	Effects of Tango on Functional Mobility in Parkinson's Disease: A Preliminary Study. Journal of Neurologic Physical Therapy, 2007, 31, 173-179.	1.4	236
49	A Study on the Effects of Argentine Tango as a Form of Partnered Dance for those with Parkinson Disease and the Healthy Elderly. American Journal of Dance Therapy, 2007, 29, 109-127.	0.3	107