## Andrea Feyereislova

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10727055/publications.pdf

Version: 2024-02-01

1170033 1526636 13,161 9 9 10 citations h-index g-index papers 10 10 10 13510 docs citations times ranked citing authors all docs

| # | Article   | IF  | Citations |
|---|---|-----|-----------|
| 1 | Real-world management of patients with epidermal growth factor receptor (EGFR) mutation-positive non–small-cell lung cancer in the USA. PLoS ONE, 2019, 14, e0209709.   | 1.1 | 41        |
| 2 | Intensive Loading Dose of Trastuzumab Achieves Higher-Than-Steady–State Serum Concentrations and Is Well Tolerated. Journal of Clinical Oncology, 2010, 28, 960-966.  | 0.8 | 37        |
| 3 | Neoadjuvant chemotherapy with trastuzumab followed by adjuvant trastuzumab versus neoadjuvant chemotherapy alone, in patients with HER2-positive locally advanced breast cancer (the NOAH trial): a randomised controlled superiority trial with a parallel HER2-negative cohort. Lancet, The, 2010, 375, 377-384.          | 6.3 | 1,061     |
| 4 | Trastuzumab in combination with chemotherapy versus chemotherapy alone for treatment of HER2-positive advanced gastric or gastro-oesophageal junction cancer (ToGA): a phase 3, open-label, randomised controlled trial. Lancet, The, 2010, 376, 687-697.   | 6.3 | 5,899     |
| 5 | Trastuzumab Plus Anastrozole Versus Anastrozole Alone for the Treatment of Postmenopausal<br>Women With Human Epidermal Growth Factor Receptor 2–Positive, Hormone Receptor–Positive<br>Metastatic Breast Cancer: Results From the Randomized Phase III TAnDEM Study. Journal of Clinical<br>Oncology. 2009. 27. 5529-5537. | 0.8 | 746       |
| 6 | 2-year follow-up of trastuzumab after adjuvant chemotherapy in HER2-positive breast cancer: a randomised controlled trial. Lancet, The, 2007, 369, 29-36.   | 6.3 | 1,361     |
| 7 | Multi-Institutional Randomized Phase II Trial of Gefitinib for Previously Treated Patients With Advanced Non–Small-Cell Lung Cancer. Journal of Clinical Oncology, 2003, 21, 2237-2246.   | 0.8 | 2,822     |
| 8 | ZD1839, a Selective Oral Epidermal Growth Factor Receptor–Tyrosine Kinase Inhibitor, Is Well Tolerated and Active in Patients With Solid, Malignant Tumors: Results of a Phase I Trial. Journal of Clinical Oncology, 2002, 20, 2240-2250.  | 0.8 | 750       |
| 9 | Pharmacodynamic Studies of the Epidermal Growth Factor Receptor Inhibitor ZD1839 in Skin From Cancer Patients: Histopathologic and Molecular Consequences of Receptor Inhibition. Journal of Clinical Oncology, 2002, 20, 110-124.  | 0.8 | 441       |