

Lorenzo Cerroni

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10728852/publications.pdf>

Version: 2024-02-01

231
papers

21,392
citations

15504

65
h-index

9345

143
g-index

312
all docs

312
docs citations

312
times ranked

10835
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 1 | WHO-EORTC classification for cutaneous lymphomas. <i>Blood</i> , 2005, 105, 3768-3785. | 1.4 | 3,529 |
| 2 | Dermoscopy of pigmented skin lesions: Results of a consensus meeting via the Internet. <i>Journal of the American Academy of Dermatology</i> , 2003, 48, 679-693. | 1.2 | 1,055 |
| 3 | The 2018 update of the WHO-EORTC classification for primary cutaneous lymphomas. <i>Blood</i> , 2019, 133, 1703-1714. | 1.4 | 846 |
| 4 | Germline mutations in BAP1 predispose to melanocytic tumors. <i>Nature Genetics</i> , 2011, 43, 1018-1021. | 21.4 | 662 |
| 5 | Subcutaneous panniculitis-like T-cell lymphoma: definition, classification, and prognostic factors: an EORTC Cutaneous Lymphoma Group Study of 83 cases. <i>Blood</i> , 2008, 111, 838-845. | 1.4 | 617 |
| 6 | Clinical End Points and Response Criteria in Mycosis Fungoides and S  ary Syndrome: A Consensus Statement of the International Society for Cutaneous Lymphomas, the United States Cutaneous Lymphoma Consortium, and the Cutaneous Lymphoma Task Force of the European Organisation for Research and Treatment of Cancer. <i>Journal of Clinical Oncology</i> , 2011, 29, 2598-2607. | 1.6 | 550 |
| 7 | Kinase fusions are frequent in Spitz tumours and spitzoid melanomas. <i>Nature Communications</i> , 2014, 5, 3116. | 12.8 | 521 |
| 8 | The International Consensus Classification of Mature Lymphoid Neoplasms: a report from the Clinical Advisory Committee. <i>Blood</i> , 2022, 140, 1229-1253. | 1.4 | 512 |
| 9 | T(14;18)(q32;q21) involving IGH and MALT1 is a frequent chromosomal aberration in MALT lymphoma. <i>Blood</i> , 2003, 101, 2335-2339. | 1.4 | 480 |
| 10 | Defining early mycosis fungoides. <i>Journal of the American Academy of Dermatology</i> , 2005, 53, 1053-1063. | 1.2 | 453 |
| 11 | European Organization for Research and Treatment of Cancer and International Society for Cutaneous Lymphoma consensus recommendations for the management of cutaneous B-cell lymphomas. <i>Blood</i> , 2008, 112, 1600-1609. | 1.4 | 415 |
| 12 | Merkel cell carcinoma. <i>Nature Reviews Disease Primers</i> , 2017, 3, 17077. | 30.5 | 393 |
| 13 | Convergent Mutations and Kinase Fusions Lead to Oncogenic STAT3 Activation in Anaplastic Large Cell Lymphoma. <i>Cancer Cell</i> , 2015, 27, 516-532. | 16.8 | 378 |
| 14 | Infection by <i>Borrelia burgdorferi</i> and cutaneous B  cell lymphoma. <i>Journal of Cutaneous Pathology</i> , 1997, 24, 457-461. | 1.3 | 373 |
| 15 | EORTC, ISCL, and USCLC consensus recommendations for the treatment of primary cutaneous CD30-positive lymphoproliferative disorders: lymphomatoid papulosis and primary cutaneous anaplastic large-cell lymphoma*. <i>Blood</i> , 2011, 118, 4024-4035. | 1.4 | 365 |
| 16 | WHO/EORTC classification of cutaneous lymphomas 2005: histological and molecular aspects. <i>Journal of Cutaneous Pathology</i> , 2005, 32, 647-674. | 1.3 | 313 |
| 17 | Adverse reactions to injectable soft tissue fillers. <i>Journal of the American Academy of Dermatology</i> , 2011, 64, 1-34. | 1.2 | 289 |
| 18 | A Distinct Subset of Atypical Spitz Tumors is Characterized by BRAF Mutation and Loss of BAP1 Expression. <i>American Journal of Surgical Pathology</i> , 2012, 36, 818-830. | 3.7 | 264 |

| # | ARTICLE | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Primary cutaneous lymphomas: applicability of current classification schemes (European Organization) Tj ETQq1 1 0.784314 rgBT /Over features observed in a large group of patients. Blood, 2002, 99, 800-805. | 1.4 | 261 |
| 20 | Primary Cutaneous Marginal Zone B-Cell Lymphoma: A Recently Described Entity of Low-Grade Malignant Cutaneous B-Cell Lymphoma. American Journal of Surgical Pathology, 1997, 21, 1307-1315. | 3.7 | 249 |
| 21 | Cytotoxic/natural killer cell cutaneous lymphomas. Cancer, 2003, 97, 610-627. | 4.1 | 242 |
| 22 | Primary cutaneous large B-cell lymphomas: clinicopathologic features, classification, and prognostic factors in a large series of patients. Blood, 2005, 106, 2491-2497. | 1.4 | 237 |
| 23 | Primary cutaneous follicle center cell lymphoma with follicular growth pattern. Blood, 2000, 95, 3922-3928. | 1.4 | 228 |
| 24 | Subcutaneous, Blastic Natural Killer (NK), NK/T-cell, and Other Cytotoxic Lymphomas of the Skin: A Morphologic, Immunophenotypic, and Molecular Study of 50 Patients. American Journal of Surgical Pathology, 2004, 28, 719-735. | 3.7 | 217 |
| 25 | A Variant of Lymphomatoid Papulosis Simulating Primary Cutaneous Aggressive Epidermotropic CD8+ Cytotoxic T-cell Lymphoma. Description of 9 Cases. American Journal of Surgical Pathology, 2010, 34, 1168-1175. | 3.7 | 209 |
| 26 | Borrelia burgdorferi-associated primary cutaneous B cell lymphoma: complete clearing of skin lesions after antibiotic pulse therapy or intralesional injection of interferon alfa-2a. Journal of the American Academy of Dermatology, 1997, 36, 311-314. | 1.2 | 205 |
| 27 | Primary Cutaneous CD4+ Small-/Medium-Sized Pleomorphic T-Cell Lymphoma: A Cutaneous Nodular Proliferation of Pleomorphic T Lymphocytes of Undetermined Significance? A Study of 136 Cases. American Journal of Dermatopathology, 2009, 31, 317-322. | 0.6 | 192 |
| 28 | Follicular Mucinosis. Archives of Dermatology, 2002, 138, 182-9. | 1.4 | 189 |
| 29 | Lymphomatoid Papulosis. Archives of Dermatology, 2004, 140, 441-7. | 1.4 | 179 |
| 30 | The Spectrum of Cutaneous Lymphomas in Patients Less than 20 Years of Age. Pediatric Dermatology, 2004, 21, 525-533. | 0.9 | 179 |
| 31 | Histopathologic Features of Early (Patch) Lesions of Mycosis Fungoides. American Journal of Surgical Pathology, 2005, 29, 550-560. | 3.7 | 175 |
| 32 | bcl-2 Protein Expression and Correlation with the Interchromosomal 14;18 Translocation in Cutaneous Lymphomas and Pseudolymphomas. Journal of Investigative Dermatology, 1994, 102, 231-235. | 0.7 | 173 |
| 33 | Borrelia burgdorferi-associated lymphocytoma cutis: clinicopathologic, immunophenotypic, and molecular study of 106 cases. Journal of Cutaneous Pathology, 2004, 31, 232-240. | 1.3 | 173 |
| 34 | Lupus erythematosus panniculitis (lupus profundus): Clinical, histopathological, and molecular analysis of nine cases. Journal of Cutaneous Pathology, 2005, 32, 396-404. | 1.3 | 173 |
| 35 | Cutaneous Manifestations of Blastic Plasmacytoid Dendritic Cell Neoplasm—Morphologic and Phenotypic Variability in a Series of 33 Patients. American Journal of Surgical Pathology, 2010, 34, 75-87. | 3.7 | 168 |
| 36 | Accuracy in melanoma detection: A 10-year multicenter survey. Journal of the American Academy of Dermatology, 2012, 67, 54-59.e1. | 1.2 | 163 |

| # | ARTICLE | IF | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 37 | Granulomatous Mycosis Fungoides and Granulomatous Slack Skin. Archives of Dermatology, 2008, 144, 1609-17. | 1.4 | 158 |
| 38 | Cutaneous Lymphomas With Prominent Granulomatous Reaction. American Journal of Surgical Pathology, 2002, 26, 1259-1268. | 3.7 | 155 |
| 39 | Genomic aberrations in spitzoid melanocytic tumours and their implications for diagnosis, prognosis and therapy. Pathology, 2016, 48, 113-131. | 0.6 | 145 |
| 40 | Absence of Borrelia burgdorferi DNA in cutaneous B-cell lymphomas from the United States. Journal of Cutaneous Pathology, 2001, 28, 502-507. | 1.3 | 141 |
| 41 | Large CD30-positive cells in benign, atypical lymphoid infiltrates of the skin. Journal of Cutaneous Pathology, 2008, 35, 1100-1107. | 1.3 | 134 |
| 42 | Subcutaneous Panniculitis-Like T-Cell Lymphoma With Overlapping Clinicopathologic Features of Lupus Erythematosus: Coexistence of 2 Entities?. American Journal of Dermatopathology, 2009, 31, 520-526. | 0.6 | 129 |
| 43 | Differential Diagnosis of Cutaneous Infiltrates of B Lymphocytes with Follicular Growth Pattern. American Journal of Dermatopathology, 2004, 26, 4-13. | 0.6 | 126 |
| 44 | Teledermoscopy - results of a multicentre study on 43 pigmented skin lesions. Journal of Telemedicine and Telecare, 2000, 6, 132-137. | 2.7 | 124 |
| 45 | TCR-Î³ Expression in Primary Cutaneous T-cell Lymphomas. American Journal of Surgical Pathology, 2013, 37, 375-384. | 3.7 | 122 |
| 46 | CD56-positive haematological neoplasms of the skin: a multicentre study of the Cutaneous Lymphoma Project Group of the European Organisation for Research and Treatment of Cancer. Journal of Clinical Pathology, 2006, 60, 981-989. | 2.0 | 110 |
| 47 | Combined activation of MAP kinase pathway and Î²-catenin signaling cause deep penetrating nevi. Nature Communications, 2017, 8, 644. | 12.8 | 107 |
| 48 | Specific cutaneous infiltrates of B-cell chronic lymphocytic leukemia arising at the site of herpes zoster and herpes simplex scars. Cancer, 1995, 76, 26-31. | 4.1 | 101 |
| 49 | Intravascular Large T-cell or NK-cell Lymphoma. American Journal of Surgical Pathology, 2008, 32, 891-898. | 3.7 | 100 |
| 50 | Histopathologic Features of Cutaneous Herpes Virus Infections (Herpes Simplex, Herpes) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50,222 Td (| 3.7 | 96 |
| 51 | Rimming of Adipocytes By Neoplastic Lymphocytes. American Journal of Dermatopathology, 2006, 28, 9-12. | 0.6 | 93 |
| 52 | The majority of cutaneous marginal zone B-cell lymphomas expresses class-switched immunoglobulins and develops in a T-helper type 2 inflammatory environment. Blood, 2008, 112, 3355-3361. | 1.4 | 92 |
| 53 | Borrelia burgdorferi-associated lymphocytoma cutis simulating a primary cutaneous large B-cell lymphoma. Journal of the American Academy of Dermatology, 2002, 47, 530-534. | 1.2 | 88 |
| 54 | Follicular mycosis fungoides. A histopathologic analysis of nine cases. Journal of Cutaneous Pathology, 2001, 28, 525-530. | 1.3 | 87 |

| # | ARTICLE | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Aggressive epidermotropic cutaneous $CD8^{+}$ lymphoma: a cutaneous lymphoma with distinct clinical and pathological features. Report of an EORTC Cutaneous Lymphoma Task Force Workshop. <i>Histopathology</i> , 2015, 67, 425-441. | 2.9 | 86 |
| 56 | Fine-Mapping Chromosomal Loss at 9p21: Correlation with Prognosis in Primary Cutaneous Diffuse Large B-Cell Lymphoma, Leg Type. <i>Journal of Investigative Dermatology</i> , 2009, 129, 1149-1155. | 0.7 | 84 |
| 57 | Cutaneous involvement in lymphoblastic lymphoma. <i>Journal of Cutaneous Pathology</i> , 1999, 26, 379-385. | 1.3 | 79 |
| 58 | Cutaneous Spindle-Cell B-Cell Lymphoma. <i>American Journal of Dermatopathology</i> , 2000, 22, 299-304. | 0.6 | 79 |
| 59 | Comparison of proliferative activity as assessed by proliferating cell nuclear antigen (PCNA) and Ki-67 monoclonal antibodies in melanocytic skin lesions. A quantitative immunohistochemical study. <i>Journal of Cutaneous Pathology</i> , 1993, 20, 229-236. | 1.3 | 78 |
| 60 | Mycosis fungoides. <i>Critical Reviews in Oncology/Hematology</i> , 2008, 65, 172-182. | 4.4 | 75 |
| 61 | Immunophenotyping of cutaneous lymphoid infiltrates in frozen and paraffin-embedded tissue sections: A comparative study. <i>Journal of the American Academy of Dermatology</i> , 1990, 22, 405-413. | 1.2 | 74 |
| 62 | Indolent CD8+ lymphoid proliferation of the ear: A phenotypic variant of the small-medium pleomorphic cutaneous T-cell lymphoma?. <i>Journal of Cutaneous Pathology</i> , 2010, 37, 81-84. | 1.3 | 74 |
| 63 | Lobular Panniculitic Infiltrates With Overlapping Histopathologic Features of Lupus Panniculitis (Lupus Profundus) and Subcutaneous T-cell Lymphoma. <i>American Journal of Surgical Pathology</i> , 2015, 39, 206-211. | 3.7 | 72 |
| 64 | Clinicopathologic, Immunohistochemical, and Molecular Features of Histiocytoid Sweet Syndrome. <i>JAMA Dermatology</i> , 2017, 153, 651. | 4.1 | 71 |
| 65 | CLINICAL AND HISTOPATHOLOGIC SPECTRUM OF PILOMATRICOMAS IN ADULTS. <i>International Journal of Dermatology</i> , 1994, 33, 705-708. | 1.0 | 65 |
| 66 | Cutaneous Hodgkin's disease: an immunohistochemical analysis. <i>Journal of Cutaneous Pathology</i> , 1995, 22, 229-235. | 1.3 | 61 |
| 67 | Cutaneous B-cell Pseudolymphoma at the Site of Vaccination. <i>American Journal of Dermatopathology</i> , 2007, 29, 538-542. | 0.6 | 61 |
| 68 | Syringotropic Mycosis Fungoides. <i>American Journal of Surgical Pathology</i> , 2011, 35, 100-109. | 3.7 | 59 |
| 69 | Genomic Analyses Identify Recurrent Alterations in Immune Evasion Genes in Diffuse Large B-Cell Lymphoma, Leg Type. <i>Journal of Investigative Dermatology</i> , 2018, 138, 2365-2376. | 0.7 | 59 |
| 70 | The morphologic spectrum of primary cutaneous anaplastic large T-cell lymphoma: a histopathologic study on 66 biopsy specimens from 47 patients with report of rare variants. <i>Journal of Cutaneous Pathology</i> , 2008, 35, 46-53. | 1.3 | 58 |
| 71 | Merkel cell carcinoma: A review. <i>Journal of Cutaneous Pathology</i> , 2021, 48, 411-421. | 1.3 | 58 |
| 72 | Mycosis fungoides—clinical and histopathologic features, differential diagnosis, and treatment. <i>Seminars in Cutaneous Medicine and Surgery</i> , 2018, 37, 2-10. | 1.6 | 58 |

| # | ARTICLE | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | Expression of T-Follicular Helper Markers in Sequential Biopsies of Progressive Mycosis Fungoides and Other Primary Cutaneous T-Cell Lymphomas. American Journal of Dermatopathology, 2015, 37, 115-121. | 0.6 | 55 |
| 74 | Aberrant bcl-2 protein expression provides a possible mechanism of neoplastic cell growth in cutaneous basal-cell carcinoma. Journal of Cutaneous Pathology, 1994, 21, 398-403. | 1.3 | 54 |
| 75 | Specific cutaneous infiltrates of B-cell chronic lymphocytic leukemia (B-CLL) at sites typical for Borrelia burgdorferi infection. Journal of Cutaneous Pathology, 2002, 29, 142-147. | 1.3 | 54 |
| 76 | Presence of Human Polyomavirus 6 in Mutation-Specific BRAF Inhibitor-Induced Epithelial Proliferations. JAMA Dermatology, 2014, 150, 1180. | 4.1 | 51 |
| 77 | The protean spectrum of non-Hodgkin lymphomas with prominent involvement of subcutaneous fat. Journal of Cutaneous Pathology, 2006, 33, 418-425. | 1.3 | 50 |
| 78 | Clinicopathologic features of early lesions of primary cutaneous follicle center lymphoma, diffuse type: Implications for early diagnosis and treatment. Journal of the American Academy of Dermatology, 2011, 65, 991-1000.e7. | 1.2 | 50 |
| 79 | Verrucous cysts: histopathologic characterization and molecular detection of human papillomavirus-specific DNA. Journal of Cutaneous Pathology, 1993, 20, 411-417. | 1.3 | 47 |
| 80 | A pilot study of a combined dermoscopic-pathological approach to the teleradiology of melanocytic skin neoplasms. Journal of Telemedicine and Telecare, 2004, 10, 34-38. | 2.7 | 46 |
| 81 | Indolent CD8-positive lymphoid proliferation of acral sites: three further cases of a rare entity and an update on a unique patient. Journal of Cutaneous Pathology, 2016, 43, 125-136. | 1.3 | 46 |
| 82 | Genetic Aberrations in Primary Cutaneous Large B-Cell Lymphoma. American Journal of Surgical Pathology, 2005, 29, 666-673. | 3.7 | 44 |
| 83 | Blastic plasmacytoid dendritic cell neoplasms: results of an international survey on 398 adult patients. Blood Advances, 2020, 4, 4838-4848. | 5.2 | 44 |
| 84 | CD4-negative variant of CD4+/CD56+ hematodermic neoplasm: description of three cases. Journal of Cutaneous Pathology, 2008, 35, 911-915. | 1.3 | 43 |
| 85 | Miliary and agminated-type primary cutaneous follicle center lymphoma: Report of 18 cases. Journal of the American Academy of Dermatology, 2011, 65, 749-755. | 1.2 | 43 |
| 86 | Evaluation of Low-Dose, Low-Frequency Oral Psoralen-UV-A Treatment With or Without Maintenance on Early-Stage Mycosis Fungoides. JAMA Dermatology, 2019, 155, 538. | 4.1 | 41 |
| 87 | Imaging mass spectrometry assists in the classification of diagnostically challenging atypical Spitzoid neoplasms. Journal of the American Academy of Dermatology, 2016, 75, 1176-1186.e4. | 1.2 | 38 |
| 88 | Regarding the algorithm for the diagnosis of early mycosis fungoides proposed by the International Society for Cutaneous Lymphomas: suggestions from routine histopathology practice. Journal of Cutaneous Pathology, 2008, 35, 549-553. | 1.3 | 36 |
| 89 | Solitary Small- to Medium-Sized Pleomorphic T-Cell Nodules of Undetermined Significance: Clinical, Histopathological, Immunohistochemical and Molecular Analysis of 26 Cases. Dermatology, 2009, 219, 42-47. | 2.1 | 36 |
| 90 | Phenotypic Variability in Primary Cutaneous Anaplastic Large T-cell Lymphoma. American Journal of Dermatopathology, 2014, 36, 153-157. | 0.6 | 36 |

| # | ARTICLE | IF | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 91 | Clinicopathologic Features of Hydroa Vacciniformeâ€“Like Lymphoma. American Journal of Dermatopathology, 2016, 38, 20-25. | 0.6 | 36 |
| 92 | STAT3/5-Dependent IL9 Overexpression Contributes to Neoplastic Cell Survival in Mycosis Fungoides. Clinical Cancer Research, 2016, 22, 3328-3339. | 7.0 | 36 |
| 93 | Molecular Profiling of Keratinocyte Skin Tumors Links Staphylococcus aureus Overabundance and Increased Human I ² -Defensin-2 Expression to Growth Promotion of Squamous Cell Carcinoma. Cancers, 2020, 12, 541. | 3.7 | 36 |
| 94 | Dermoscopic Features of Difficult Melanoma. Dermatologic Surgery, 2007, 33, 91-99. | 0.8 | 35 |
| 95 | Skin manifestations of rheumatoid arthritis. Italian Journal of Dermatology and Venereology, 2018, 153, 243-255. | 0.2 | 35 |
| 96 | Monoclonality of Intraepidermal T Lymphocytes in Early Mycosis Fungoides Detected by Molecular Analysis after Laser-Beam-Based Microdissection. Journal of Investigative Dermatology, 2000, 114, 1154-1157. | 0.7 | 33 |
| 97 | Cutaneous Deposits. American Journal of Dermatopathology, 2014, 36, 1-48. | 0.6 | 33 |
| 98 | A morphological and immunophenotypic map of the immune response in Merkel cell carcinoma. Human Pathology, 2016, 52, 190-196. | 2.0 | 33 |
| 99 | Foreign Body Granuloma Due to Matridex Injection for Cosmetic Purposes. American Journal of Dermatopathology, 2009, 31, 197-199. | 0.6 | 32 |
| 100 | Pityriasis Lichenoides, Atypical Pityriasis Lichenoides, and Related Conditions. American Journal of Surgical Pathology, 2018, 42, 1101-1112. | 3.7 | 32 |
| 101 | Prognostic evaluation of specific cutaneous infiltrates in B-chronic lymphocytic leukemia. Journal of Cutaneous Pathology, 2006, 23, 487-494. | 1.3 | 31 |
| 102 | Influence of evaluation of clinical pictures on the histopathologic diagnosis of inflammatory skin disorders. Journal of the American Academy of Dermatology, 2010, 63, 647-652. | 1.2 | 31 |
| 103 | Cutaneous Manifestations of B-Cell Chronic Lymphocytic Leukemia Associated With Borrelia burgdorferi Infection Showing a Marginal Zone B-Cell Lymphoma-Like Infiltrate. American Journal of Dermatopathology, 2011, 33, 712-715. | 0.6 | 30 |
| 104 | Primary Cutaneous Marginal Zone B-Cell Lymphomas Are Targeted by Aberrant Somatic Hypermutation. Journal of Investigative Dermatology, 2009, 129, 476-479. | 0.7 | 29 |
| 105 | â€œAncientâ€•Blue Nevi (Cellular Blue Nevi With Degenerative Stromal Changes). American Journal of Dermatopathology, 2008, 30, 1-5. | 0.6 | 28 |
| 106 | AL Amyloidoma of the Skin/Subcutis. American Journal of Surgical Pathology, 2017, 41, 1069-1076. | 3.7 | 27 |
| 107 | Histopathologic Patterns Associated with External Agents. Dermatologic Clinics, 2012, 30, 731-748. | 1.7 | 26 |
| 108 | Cutaneous Spindle-Cell B-Cell Lymphomas. American Journal of Surgical Pathology, 2015, 39, 737-743. | 3.7 | 26 |

| # | ARTICLE | IF | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 109 | Genomic landscape of cutaneous follicular lymphomas reveals 2 subgroups with clinically predictive molecular features. <i>Blood Advances</i> , 2021, 5, 649-661. | 5.2 | 26 |
| 110 | Diagnostic principles and new developments in primary cutaneous B-cell lymphomas. <i>Journal of Dermatological Science</i> , 2004, 34, 167-175. | 1.9 | 24 |
| 111 | Primary Cutaneous Follicle Center Cell Lymphoma. <i>Leukemia and Lymphoma</i> , 2001, 42, 891-900. | 1.3 | 23 |
| 112 | Leukemic cells within skin lesions of psoriasis in a patient with acute myelogenous leukemia. <i>Journal of Cutaneous Pathology</i> , 1997, 24, 445-448. | 1.3 | 22 |
| 113 | Coexistence of Patch Stage Mycosis Fungoides and Interstitial Granuloma Annulare in the Same Patient. <i>American Journal of Dermatopathology</i> , 2012, 34, 198-202. | 0.6 | 22 |
| 114 | The BRAF V600K Mutation Is More Frequent than the BRAF V600E Mutation in Melanoma In Situ of Lentigo Maligna Type. <i>Journal of Investigative Dermatology</i> , 2014, 134, 548-550. | 0.7 | 21 |
| 115 | Paraprotein deposits in the skin. <i>Journal of the American Academy of Dermatology</i> , 2017, 77, 1145-1158. | 1.2 | 21 |
| 116 | Undifferentiated round cell sarcomas with CIC-DUX4 gene fusion: expanding the clinical spectrum. <i>Pathology</i> , 2020, 52, 236-242. | 0.6 | 21 |
| 117 | Super-enhancer-based identification of a BATF3/IL-2R α module reveals vulnerabilities in anaplastic large cell lymphoma. <i>Nature Communications</i> , 2021, 12, 5577. | 12.8 | 21 |
| 118 | Atypical clinical presentation of primary and secondary cutaneous follicle center lymphoma (FCL) on the head characterized by macular lesions. <i>Journal of the American Academy of Dermatology</i> , 2016, 75, 1000-1006. | 1.2 | 19 |
| 119 | Vulvar syringoma causing pruritus and carcinophobia: treatment by argon laser. <i>Journal of Cutaneous Laser Therapy</i> , 1999, 1, 181-183. | 1.6 | 18 |
| 120 | Anetodermic Primary Cutaneous B-Cell Lymphoma. <i>Archives of Dermatology</i> , 2010, 146, 175-82. | 1.4 | 18 |
| 121 | Interstitial Mycosis Fungoides. <i>American Journal of Surgical Pathology</i> , 2016, 40, 1360-1367. | 3.7 | 18 |
| 122 | Uncommon Histopathological Variants of Malignant Melanoma. Part 2. <i>American Journal of Dermatopathology</i> , 2019, 41, 321-342. | 0.6 | 18 |
| 123 | The Use of Central Pathology Review With Digital Slide Scanning in Advanced-stage Mycosis Fungoides and S α zary Syndrome. <i>American Journal of Surgical Pathology</i> , 2018, 42, 726-734. | 3.7 | 17 |
| 124 | Uncommon Histopathological Variants of Malignant Melanoma: Part 1. <i>American Journal of Dermatopathology</i> , 2019, 41, 243-263. | 0.6 | 17 |
| 125 | Atypical clinicopathologic presentation of primary cutaneous diffuse large B-cell lymphoma, leg type. <i>Journal of the American Academy of Dermatology</i> , 2015, 72, 1016-1020. | 1.2 | 16 |
| 126 | The Histopathological Spectrum of Pseudolymphomatous Infiltrates in Cutaneous Lupus Erythematosus. <i>American Journal of Dermatopathology</i> , 2018, 40, 247-253. | 0.6 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 127 | Impact of Next-generation Sequencing on Interobserver Agreement and Diagnosis of Spitzoid Neoplasms. American Journal of Surgical Pathology, 2021, 45, 1597-1605. | 3.7 | 16 |
| 128 | Primary cutaneous B-cell lymphomas: then and now. Journal of Cutaneous Pathology, 2006, 33, 1-5. | 1.3 | 15 |
| 129 | Phenotypic Variation in Different Lesions of Mycosis Fungoides Biopsied Within a Short Period of Time From the Same Patient. American Journal of Dermatopathology, 2016, 38, 541-545. | 0.6 | 15 |
| 130 | Clinicopathologic and molecular features in cutaneous extranodal natural killer/T-cell lymphoma, nasal type, with aggressive and indolent course. Journal of the American Academy of Dermatology, 2014, 70, 716-723. | 1.2 | 14 |
| 131 | Pathogenesis of Leprosy: An Insight Into B Lymphocytes and Plasma Cells. American Journal of Dermatopathology, 2019, 41, 422-427. | 0.6 | 14 |
| 132 | The Clinicopathologic Spectrum of Cytotoxic Lymphomas of the Skin. Seminars in Cutaneous Medicine and Surgery, 2000, 19, 118-123. | 1.6 | 14 |
| 133 | Molecular diagnostics in cutaneous lymphomas. JDDG - Journal of the German Society of Dermatology, 2013, 11, 25-35. | 0.8 | 13 |
| 134 | Past, present and future of cutaneous lymphomas. Seminars in Diagnostic Pathology, 2017, 34, 3-14. | 1.5 | 13 |
| 135 | Pagetoid reticulosis (Woringer-Kolopp disease) in a 2-year-old girl Case report and review of the literature. JAAD Case Reports, 2019, 5, 104-107. | 0.8 | 13 |
| 136 | CD56+ blastic transformation of chronic myeloid leukemia involving the skin. Journal of Cutaneous Pathology, 1999, 26, 497-503. | 1.3 | 12 |
| 137 | Intravascular Large B-Cell Lymphoma of the Skin: Typical Clinical Manifestations and a Favourable Response to Rituximab-Containing Therapy. Dermatology, 2009, 219, 344-346. | 2.1 | 12 |
| 138 | Intravascular Cutaneous Disorders. A Clinicopathologic Review. American Journal of Dermatopathology, 2021, 43, 119-136. | 0.6 | 12 |
| 139 | Clinical, histopathological and prognostic features of primary cutaneous acral CD8 ⁺ T-cell lymphoma and other dermal CD8 ⁺ cutaneous lymphoproliferations: results of an EORTC Cutaneous Lymphoma Group workshop*. British Journal of Dermatology, 2022, 186, 887-897. | 1.5 | 12 |
| 140 | Prior knowledge of the clinical picture does not introduce bias in the histopathologic diagnosis of melanocytic skin lesions. Journal of Cutaneous Pathology, 2015, 42, 953-958. | 1.3 | 11 |
| 141 | Histopathologic Interobserver Agreement on the Diagnosis of Melanocytic Skin Lesions with Equivocal Dermoscopic Features: A Pilot Study. Tumori, 2000, 86, 445-449. | 1.1 | 10 |
| 142 | Epidermotropic Precursor T-cell Lymphoma With Highly Aggressive Clinical Behavior Simulating Localized Pagetoid Reticulosis. American Journal of Dermatopathology, 2007, 29, 392-394. | 0.6 | 10 |
| 143 | 9p21 Deletion in Primary Cutaneous Large B-Cell Lymphoma, Leg Type, May Escape Detection by Standard FISH Assays. Journal of Investigative Dermatology, 2009, 129, 238-240. | 0.7 | 10 |
| 144 | Non-reproducible sequence artifacts in FFPE tissue: an experience report. Journal of Cancer Research and Clinical Oncology, 2017, 143, 1199-1207. | 2.5 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 145 | Prevalence of ALK gene alterations among the spectrum of plexiform spitzoid lesions. Journal of the American Academy of Dermatology, 2018, 79, 728-735. | 1.2 | 10 |
| 146 | Immunoreactivity for bcl-2 protein in cutaneous lymphomas and lymphoid hyperplasias. Journal of Cutaneous Pathology, 1995, 22, 476-476. | 1.3 | 9 |
| 147 | Subcutaneous panniculitis-like T-cell lymphoma, lupus erythematosus profundus, and overlapping cases: molecular characterization through the study of 208 genes. Leukemia and Lymphoma, 2021, 62, 2130-2140. | 1.3 | 9 |
| 148 | Cutaneous immunocytoma presenting with multiple infiltrated macules and papules. Journal of the American Academy of Dermatology, 2001, 44, 324-329. | 1.2 | 8 |
| 149 | Cutaneous lymphoid proliferations: a clinicopathological continuum?. Diagnostic Histopathology, 2010, 16, 417-424. | 0.4 | 8 |
| 150 | Mid-dermal elastolysis as a manifestation of immune reconstitution inflammatory syndrome in an HIV-infected patient. Journal of the American Academy of Dermatology, 2014, 71, e134-e135. | 1.2 | 8 |
| 151 | Clues in Histopathological Diagnosis of Panniculitis. American Journal of Dermatopathology, 2018, 40, 155-167. | 0.6 | 8 |
| 152 | Papular Mycosis Fungoides Is a Distinctive Variant of Early-stage Mycosis Fungoides. American Journal of Surgical Pathology, 2019, 43, 1129-1134. | 3.7 | 8 |
| 153 | Cutaneous hemophagocytosis: Clinicopathologic features of 21 cases. Journal of the American Academy of Dermatology, 2018, 78, 377-382. | 1.2 | 7 |
| 154 | Global PD-L1 Signals and Tumor-Infiltrating Lymphocytes: Markers of Immunogenicity in Different Subsets of Merkel Cell Carcinoma and Potential Therapeutic Implications. American Journal of Dermatopathology, 2019, 41, 819-825. | 0.6 | 7 |
| 155 | Dermoscopy and reflectance confocal microscopy in verruciform xanthoma of the glans penis. Journal of the American Academy of Dermatology, 2015, 72, e147-e149. | 1.2 | 6 |
| 156 | Nodular Sclerodermatous Chronic Cutaneous Graft-Versus-Host Disease (GvHD): A New Clinicopathological Variant of Cutaneous Sclerodermatous GvHD Resembling Nodular/Keloidal Scleroderma. American Journal of Dermatopathology, 2017, 39, 910-913. | 0.6 | 6 |
| 157 | Plasmacytic cutaneous pathology: A review. Journal of Cutaneous Pathology, 2019, 46, 698-708. | 1.3 | 6 |
| 158 | Dermoscopy of a single plaque on the face: an uncommon presentation of cutaneous sarcoidosis. Dermatology Practical and Conceptual, 2018, 8, 174-176. | 0.9 | 6 |
| 159 | Pigmented trichoblastoma developed in a sebaceous nevus: HRAS mutation as a common molecular driver. Pathology Research and Practice, 2017, 213, 860-862. | 2.3 | 4 |
| 160 | Syringotropic Lichen Planus: A Potential Histopathologic Mimicker of Syringotropic Mycosis Fungoides. American Journal of Dermatopathology, 2019, 41, e50-e53. | 0.6 | 4 |
| 161 | Lichen Sclerosus et Atrophicus With Histopathologic Features Mimicking Mycosis Fungoides. American Journal of Surgical Pathology, 2022, 46, 83-88. | 3.7 | 4 |
| 162 | International Board Certification in Dermatopathology: paving the way for the future. Journal of Cutaneous Pathology, 2004, 31, 683-685. | 1.3 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 163 | Lyme borreliosis. Lancet, The, 2004, 363, 249. | 13.7 | 3 |
| 164 | Molekulare Diagnostik kutaner Lymphome. JDDG - Journal of the German Society of Dermatology, 2013, 11, 26-36. | 0.8 | 3 |
| 165 | Bendamustine Monotherapy for Primary Cutaneous Gamma-Delta T-Cell Lymphoma. JAMA Dermatology, 2020, 156, 1140. | 4.1 | 3 |
| 166 | Cutaneous lymphohistiocytic infiltrates with foamy macrophages: A novel histopathological clue to <i>Stenotrophomonas maltophilia</i> septicemia. Journal of Cutaneous Pathology, 2021, 48, 160-164. | 1.3 | 3 |
| 167 | E-Cadherin Expression and Blunted Interferon Response in Blastic Plasmacytoid Dendritic Cell Neoplasm. American Journal of Surgical Pathology, 2021, 45, 1428-1438. | 3.7 | 3 |
| 168 | Molecular Profiling Of Blastic Plasmacytoid Dendritic CELL Neoplasm Reveals A Unique Pattern and Suggests Selective Sensitivity To NF-KB Pathway Inhibition. Blood, 2013, 122, 2502-2502. | 1.4 | 3 |
| 169 | Differential diagnosis between cutaneous lymphoma and pseudolymphoma. , 2003, 25, 191-8. | | 3 |
| 170 | Dermatopathology Examination in Europe: A Summary of 6 Years of the European Board Certification. American Journal of Dermatopathology, 2009, 31, 803-805. | 0.6 | 2 |
| 171 | Borderline CD30+ cutaneous lymphoproliferative disorder: report of a case with expression of cytotoxic markers and response to clarithromycin. Journal of Cutaneous Pathology, 2011, 38, 301-305. | 1.3 | 2 |
| 172 | Evaluation of the ICDPâ€œUEMS Dermatopathology Examination. American Journal of Dermatopathology, 2012, 34, 471-477. | 0.6 | 2 |
| 173 | Diffuse dermal angiomatosis of the abdomen. European Journal of Dermatology, 2015, 25, 350-352. | 0.6 | 2 |
| 174 | Fibrous hamartoma of infancy within a congenital nevus. JDDG - Journal of the German Society of Dermatology, 2015, 13, 1282-1284. | 0.8 | 2 |
| 175 | Histiocytoid Sweet Syndrome and Myelodysplastic Syndromeâ€”Reply. JAMA Dermatology, 2017, 153, 836. | 4.1 | 2 |
| 176 | Primary intrafascial desmoplastic melanoma with pseudoglandular differentiation and aberrant cytokeratins expression: An exceptional presentation. Pathology Research and Practice, 2019, 215, 152668. | 2.3 | 2 |
| 177 | Blastic Plasmacytoid Dendritic Cell Neoplasm: Underlining the importance of an early diagnosis and the use of tagraxofusp therapy before wide dissemination. Australasian Journal of Dermatology, 2021, 62, e316-e318. | 0.7 | 2 |
| 178 | CD30+ Cutaneous Lymphoproliferative Disorders. , 0, , 45-58. | | 2 |
| 179 | Molekularbiologische Methoden zur Verbesserung der Diagnose und Prognose bei melanozytären Tumoren. JDDG - Journal of the German Society of Dermatology, 2013, 11, 20-25. | 0.8 | 1 |
| 180 | Mycosis Fungoides With Large Cell Transformation and T Follicular Helper Phenotype. , 2014, 19, 208-211. | | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 181 | Blue nevus with halo?. Journal of the American Academy of Dermatology, 2016, 75, e15-e16. | 1.2 | 1 |
| 182 | Clinical-Pathological Conference Series from the Medical University of Graz. Wiener Klinische Wochenschrift, 2017, 129, 145-152. | 1.9 | 1 |
| 183 | Correlation of Reflectance Confocal Microscopy and Dermatopathology Findings in a Case of Acrodermatitis Chronica Atrophicans. American Journal of Dermatopathology, 2018, 40, 367-370. | 0.6 | 1 |
| 184 | Biological Significance of the Association Between Cutaneous Al-amyloidoma and Sjögren Syndrome. American Journal of Dermatopathology, 2020, 42, 553-555. | 0.6 | 1 |
| 185 | Incidental Acantholysis in Hailey-Hailey Disease (Microscopic Nikolsky Sign): An Underappreciated Histologic Sign. American Journal of Dermatopathology, 2020, 42, e61-e64. | 0.6 | 1 |
| 186 | Correlation Between Dermoscopic and Histologic Features of Uncommon Cutaneous Melanoma Variants. JAMA Dermatology, 2020, 156, 1029. | 4.1 | 1 |
| 187 | Pruritic papules after extensive fasting period. JAAD Case Reports, 2020, 6, 1191-1192. | 0.8 | 1 |
| 188 | Keratotic Nodules and Plaques on the Lower Extremities: Answer. American Journal of Dermatopathology, 2020, 42, 613-613. | 0.6 | 1 |
| 189 | Cutaneous borreliosis: An insidious mimicker of patch-type granuloma annulare. Journal of Cutaneous Pathology, 2020, 47, 876-878. | 1.3 | 1 |
| 190 | Cutaneous Hodgkin Lymphoma. , 0, , 141-143. | | 1 |
| 191 | Blastic NK-Cell Lymphoma. , 0, , 131-131. | | 1 |
| 192 | Pseudolymphomas of the Skin. , 0, , 155-155. | | 1 |
| 193 | Primary or Primarily?. American Journal of Dermatopathology, 2000, 22, 366-368. | 0.6 | 1 |
| 194 | Syringotropic Melanoma: A Diagnostic Challenge With Prognostic Implications. American Journal of Dermatopathology, 2022, 44, 33-36. | 0.6 | 1 |
| 195 | Unusual contact dermatitis after <sc>SARS-CoV</sc>â€2 vaccinations. Contact Dermatitis, 2022, 86, 559-560. | 1.4 | 1 |
| 196 | International Board Certification in Dermatopathology. American Journal of Clinical Pathology, 2005, 123, 801-804. | 0.7 | 0 |
| 197 | Dermoscopic Features of Difficult Melanoma. Dermatologic Surgery, 2007, 33, 91-99. | 0.8 | 0 |
| 198 | Cutaneous T-cell lymphoma and emerging therapies. Drug Discovery Today Disease Mechanisms, 2008, 5, e69-e79. | 0.8 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 199 | Conflict of interests. Journal of the American Academy of Dermatology, 2008, 58, 170. | 1.2 | 0 |
| 200 | Cutaneous Lymphoproliferative Disease. , 2014, 19, 185-186. | | 0 |
| 201 | The Cutaneous "Atypical Lymphoid Proliferation", 2014, , 411-414. | | 0 |
| 202 | Asymptomatic, Tiny Yellowish Papules on the Back of the Wrist: Answer. American Journal of Dermatopathology, 2017, 39, 945-946. | 0.6 | 0 |
| 203 | Asymptomatic, Tiny Yellowish Papules on the Back of the Wrist: Challenge. American Journal of Dermatopathology, 2017, 39, e161-e162. | 0.6 | 0 |
| 204 | Painful hemorrhagic bullae on the dorsal hands. JDDG - Journal of the German Society of Dermatology, 2018, 16, 1152-1154. | 0.8 | 0 |
| 205 | Hypokeratotic lesion on the palm. JDDG - Journal of the German Society of Dermatology, 2019, 17, 752-754. | 0.8 | 0 |
| 206 | A 47-Year-Old Patient With Multiple Desquamative Patches and Subsequent Onset of Papular Lesions: Challenge. American Journal of Dermatopathology, 2020, 42, e139-e140. | 0.6 | 0 |
| 207 | A 47-Year-Old Patient With Multiple Desquamative Patches and Subsequent Onset of Papular Lesions: Answer. American Journal of Dermatopathology, 2020, 42, 791-792. | 0.6 | 0 |
| 208 | Infiltrated erythematous plaques on the lumbar area. JDDG - Journal of the German Society of Dermatology, 2020, 18, 1331-1334. | 0.8 | 0 |
| 209 | Keratotic Nodules and Plaques on the Lower Extremities: Challenge. American Journal of Dermatopathology, 2020, 42, e113-e114. | 0.6 | 0 |
| 210 | A Large Subcutaneous Plaque on the Left Flank: Challenge. American Journal of Dermatopathology, 2020, 42, e111-e112. | 0.6 | 0 |
| 211 | A Large Subcutaneous Plaque on the Left Flank: Answer. American Journal of Dermatopathology, 2020, 42, 612-612. | 0.6 | 0 |
| 212 | Intracorneal pustular drug eruption associated with nivolumab in a patient with metastatic renal cancer. International Journal of Dermatology, 2020, 59, e435-e437. | 1.0 | 0 |
| 213 | Melanoma of the proximal nail fold mimicking Hutchinson sign. JAAD Case Reports, 2020, 6, 411-413. | 0.8 | 0 |
| 214 | Long-standing purpuric exanthema. JAAD Case Reports, 2021, 11, 38-40. | 0.8 | 0 |
| 215 | Multiple Comedonal Plaques of Both Ears With Hearing Loss: Challenge. American Journal of Dermatopathology, 2021, 43, e119-e120. | 0.6 | 0 |
| 216 | Multiple Comedonal Plaques of Both Ears With Hearing Loss: Answer. American Journal of Dermatopathology, 2021, 43, 838-839. | 0.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 217 | Sclerotic Fibroma-Like Dermatofibrosarcoma Protuberans With Pleomorphic Sarcomatous Transformation: A Diagnostic Challenge. American Journal of Dermatopathology, 2021, 43, 315-317. | 0.6 | 0 |
| 218 | Marginal Zone Lymphoma and Cutaneous Immunocytoma. , 0, , 100-108. | | 0 |
| 219 | Plasmacytoma. , 0, , 109-111. | | 0 |
| 220 | Other Cutaneous B-Cell Lymphomas. , 0, , 123-130. | | 0 |
| 221 | Cutaneous Myelogenous Leukaemia. , 0, , 147-150. | | 0 |
| 222 | Cutaneous Lymphomas in Immunosuppressed Individuals (Post-Transplant Lymphoproliferative) Tj ETQq0 0 0 rgBT /Overlock 0 Tf 50 5 | | 0 |
| 223 | Pseudolymphomas of the Skin. , 0, , 157-176. | | 0 |
| 224 | Subcutaneous T-Cell Lymphoma. , 0, , 59-65. | | 0 |
| 225 | Small-medium Pleomorphic T-Cell Lymphoma. , 0, , 80-82. | | 0 |
| 226 | Other Cutaneous T-Cell Lymphomas. , 0, , 83-88. | | 0 |
| 227 | Follicle Centre Cell Lymphoma. , 0, , 91-99. | | 0 |
| 228 | Cutaneous B-Cell Lymphomas. , 0, , 89-90. | | 0 |
| 229 | Other Cutaneous Lymphomas/Leukaemias. , 0, , 145-145. | | 0 |
| 230 | A case of spontaneous regression of metastatic skin undifferentiated carcinoma. Italian Journal of Dermatology and Venereology, 2021, 156, 404-405. | 0.2 | 0 |
| 231 | Connective tissue nevus in Marfan Syndrome successfully treated with intralesional steroid injections. Italian Journal of Dermatology and Venereology, 2021, 156, 626-628. | 0.2 | 0 |