

Lorenzo Cerroni

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10728852/publications.pdf>

Version: 2024-02-01

231
papers

21,392
citations

15503

65
h-index

9342

143
g-index

312
all docs

312
docs citations

312
times ranked

10835
citing authors

#	ARTICLE	IF	CITATIONS
1	WHO-EORTC classification for cutaneous lymphomas. <i>Blood</i> , 2005, 105, 3768-3785.	1.4	3,529
2	Dermoscopy of pigmented skin lesions: Results of a consensus meeting via the Internet. <i>Journal of the American Academy of Dermatology</i> , 2003, 48, 679-693.	1.2	1,055
3	The 2018 update of the WHO-EORTC classification for primary cutaneous lymphomas. <i>Blood</i> , 2019, 133, 1703-1714.	1.4	846
4	Germline mutations in BAP1 predispose to melanocytic tumors. <i>Nature Genetics</i> , 2011, 43, 1018-1021.	21.4	662
5	Subcutaneous panniculitis-like T-cell lymphoma: definition, classification, and prognostic factors: an EORTC Cutaneous Lymphoma Group Study of 83 cases. <i>Blood</i> , 2008, 111, 838-845.	1.4	617
6	Clinical End Points and Response Criteria in Mycosis Fungoides and S�azary Syndrome: A Consensus Statement of the International Society for Cutaneous Lymphomas, the United States Cutaneous Lymphoma Consortium, and the Cutaneous Lymphoma Task Force of the European Organisation for Research and Treatment of Cancer. <i>Journal of Clinical Oncology</i> , 2011, 29, 2598-2607.	1.6	550
7	Kinase fusions are frequent in Spitz tumours and spitzoid melanomas. <i>Nature Communications</i> , 2014, 5, 3116.	12.8	521
8	The International Consensus Classification of Mature Lymphoid Neoplasms: a report from the Clinical Advisory Committee. <i>Blood</i> , 2022, 140, 1229-1253.	1.4	512
9	T(14;18)(q32;q21) involving IGH and MALT1 is a frequent chromosomal aberration in MALT lymphoma. <i>Blood</i> , 2003, 101, 2335-2339.	1.4	480
10	Defining early mycosis fungoides. <i>Journal of the American Academy of Dermatology</i> , 2005, 53, 1053-1063.	1.2	453
11	European Organization for Research and Treatment of Cancer and International Society for Cutaneous Lymphoma consensus recommendations for the management of cutaneous B-cell lymphomas. <i>Blood</i> , 2008, 112, 1600-1609.	1.4	415
12	Merkel cell carcinoma. <i>Nature Reviews Disease Primers</i> , 2017, 3, 17077.	30.5	393
13	Convergent Mutations and Kinase Fusions Lead to Oncogenic STAT3 Activation in Anaplastic Large Cell Lymphoma. <i>Cancer Cell</i> , 2015, 27, 516-532.	16.8	378
14	Infection by <i>Borrelia burgdorferi</i> and cutaneous B�cell lymphoma. <i>Journal of Cutaneous Pathology</i> , 1997, 24, 457-461.	1.3	373
15	EORTC, ISCL, and USCLC consensus recommendations for the treatment of primary cutaneous CD30-positive lymphoproliferative disorders: lymphomatoid papulosis and primary cutaneous anaplastic large-cell lymphoma*. <i>Blood</i> , 2011, 118, 4024-4035.	1.4	365
16	WHO/EORTC classification of cutaneous lymphomas 2005: histological and molecular aspects. <i>Journal of Cutaneous Pathology</i> , 2005, 32, 647-674.	1.3	313
17	Adverse reactions to injectable soft tissue fillers. <i>Journal of the American Academy of Dermatology</i> , 2011, 64, 1-34.	1.2	289
18	A Distinct Subset of Atypical Spitz Tumors is Characterized by BRAF Mutation and Loss of BAP1 Expression. <i>American Journal of Surgical Pathology</i> , 2012, 36, 818-830.	3.7	264

#	ARTICLE	IF	CITATIONS
19	Primary cutaneous lymphomas: applicability of current classification schemes (European Organization) Tj ETQq1 1 features observed in a large group of patients. <i>Blood</i> , 2002, 99, 800-805.	0.784314 1.4	rgBT /Over 261
20	Primary Cutaneous Marginal Zone B-Cell Lymphoma: A Recently Described Entity of Low-Grade Malignant Cutaneous B-Cell Lymphoma. <i>American Journal of Surgical Pathology</i> , 1997, 21, 1307-1315.	3.7	249
21	Cytotoxic/natural killer cell cutaneous lymphomas. <i>Cancer</i> , 2003, 97, 610-627.	4.1	242
22	Primary cutaneous large B-cell lymphomas: clinicopathologic features, classification, and prognostic factors in a large series of patients. <i>Blood</i> , 2005, 106, 2491-2497.	1.4	237
23	Primary cutaneous follicle center cell lymphoma with follicular growth pattern. <i>Blood</i> , 2000, 95, 3922-3928.	1.4	228
24	Subcutaneous, Blastic Natural Killer (NK), NK/T-cell, and Other Cytotoxic Lymphomas of the Skin: A Morphologic, Immunophenotypic, and Molecular Study of 50 Patients. <i>American Journal of Surgical Pathology</i> , 2004, 28, 719-735.	3.7	217
25	A Variant of Lymphomatoid Papulosis Simulating Primary Cutaneous Aggressive Epidermotropic CD8+ Cytotoxic T-cell Lymphoma. Description of 9 Cases. <i>American Journal of Surgical Pathology</i> , 2010, 34, 1168-1175.	3.7	209
26	<i>Borrelia burgdorferi</i> associated primary cutaneous B cell lymphoma: complete clearing of skin lesions after antibiotic pulse therapy or intralesional injection of interferon alfa-2a. <i>Journal of the American Academy of Dermatology</i> , 1997, 36, 311-314.	1.2	205
27	Primary Cutaneous CD4+ Small-/Medium-Sized Pleomorphic T-Cell Lymphoma: A Cutaneous Nodular Proliferation of Pleomorphic T Lymphocytes of Undetermined Significance? A Study of 136 Cases. <i>American Journal of Dermatopathology</i> , 2009, 31, 317-322.	0.6	192
28	Follicular Mucinosis. <i>Archives of Dermatology</i> , 2002, 138, 182-9.	1.4	189
29	Lymphomatoid Papulosis. <i>Archives of Dermatology</i> , 2004, 140, 441-7.	1.4	179
30	The Spectrum of Cutaneous Lymphomas in Patients Less than 20 Years of Age. <i>Pediatric Dermatology</i> , 2004, 21, 525-533.	0.9	179
31	Histopathologic Features of Early (Patch) Lesions of Mycosis Fungoides. <i>American Journal of Surgical Pathology</i> , 2005, 29, 550-560.	3.7	175
32	bcl-2 Protein Expression and Correlation with the Interchromosomal 14;18 Translocation in Cutaneous Lymphomas and Pseudolymphomas. <i>Journal of Investigative Dermatology</i> , 1994, 102, 231-235.	0.7	173
33	<i>Borrelia burgdorferi</i> -associated lymphocytoma cutis: clinicopathologic, immunophenotypic, and molecular study of 106 cases. <i>Journal of Cutaneous Pathology</i> , 2004, 31, 232-240.	1.3	173
34	Lupus erythematosus panniculitis (lupus profundus): Clinical, histopathological, and molecular analysis of nine cases. <i>Journal of Cutaneous Pathology</i> , 2005, 32, 396-404.	1.3	173
35	Cutaneous Manifestations of Blastic Plasmacytoid Dendritic Cell Neoplasm Morphologic and Phenotypic Variability in a Series of 33 Patients. <i>American Journal of Surgical Pathology</i> , 2010, 34, 75-87.	3.7	168
36	Accuracy in melanoma detection: A 10-year multicenter survey. <i>Journal of the American Academy of Dermatology</i> , 2012, 67, 54-59.e1.	1.2	163

#	ARTICLE	IF	CITATIONS
37	Granulomatous Mycosis Fungoides and Granulomatous Slack Skin. Archives of Dermatology, 2008, 144, 1609-17.	1.4	158
38	Cutaneous Lymphomas With Prominent Granulomatous Reaction. American Journal of Surgical Pathology, 2002, 26, 1259-1268.	3.7	155
39	Genomic aberrations in spitzoid melanocytic tumours and their implications for diagnosis, prognosis and therapy. Pathology, 2016, 48, 113-131.	0.6	145
40	Absence of Borrelia burgdorferi DNA in cutaneous B-cell lymphomas from the United States. Journal of Cutaneous Pathology, 2001, 28, 502-507.	1.3	141
41	Large CD30-positive cells in benign, atypical lymphoid infiltrates of the skin. Journal of Cutaneous Pathology, 2008, 35, 1100-1107.	1.3	134
42	Subcutaneous Panniculitis-Like T-Cell Lymphoma With Overlapping Clinicopathologic Features of Lupus Erythematosus: Coexistence of 2 Entities?. American Journal of Dermatopathology, 2009, 31, 520-526.	0.6	129
43	Differential Diagnosis of Cutaneous Infiltrates of B Lymphocytes with Follicular Growth Pattern. American Journal of Dermatopathology, 2004, 26, 4-13.	0.6	126
44	Teledermoscopy - results of a multicentre study on 43 pigmented skin lesions. Journal of Telemedicine and Telecare, 2000, 6, 132-137.	2.7	124
45	TCR-Î³ Expression in Primary Cutaneous T-cell Lymphomas. American Journal of Surgical Pathology, 2013, 37, 375-384.	3.7	122
46	CD56-positive haematological neoplasms of the skin: a multicentre study of the Cutaneous Lymphoma Project Group of the European Organisation for Research and Treatment of Cancer. Journal of Clinical Pathology, 2006, 60, 981-989.	2.0	110
47	Combined activation of MAP kinase pathway and Î²-catenin signaling cause deep penetrating nevi. Nature Communications, 2017, 8, 644.	12.8	107
48	Specific cutaneous infiltrates of B-cell chronic lymphocytic leukemia arising at the site of herpes zoster and herpes simplex scars. Cancer, 1995, 76, 26-31.	4.1	101
49	Intravascular Large T-cell or NK-cell Lymphoma. American Journal of Surgical Pathology, 2008, 32, 891-898.	3.7	100
50	Histopathologic Features of Cutaneous Herpes Virus Infections (Herpes Simplex, Herpes) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50,222 Td (3.7	96
51	Rimming of Adipocytes By Neoplastic Lymphocytes. American Journal of Dermatopathology, 2006, 28, 9-12.	0.6	93
52	The majority of cutaneous marginal zone B-cell lymphomas expresses class-switched immunoglobulins and develops in a T-helper type 2 inflammatory environment. Blood, 2008, 112, 3355-3361.	1.4	92
53	Borrelia burgdorferi-associated lymphocytoma cutis simulating a primary cutaneous large B-cell lymphoma. Journal of the American Academy of Dermatology, 2002, 47, 530-534.	1.2	88
54	Follicular mycosis fungoides. A histopathologic analysis of nine cases. Journal of Cutaneous Pathology, 2001, 28, 525-530.	1.3	87

#	ARTICLE	IF	CITATIONS
55	Aggressive epidermotropic cutaneous CD8 ⁺ lymphoma: a cutaneous lymphoma with distinct clinical and pathological features. Report of an EORTC Cutaneous Lymphoma Task Force Workshop. <i>Histopathology</i> , 2015, 67, 425-441.	2.9	86
56	Fine-Mapping Chromosomal Loss at 9p21: Correlation with Prognosis in Primary Cutaneous Diffuse Large B-Cell Lymphoma, Leg Type. <i>Journal of Investigative Dermatology</i> , 2009, 129, 1149-1155.	0.7	84
57	Cutaneous involvement in lymphoblastic lymphoma. <i>Journal of Cutaneous Pathology</i> , 1999, 26, 379-385.	1.3	79
58	Cutaneous Spindle-Cell B-Cell Lymphoma. <i>American Journal of Dermatopathology</i> , 2000, 22, 299-304.	0.6	79
59	Comparison of proliferative activity as assessed by proliferating cell nuclear antigen (PCNA) and Ki-67 monoclonal antibodies in melanocytic skin lesions. A quantitative immunohistochemical study. <i>Journal of Cutaneous Pathology</i> , 1993, 20, 229-236.	1.3	78
60	Mycosis fungoides. <i>Critical Reviews in Oncology/Hematology</i> , 2008, 65, 172-182.	4.4	75
61	Immunophenotyping of cutaneous lymphoid infiltrates in frozen and paraffin-embedded tissue sections: A comparative study. <i>Journal of the American Academy of Dermatology</i> , 1990, 22, 405-413.	1.2	74
62	Indolent CD8 ⁺ lymphoid proliferation of the ear: A phenotypic variant of the small-medium pleomorphic cutaneous T-cell lymphoma?. <i>Journal of Cutaneous Pathology</i> , 2010, 37, 81-84.	1.3	74
63	Lobular Panniculitic Infiltrates With Overlapping Histopathologic Features of Lupus Panniculitis (Lupus Profundus) and Subcutaneous T-cell Lymphoma. <i>American Journal of Surgical Pathology</i> , 2015, 39, 206-211.	3.7	72
64	Clinicopathologic, Immunohistochemical, and Molecular Features of Histiocytoid Sweet Syndrome. <i>JAMA Dermatology</i> , 2017, 153, 651.	4.1	71
65	CLINICAL AND HISTOPATHOLOGIC SPECTRUM OF PILOMATRICOMAS IN ADULTS. <i>International Journal of Dermatology</i> , 1994, 33, 705-708.	1.0	65
66	Cutaneous Hodgkin's disease: an immunohistochemical analysis. <i>Journal of Cutaneous Pathology</i> , 1995, 22, 229-235.	1.3	61
67	Cutaneous B-cell Pseudolymphoma at the Site of Vaccination. <i>American Journal of Dermatopathology</i> , 2007, 29, 538-542.	0.6	61
68	Syringotropic Mycosis Fungoides. <i>American Journal of Surgical Pathology</i> , 2011, 35, 100-109.	3.7	59
69	Genomic Analyses Identify Recurrent Alterations in Immune Evasion Genes in Diffuse Large B-Cell Lymphoma, Leg Type. <i>Journal of Investigative Dermatology</i> , 2018, 138, 2365-2376.	0.7	59
70	The morphologic spectrum of primary cutaneous anaplastic large T-cell lymphoma: a histopathologic study on 66 biopsy specimens from 47 patients with report of rare variants. <i>Journal of Cutaneous Pathology</i> , 2008, 35, 46-53.	1.3	58
71	Merkel cell carcinoma: A review. <i>Journal of Cutaneous Pathology</i> , 2021, 48, 411-421.	1.3	58
72	Mycosis fungoides—clinical and histopathologic features, differential diagnosis, and treatment. <i>Seminars in Cutaneous Medicine and Surgery</i> , 2018, 37, 2-10.	1.6	58

#	ARTICLE	IF	CITATIONS
73	Expression of T-Follicular Helper Markers in Sequential Biopsies of Progressive Mycosis Fungoides and Other Primary Cutaneous T-Cell Lymphomas. <i>American Journal of Dermatopathology</i> , 2015, 37, 115-121.	0.6	55
74	Aberrant bcl-2 protein expression provides a possible mechanism of neoplastic cell growth in cutaneous basal-cell carcinoma. <i>Journal of Cutaneous Pathology</i> , 1994, 21, 398-403.	1.3	54
75	Specific cutaneous infiltrates of B-cell chronic lymphocytic leukemia (B-CLL) at sites typical for <i>Borrelia burgdorferi</i> infection. <i>Journal of Cutaneous Pathology</i> , 2002, 29, 142-147.	1.3	54
76	Presence of Human Polyomavirus 6 in Mutation-Specific BRAF Inhibitor-Induced Epithelial Proliferations. <i>JAMA Dermatology</i> , 2014, 150, 1180.	4.1	51
77	The protean spectrum of non-Hodgkin lymphomas with prominent involvement of subcutaneous fat. <i>Journal of Cutaneous Pathology</i> , 2006, 33, 418-425.	1.3	50
78	Clinicopathologic features of early lesions of primary cutaneous follicle center lymphoma, diffuse type: Implications for early diagnosis and treatment. <i>Journal of the American Academy of Dermatology</i> , 2011, 65, 991-1000.e7.	1.2	50
79	Verrucous cysts: histopathologic characterization and molecular detection of human papillomavirus-specific DNA. <i>Journal of Cutaneous Pathology</i> , 1993, 20, 411-417.	1.3	47
80	A pilot study of a combined dermoscopic-pathological approach to the teleradiology of melanocytic skin neoplasms. <i>Journal of Telemedicine and Telecare</i> , 2004, 10, 34-38.	2.7	46
81	Indolent CD8-positive lymphoid proliferation of acral sites: three further cases of a rare entity and an update on a unique patient. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 125-136.	1.3	46
82	Genetic Aberrations in Primary Cutaneous Large B-Cell Lymphoma. <i>American Journal of Surgical Pathology</i> , 2005, 29, 666-673.	3.7	44
83	Blastic plasmacytoid dendritic cell neoplasms: results of an international survey on 398 adult patients. <i>Blood Advances</i> , 2020, 4, 4838-4848.	5.2	44
84	CD4-negative variant of CD4+/CD56+ hematodermic neoplasm: description of three cases. <i>Journal of Cutaneous Pathology</i> , 2008, 35, 911-915.	1.3	43
85	Miliary and agminated-type primary cutaneous follicle center lymphoma: Report of 18 cases. <i>Journal of the American Academy of Dermatology</i> , 2011, 65, 749-755.	1.2	43
86	Evaluation of Low-Dose, Low-Frequency Oral Psoralen-UV-A Treatment With or Without Maintenance on Early-Stage Mycosis Fungoides. <i>JAMA Dermatology</i> , 2019, 155, 538.	4.1	41
87	Imaging mass spectrometry assists in the classification of diagnostically challenging atypical Spitzoid neoplasms. <i>Journal of the American Academy of Dermatology</i> , 2016, 75, 1176-1186.e4.	1.2	38
88	Regarding the algorithm for the diagnosis of early mycosis fungoides proposed by the International Society for Cutaneous Lymphomas: suggestions from routine histopathology practice. <i>Journal of Cutaneous Pathology</i> , 2008, 35, 549-553.	1.3	36
89	Solitary Small- to Medium-Sized Pleomorphic T-Cell Nodules of Undetermined Significance: Clinical, Histopathological, Immunohistochemical and Molecular Analysis of 26 Cases. <i>Dermatology</i> , 2009, 219, 42-47.	2.1	36
90	Phenotypic Variability in Primary Cutaneous Anaplastic Large T-cell Lymphoma. <i>American Journal of Dermatopathology</i> , 2014, 36, 153-157.	0.6	36

#	ARTICLE	IF	CITATIONS
91	Clinicopathologic Features of Hydroa Vacciniformeâ€“Like Lymphoma. American Journal of Dermatopathology, 2016, 38, 20-25.	0.6	36
92	STAT3/5-Dependent IL9 Overexpression Contributes to Neoplastic Cell Survival in Mycosis Fungoides. Clinical Cancer Research, 2016, 22, 3328-3339.	7.0	36
93	Molecular Profiling of Keratinocyte Skin Tumors Links Staphylococcus aureus Overabundance and Increased Human I ² -Defensin-2 Expression to Growth Promotion of Squamous Cell Carcinoma. Cancers, 2020, 12, 541.	3.7	36
94	Dermoscopic Features of Difficult Melanoma. Dermatologic Surgery, 2007, 33, 91-99.	0.8	35
95	Skin manifestations of rheumatoid arthritis. Italian Journal of Dermatology and Venereology, 2018, 153, 243-255.	0.2	35
96	Monoclonality of Intraepidermal T Lymphocytes in Early Mycosis Fungoides Detected by Molecular Analysis after Laser-Beam-Based Microdissection. Journal of Investigative Dermatology, 2000, 114, 1154-1157.	0.7	33
97	Cutaneous Deposits. American Journal of Dermatopathology, 2014, 36, 1-48.	0.6	33
98	A morphological and immunophenotypic map of the immune response in Merkel cell carcinoma. Human Pathology, 2016, 52, 190-196.	2.0	33
99	Foreign Body Granuloma Due to Matridex Injection for Cosmetic Purposes. American Journal of Dermatopathology, 2009, 31, 197-199.	0.6	32
100	Pityriasis Lichenoides, Atypical Pityriasis Lichenoides, and Related Conditions. American Journal of Surgical Pathology, 2018, 42, 1101-1112.	3.7	32
101	Prognostic evaluation of specific cutaneous infiltrates in B-chronic lymphocytic leukemia. Journal of Cutaneous Pathology, 2006, 23, 487-494.	1.3	31
102	Influence of evaluation of clinical pictures on the histopathologic diagnosis of inflammatory skin disorders. Journal of the American Academy of Dermatology, 2010, 63, 647-652.	1.2	31
103	Cutaneous Manifestations of B-Cell Chronic Lymphocytic Leukemia Associated With Borrelia burgdorferi Infection Showing a Marginal Zone B-Cell Lymphoma-Like Infiltrate. American Journal of Dermatopathology, 2011, 33, 712-715.	0.6	30
104	Primary Cutaneous Marginal Zone B-Cell Lymphomas Are Targeted by Aberrant Somatic Hypermutation. Journal of Investigative Dermatology, 2009, 129, 476-479.	0.7	29
105	â€œAncientâ€•Blue Nevi (Cellular Blue Nevi With Degenerative Stromal Changes). American Journal of Dermatopathology, 2008, 30, 1-5.	0.6	28
106	AL Amyloidoma of the Skin/Subcutis. American Journal of Surgical Pathology, 2017, 41, 1069-1076.	3.7	27
107	Histopathologic Patterns Associated with External Agents. Dermatologic Clinics, 2012, 30, 731-748.	1.7	26
108	Cutaneous Spindle-Cell B-Cell Lymphomas. American Journal of Surgical Pathology, 2015, 39, 737-743.	3.7	26

#	ARTICLE	IF	CITATIONS
109	Genomic landscape of cutaneous follicular lymphomas reveals 2 subgroups with clinically predictive molecular features. <i>Blood Advances</i> , 2021, 5, 649-661.	5.2	26
110	Diagnostic principles and new developments in primary cutaneous B-cell lymphomas. <i>Journal of Dermatological Science</i> , 2004, 34, 167-175.	1.9	24
111	Primary Cutaneous Follicle Center Cell Lymphoma. <i>Leukemia and Lymphoma</i> , 2001, 42, 891-900.	1.3	23
112	Leukemic cells within skin lesions of psoriasis in a patient with acute myelogenous leukemia. <i>Journal of Cutaneous Pathology</i> , 1997, 24, 445-448.	1.3	22
113	Coexistence of Patch Stage Mycosis Fungoides and Interstitial Granuloma Annulare in the Same Patient. <i>American Journal of Dermatopathology</i> , 2012, 34, 198-202.	0.6	22
114	The BRAF V600K Mutation Is More Frequent than the BRAF V600E Mutation in Melanoma In Situ of Lentigo Maligna Type. <i>Journal of Investigative Dermatology</i> , 2014, 134, 548-550.	0.7	21
115	Paraprotein deposits in the skin. <i>Journal of the American Academy of Dermatology</i> , 2017, 77, 1145-1158.	1.2	21
116	Undifferentiated round cell sarcomas with CIC-DUX4 gene fusion: expanding the clinical spectrum. <i>Pathology</i> , 2020, 52, 236-242.	0.6	21
117	Super-enhancer-based identification of a BATF3/IL-2R α module reveals vulnerabilities in anaplastic large cell lymphoma. <i>Nature Communications</i> , 2021, 12, 5577.	12.8	21
118	Atypical clinical presentation of primary and secondary cutaneous follicle center lymphoma (FCL) on the head characterized by macular lesions. <i>Journal of the American Academy of Dermatology</i> , 2016, 75, 1000-1006.	1.2	19
119	Vulvar syringoma causing pruritus and carcinophobia: treatment by argon laser. <i>Journal of Cutaneous Laser Therapy</i> , 1999, 1, 181-183.	1.6	18
120	Anetodermic Primary Cutaneous B-Cell Lymphoma. <i>Archives of Dermatology</i> , 2010, 146, 175-82.	1.4	18
121	Interstitial Mycosis Fungoides. <i>American Journal of Surgical Pathology</i> , 2016, 40, 1360-1367.	3.7	18
122	Uncommon Histopathological Variants of Malignant Melanoma. Part 2. <i>American Journal of Dermatopathology</i> , 2019, 41, 321-342.	0.6	18
123	The Use of Central Pathology Review With Digital Slide Scanning in Advanced-stage Mycosis Fungoides and S α zary Syndrome. <i>American Journal of Surgical Pathology</i> , 2018, 42, 726-734.	3.7	17
124	Uncommon Histopathological Variants of Malignant Melanoma: Part 1. <i>American Journal of Dermatopathology</i> , 2019, 41, 243-263.	0.6	17
125	Atypical clinicopathologic presentation of primary cutaneous diffuse large B-cell lymphoma, leg type. <i>Journal of the American Academy of Dermatology</i> , 2015, 72, 1016-1020.	1.2	16
126	The Histopathological Spectrum of Pseudolymphomatous Infiltrates in Cutaneous Lupus Erythematosus. <i>American Journal of Dermatopathology</i> , 2018, 40, 247-253.	0.6	16

#	ARTICLE	IF	CITATIONS
127	Impact of Next-generation Sequencing on Interobserver Agreement and Diagnosis of Spitzoid Neoplasms. <i>American Journal of Surgical Pathology</i> , 2021, 45, 1597-1605.	3.7	16
128	Primary cutaneous B-cell lymphomas: then and now. <i>Journal of Cutaneous Pathology</i> , 2006, 33, 1-5.	1.3	15
129	Phenotypic Variation in Different Lesions of Mycosis Fungoides Biopsied Within a Short Period of Time From the Same Patient. <i>American Journal of Dermatopathology</i> , 2016, 38, 541-545.	0.6	15
130	Clinicopathologic and molecular features in cutaneous extranodal natural killer/T-cell lymphoma, nasal type, with aggressive and indolent course. <i>Journal of the American Academy of Dermatology</i> , 2014, 70, 716-723.	1.2	14
131	Pathogenesis of Leprosy: An Insight Into B Lymphocytes and Plasma Cells. <i>American Journal of Dermatopathology</i> , 2019, 41, 422-427.	0.6	14
132	The Clinicopathologic Spectrum of Cytotoxic Lymphomas of the Skin. <i>Seminars in Cutaneous Medicine and Surgery</i> , 2000, 19, 118-123.	1.6	14
133	Molecular diagnostics in cutaneous lymphomas. <i>JDDG - Journal of the German Society of Dermatology</i> , 2013, 11, 25-35.	0.8	13
134	Past, present and future of cutaneous lymphomas. <i>Seminars in Diagnostic Pathology</i> , 2017, 34, 3-14.	1.5	13
135	Pagetoid reticulosis (Woringer-Kolopp disease) in a 2-year-old girl—Case report and review of the literature. <i>JAAD Case Reports</i> , 2019, 5, 104-107.	0.8	13
136	CD56+ blastic transformation of chronic myeloid leukemia involving the skin. <i>Journal of Cutaneous Pathology</i> , 1999, 26, 497-503.	1.3	12
137	Intravascular Large B-Cell Lymphoma of the Skin: Typical Clinical Manifestations and a Favourable Response to Rituximab-Containing Therapy. <i>Dermatology</i> , 2009, 219, 344-346.	2.1	12
138	Intravascular Cutaneous Disorders. A Clinicopathologic Review. <i>American Journal of Dermatopathology</i> , 2021, 43, 119-136.	0.6	12
139	Clinical, histopathological and prognostic features of primary cutaneous acral CD8 ⁺ T-cell lymphoma and other dermal CD8 ⁺ cutaneous lymphoproliferations: results of an EORTC Cutaneous Lymphoma Group workshop*. <i>British Journal of Dermatology</i> , 2022, 186, 887-897.	1.5	12
140	Prior knowledge of the clinical picture does not introduce bias in the histopathologic diagnosis of melanocytic skin lesions. <i>Journal of Cutaneous Pathology</i> , 2015, 42, 953-958.	1.3	11
141	Histopathologic Interobserver Agreement on the Diagnosis of Melanocytic Skin Lesions with Equivocal Dermoscopic Features: A Pilot Study. <i>Tumori</i> , 2000, 86, 445-449.	1.1	10
142	Epidermotropic Precursor T-cell Lymphoma With Highly Aggressive Clinical Behavior Simulating Localized Pagetoid Reticulosis. <i>American Journal of Dermatopathology</i> , 2007, 29, 392-394.	0.6	10
143	9p21 Deletion in Primary Cutaneous Large B-Cell Lymphoma, Leg Type, May Escape Detection by Standard FISH Assays. <i>Journal of Investigative Dermatology</i> , 2009, 129, 238-240.	0.7	10
144	Non-reproducible sequence artifacts in FFPE tissue: an experience report. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 1199-1207.	2.5	10

#	ARTICLE	IF	CITATIONS
145	Prevalence of ALK gene alterations among the spectrum of plexiform spitzoid lesions. <i>Journal of the American Academy of Dermatology</i> , 2018, 79, 728-735.	1.2	10
146	Immunoreactivity for bcl-2 protein in cutaneous lymphomas and lymphoid hyperplasias. <i>Journal of Cutaneous Pathology</i> , 1995, 22, 476-476.	1.3	9
147	Subcutaneous panniculitis-like T-cell lymphoma, lupus erythematosus profundus, and overlapping cases: molecular characterization through the study of 208 genes. <i>Leukemia and Lymphoma</i> , 2021, 62, 2130-2140.	1.3	9
148	Cutaneous immunocytoma presenting with multiple infiltrated macules and papules. <i>Journal of the American Academy of Dermatology</i> , 2001, 44, 324-329.	1.2	8
149	Cutaneous lymphoid proliferations: a clinicopathological continuum?. <i>Diagnostic Histopathology</i> , 2010, 16, 417-424.	0.4	8
150	Mid-dermal elastolysis as a manifestation of immune reconstitution inflammatory syndrome in an HIV-infected patient. <i>Journal of the American Academy of Dermatology</i> , 2014, 71, e134-e135.	1.2	8
151	Clues in Histopathological Diagnosis of Panniculitis. <i>American Journal of Dermatopathology</i> , 2018, 40, 155-167.	0.6	8
152	Papular Mycosis Fungoides Is a Distinctive Variant of Early-stage Mycosis Fungoides. <i>American Journal of Surgical Pathology</i> , 2019, 43, 1129-1134.	3.7	8
153	Cutaneous hemophagocytosis: Clinicopathologic features of 21 cases. <i>Journal of the American Academy of Dermatology</i> , 2018, 78, 377-382.	1.2	7
154	Global PD-L1 Signals and Tumor-Infiltrating Lymphocytes: Markers of Immunogenicity in Different Subsets of Merkel Cell Carcinoma and Potential Therapeutic Implications. <i>American Journal of Dermatopathology</i> , 2019, 41, 819-825.	0.6	7
155	Dermoscopy and reflectance confocal microscopy in verruciform xanthoma of the glans penis. <i>Journal of the American Academy of Dermatology</i> , 2015, 72, e147-e149.	1.2	6
156	Nodular Sclerodermatous Chronic Cutaneous Graft-Versus-Host Disease (GvHD): A New Clinicopathological Variant of Cutaneous Sclerodermatous GvHD Resembling Nodular/Keloidal Scleroderma. <i>American Journal of Dermatopathology</i> , 2017, 39, 910-913.	0.6	6
157	Plasmacytic cutaneous pathology: A review. <i>Journal of Cutaneous Pathology</i> , 2019, 46, 698-708.	1.3	6
158	Dermoscopy of a single plaque on the face: an uncommon presentation of cutaneous sarcoidosis. <i>Dermatology Practical and Conceptual</i> , 2018, 8, 174-176.	0.9	6
159	Pigmented trichoblastoma developed in a sebaceous nevus: HRAS mutation as a common molecular driver. <i>Pathology Research and Practice</i> , 2017, 213, 860-862.	2.3	4
160	Syringotropic Lichen Planus: A Potential Histopathologic Mimicker of Syringotropic Mycosis Fungoides. <i>American Journal of Dermatopathology</i> , 2019, 41, e50-e53.	0.6	4
161	Lichen Sclerosus et Atrophicus With Histopathologic Features Mimicking Mycosis Fungoides. <i>American Journal of Surgical Pathology</i> , 2022, 46, 83-88.	3.7	4
162	International Board Certification in Dermatopathology: paving the way for the future. <i>Journal of Cutaneous Pathology</i> , 2004, 31, 683-685.	1.3	3

#	ARTICLE	IF	CITATIONS
163	Lyme borreliosis. Lancet, The, 2004, 363, 249.	13.7	3
164	Molekulare Diagnostik kutaner Lymphome. JDDG - Journal of the German Society of Dermatology, 2013, 11, 26-36.	0.8	3
165	Bendamustine Monotherapy for Primary Cutaneous Gamma-Delta T-Cell Lymphoma. JAMA Dermatology, 2020, 156, 1140.	4.1	3
166	Cutaneous lymphohistiocytic infiltrates with foamy macrophages: A novel histopathological clue to <i>Stenotrophomonas maltophilia</i> septicemia. Journal of Cutaneous Pathology, 2021, 48, 160-164.	1.3	3
167	E-Cadherin Expression and Blunted Interferon Response in Blastic Plasmacytoid Dendritic Cell Neoplasm. American Journal of Surgical Pathology, 2021, 45, 1428-1438.	3.7	3
168	Molecular Profiling Of Blastic Plasmacytoid Dendritic CELL Neoplasm Reveals A Unique Pattern and Suggests Selective Sensitivity To NF-KB Pathway Inhibition. Blood, 2013, 122, 2502-2502.	1.4	3
169	Differential diagnosis between cutaneous lymphoma and pseudolymphoma. , 2003, 25, 191-8.		3
170	Dermatopathology Examination in Europe: A Summary of 6 Years of the European Board Certification. American Journal of Dermatopathology, 2009, 31, 803-805.	0.6	2
171	Borderline CD30+ cutaneous lymphoproliferative disorder: report of a case with expression of cytotoxic markers and response to clarithromycin. Journal of Cutaneous Pathology, 2011, 38, 301-305.	1.3	2
172	Evaluation of the ICDPâ€UEMS Dermatopathology Examination. American Journal of Dermatopathology, 2012, 34, 471-477.	0.6	2
173	Diffuse dermal angiomatosis of the abdomen. European Journal of Dermatology, 2015, 25, 350-352.	0.6	2
174	Fibrous hamartoma of infancy within a congenital nevus. JDDG - Journal of the German Society of Dermatology, 2015, 13, 1282-1284.	0.8	2
175	Histiocytoid Sweet Syndrome and Myelodysplastic Syndromeâ€”Reply. JAMA Dermatology, 2017, 153, 836.	4.1	2
176	Primary intrafascial desmoplastic melanoma with pseudoglandular differentiation and aberrant cytokeratins expression: An exceptional presentation. Pathology Research and Practice, 2019, 215, 152668.	2.3	2
177	Blastic Plasmacytoid Dendritic Cell Neoplasm: Underlining the importance of an early diagnosis and the use of tagraxofusp therapy before wide dissemination. Australasian Journal of Dermatology, 2021, 62, e316-e318.	0.7	2
178	CD30+ Cutaneous Lymphoproliferative Disorders. , 0, , 45-58.		2
179	Molekularbiologische Methoden zur Verbesserung der Diagnose und Prognose bei melanozytären Tumoren. JDDG - Journal of the German Society of Dermatology, 2013, 11, 20-25.	0.8	1
180	Mycosis Fungoides With Large Cell Transformation and T Follicular Helper Phenotype. , 2014, 19, 208-211.		1

#	ARTICLE	IF	CITATIONS
181	Blue nevus with halo?. Journal of the American Academy of Dermatology, 2016, 75, e15-e16.	1.2	1
182	Clinical-Pathological Conference Series from the Medical University of Graz. Wiener Klinische Wochenschrift, 2017, 129, 145-152.	1.9	1
183	Correlation of Reflectance Confocal Microscopy and Dermatopathology Findings in a Case of Acrodermatitis Chronica Atrophicans. American Journal of Dermatopathology, 2018, 40, 367-370.	0.6	1
184	Biological Significance of the Association Between Cutaneous Al-amyloidoma and Sjögren Syndrome. American Journal of Dermatopathology, 2020, 42, 553-555.	0.6	1
185	Incidental Acantholysis in Hailey-Hailey Disease (Microscopic Nikolsky Sign): An Underappreciated Histologic Sign. American Journal of Dermatopathology, 2020, 42, e61-e64.	0.6	1
186	Correlation Between Dermoscopic and Histologic Features of Uncommon Cutaneous Melanoma Variants. JAMA Dermatology, 2020, 156, 1029.	4.1	1
187	Pruritic papules after extensive fasting period. JAAD Case Reports, 2020, 6, 1191-1192.	0.8	1
188	Keratotic Nodules and Plaques on the Lower Extremities: Answer. American Journal of Dermatopathology, 2020, 42, 613-613.	0.6	1
189	Cutaneous borreliosis: An insidious mimicker of patch-type granuloma annulare. Journal of Cutaneous Pathology, 2020, 47, 876-878.	1.3	1
190	Cutaneous Hodgkin Lymphoma. , 0, , 141-143.		1
191	Blastic NK-Cell Lymphoma. , 0, , 131-131.		1
192	Pseudolymphomas of the Skin. , 0, , 155-155.		1
193	Primary or Primarily?. American Journal of Dermatopathology, 2000, 22, 366-368.	0.6	1
194	Syringotropic Melanoma: A Diagnostic Challenge With Prognostic Implications. American Journal of Dermatopathology, 2022, 44, 33-36.	0.6	1
195	Unusual contact dermatitis after <sc>SARS-CoV-2</sc> vaccinations. Contact Dermatitis, 2022, 86, 559-560.	1.4	1
196	International Board Certification in Dermatopathology. American Journal of Clinical Pathology, 2005, 123, 801-804.	0.7	0
197	Dermoscopic Features of Difficult Melanoma. Dermatologic Surgery, 2007, 33, 91-99.	0.8	0
198	Cutaneous T-cell lymphoma and emerging therapies. Drug Discovery Today Disease Mechanisms, 2008, 5, e69-e79.	0.8	0

#	ARTICLE	IF	CITATIONS
199	Conflict of interests. <i>Journal of the American Academy of Dermatology</i> , 2008, 58, 170.	1.2	0
200	Cutaneous Lymphoproliferative Disease. , 2014, 19, 185-186.		0
201	The Cutaneous "Atypical Lymphoid Proliferation", 2014, , 411-414.		0
202	Asymptomatic, Tiny Yellowish Papules on the Back of the Wrist: Answer. <i>American Journal of Dermatopathology</i> , 2017, 39, 945-946.	0.6	0
203	Asymptomatic, Tiny Yellowish Papules on the Back of the Wrist: Challenge. <i>American Journal of Dermatopathology</i> , 2017, 39, e161-e162.	0.6	0
204	Painful hemorrhagic bullae on the dorsal hands. <i>JDDG - Journal of the German Society of Dermatology</i> , 2018, 16, 1152-1154.	0.8	0
205	Hypokeratotic lesion on the palm. <i>JDDG - Journal of the German Society of Dermatology</i> , 2019, 17, 752-754.	0.8	0
206	A 47-Year-Old Patient With Multiple Desquamative Patches and Subsequent Onset of Papular Lesions: Challenge. <i>American Journal of Dermatopathology</i> , 2020, 42, e139-e140.	0.6	0
207	A 47-Year-Old Patient With Multiple Desquamative Patches and Subsequent Onset of Papular Lesions: Answer. <i>American Journal of Dermatopathology</i> , 2020, 42, 791-792.	0.6	0
208	Infiltrated erythematous plaques on the lumbar area. <i>JDDG - Journal of the German Society of Dermatology</i> , 2020, 18, 1331-1334.	0.8	0
209	Keratotic Nodules and Plaques on the Lower Extremities: Challenge. <i>American Journal of Dermatopathology</i> , 2020, 42, e113-e114.	0.6	0
210	A Large Subcutaneous Plaque on the Left Flank: Challenge. <i>American Journal of Dermatopathology</i> , 2020, 42, e111-e112.	0.6	0
211	A Large Subcutaneous Plaque on the Left Flank: Answer. <i>American Journal of Dermatopathology</i> , 2020, 42, 612-612.	0.6	0
212	Intracorneal pustular drug eruption associated with nivolumab in a patient with metastatic renal cancer. <i>International Journal of Dermatology</i> , 2020, 59, e435-e437.	1.0	0
213	Melanoma of the proximal nail fold mimicking Hutchinson sign. <i>JAAD Case Reports</i> , 2020, 6, 411-413.	0.8	0
214	Long-standing purpuric exanthema. <i>JAAD Case Reports</i> , 2021, 11, 38-40.	0.8	0
215	Multiple Comedonal Plaques of Both Ears With Hearing Loss: Challenge. <i>American Journal of Dermatopathology</i> , 2021, 43, e119-e120.	0.6	0
216	Multiple Comedonal Plaques of Both Ears With Hearing Loss: Answer. <i>American Journal of Dermatopathology</i> , 2021, 43, 838-839.	0.6	0

#	ARTICLE	IF	CITATIONS
217	Sclerotic Fibroma-Like Dermatofibrosarcoma Protuberans With Pleomorphic Sarcomatous Transformation: A Diagnostic Challenge. <i>American Journal of Dermatopathology</i> , 2021, 43, 315-317.	0.6	0
218	Marginal Zone Lymphoma and Cutaneous Immunocytoma. , 0, , 100-108.		0
219	Plasmacytoma. , 0, , 109-111.		0
220	Other Cutaneous B-Cell Lymphomas. , 0, , 123-130.		0
221	Cutaneous Myelogenous Leukaemia. , 0, , 147-150.		0
222	Cutaneous Lymphomas in Immunosuppressed Individuals (Post-Transplant Lymphoproliferative) Tj ETQq0 0 0 rgBT /Overlock 0 Tf 50 5		0
223	Pseudolymphomas of the Skin. , 0, , 157-176.		0
224	Subcutaneous T-Cell Lymphoma. , 0, , 59-65.		0
225	Small-medium Pleomorphic T-Cell Lymphoma. , 0, , 80-82.		0
226	Other Cutaneous T-Cell Lymphomas. , 0, , 83-88.		0
227	Follicle Centre Cell Lymphoma. , 0, , 91-99.		0
228	Cutaneous B-Cell Lymphomas. , 0, , 89-90.		0
229	Other Cutaneous Lymphomas/Leukaemias. , 0, , 145-145.		0
230	A case of spontaneous regression of metastatic skin undifferentiated carcinoma. <i>Italian Journal of Dermatology and Venereology</i> , 2021, 156, 404-405.	0.2	0
231	Connective tissue nevus in Marfan Syndrome successfully treated with intralesional steroid injections. <i>Italian Journal of Dermatology and Venereology</i> , 2021, 156, 626-628.	0.2	0