

Hyung-Ok Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10737000/publications.pdf>

Version: 2024-02-01

19
papers

1,418
citations

623734

14
h-index

752698

20
g-index

20
all docs

20
docs citations

20
times ranked

2084
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical Implications of Fibroblast Activation Protein in Patients with Colon Cancer. <i>Clinical Cancer Research</i> , 2007, 13, 1736-1741.	7.0	306
2	FAP-overexpressing fibroblasts produce an extracellular matrix that enhances invasive velocity and directionality of pancreatic cancer cells. <i>BMC Cancer</i> , 2011, 11, 245.	2.6	249
3	Phase II trial of single agent Val-boroPro (talabostat) inhibiting fibroblast activation protein in patients with metastatic colorectal cancer. <i>Cancer Biology and Therapy</i> , 2007, 6, 1691-1699.	3.4	207
4	The endothelin receptor-B is required for the migration of neural crest-derived melanocyte and enteric neuron precursors. <i>Developmental Biology</i> , 2003, 259, 162-175.	2.0	193
5	Abrogation of fibroblast activation protein enzymatic activity attenuates tumor growth. <i>Molecular Cancer Therapeutics</i> , 2005, 4, 351-360.	4.1	117
6	Spatiotemporal regulation of endothelin receptor-B by SOX10 in neural crest-derived enteric neuron precursors. <i>Nature Genetics</i> , 2004, 36, 732-737.	21.4	104
7	TCR-mediated ThPOK induction promotes development of mature (CD24 ^{hi}) $\gamma\delta$ thymocytes. <i>EMBO Journal</i> , 2010, 29, 2329-2341.	7.8	46
8	Evolution of Tumor Invasiveness: The Adaptive Tumor Microenvironment Landscape Model. <i>Cancer Research</i> , 2011, 71, 6327-6337.	0.9	34
9	Hydroxychloroquine Destabilizes Phospho-S6 in Human Renal Carcinoma Cells. <i>PLoS ONE</i> , 2015, 10, e0131464.	2.5	24
10	Specific Targeting of <i>MTAP</i> -Deleted Tumors with a Combination of 2-Fluoroadenine and 5-Methylthioadenosine. <i>Cancer Research</i> , 2018, 78, 4386-4395.	0.9	20
11	Disregulated expression of the transcription factor ThPOK during T-cell development leads to high incidence of T-cell lymphomas. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 7773-7778.	7.1	18
12	Identification of inhibitory scFv antibodies targeting fibroblast activation protein utilizing phage display functional screens. <i>FASEB Journal</i> , 2013, 27, 581-589.	0.5	17
13	Combination of serum histidine and plasma tryptophan as a potential biomarker to detect clear cell renal cell carcinoma. <i>Journal of Translational Medicine</i> , 2017, 15, 72.	4.4	15
14	Lack of global epigenetic methylation defects in CBS deficient mice. <i>Journal of Inherited Metabolic Disease</i> , 2017, 40, 113-120.	3.6	15
15	Treatment of Cystathionine β -Synthase Deficiency in Mice Using a Minicircle-Based Naked DNA Vector. <i>Human Gene Therapy</i> , 2019, 30, 1093-1100.	2.7	14
16	S-adenosylhomocysteine hydrolase over-expression does not alter S-adenosylmethionine or S-adenosylhomocysteine levels in CBS deficient mice. <i>Molecular Genetics and Metabolism Reports</i> , 2018, 15, 15-21.	1.1	13
17	Highly recurrent CBS epimutations in gastric cancer CpG island methylator phenotypes and inflammation. <i>Genome Biology</i> , 2021, 22, 167.	8.8	10
18	Analysis of the Qatari R336C cystathionine β -synthase protein in mice. <i>Journal of Inherited Metabolic Disease</i> , 2019, 42, 831-838.	3.6	7

#	ARTICLE	IF	CITATIONS
19	Long-term functional correction of cystathionine β -synthase deficiency in mice by adeno-associated viral gene therapy. <i>Journal of Inherited Metabolic Disease</i> , 2021, 44, 1382-1392.	3.6	7